


W.C.B. LIBRARY





State of California
The Resources Agency
Department of
Water Resources

UNIVERSITY OF CALIFORNIA
DAVIS

1978

GOVT. DOCS. - LIBRARY



Water Wells and Springs in Palo Verde Valley, Riverside and Imperial Counties, California



Photo on the cover from U.S. Geological Survey:

Areal view of a portion of the Palo Verde Valley, showing the town of Palo Verde and surrounding agricultural land.

**Department of
Water Resources**

Bulletin 91-23

Water Wells and Springs in Palo Verde Valley, Riverside and Imperial Counties, California

October 1978

**Prepared by
United States Department of
Interior Geological Survey
Federal-State Cooperative
Ground-Water Investigations**

U.C.D. LIBRARY

**Huey D. Johnson
Secretary for Resources**


**Edmund G. Brown Jr.
Governor**

**Ronald B. Robie
Director**

**The Resources
Agency**

**State of
California**

**Department of
Water Resources**



PART OF SOUTHERN CALIFORNIA SHOWING AREA DESCRIBED IN THIS
AND PREVIOUS BULLETINS OF THE NO. 91 SERIES

ABSTRACT

This bulletin is one of a series on water wells and springs in southern California desert areas. The series is prepared by the U.S. Geological Survey and published by the California Department of Water Resources.

Each bulletin shows location of water wells and springs in a part of the southern California desert regions; describes well depth and yield, water use and level on dates observed; names the well owner; provides pumping data, including depths, rates, static water levels, drawdowns, and specific capacities; and lithologic data from drillers' well logs.

Earlier bulletins in the series are:

- Bulletin No. 91-1: Data on Wells in the West Part of the Middle Mojave Valley Area, San Bernardino County, California. June 1960; 126 p. [Out of print]
- 91-2: Data on Water Wells and Springs in the Yucca Valley-Twentynine Palms Area, San Bernardino and Riverside Counties, California. June 1960; 164 p. [Out of print]
- 91-3: Data on Water Wells in the Eastern Part of the Middle Mojave Valley Area, San Bernardino County, California. August 1960; 223 p. [Out of print]
- 91-4: Data on Water Wells in the Willow Springs, Gloster, and Chaffee Areas, Kern County, California. September 1960; 90 p. [\$1.50 a copy]
- 91-5: Data on Water Wells in the Dale Valley Area, San Bernardino and Riverside Counties, California. March 1961; 60 p. [\$1.50 a copy]
- 91-6: Data on Wells in the Edwards Air Force Base Area, California. June 1962; 212 p. [\$3.00 a copy]
- 91-7: Data on Water Wells and Springs in the Chuckwalla Valley Area, Riverside County, California. May 1963; 78 p. [Out of print]
- 91-8: Data on Water Wells and Springs in the Rice and Vidal Valley Areas, Riverside and San Bernardino Counties, California. May 1963; 36 p. [Out of print]
- 91-9: Data on Water Wells in Indian Wells Valley Area, Inyo, Kern, and San Bernardino Counties, California. May 1963; 246 p. [Out of print]
- 91-10: Data on Wells and Springs in the Lower Mojave Valley Area, San Bernardino County, California. December 1963; 212 p. [Out of print]
- 91-11: Data on Water Wells in the Western Part of the Antelope Valley Area, Los Angeles and Kern Counties, California. May 1965; 278 p. [\$1.50 a copy]
- 91-12: Data on Water Wells in the Eastern Part of the Antelope Valley Area, Los Angeles County, California. December 1966; 448 p. [\$4.75 a copy]
- 91-13: Water Wells and Springs in Soda, Silver, and Cronese Valleys, San Bernardino County, California. August 1967; 80 p. [\$1.00 a copy]
- 91-14: Water Wells and Springs in Bristol, Broadwell, Cadiz, Danby, and Lamic Valleys and Vicinity, San Bernardino and Riverside Counties, California. August 1967; 80 p. [\$1.50 a copy]
- 91-15: Water Wells and Springs in Borrego, Carrizo, and San Felipe Valley Areas, San Diego and Imperial Counties, California. January 1968; 142 p. [\$2.00 a copy]
- 91-16: Water Wells and Springs in the Fremont Valley Area, Kern County, California. February 1969; 158 p. [\$2.00 a copy]
- 91-17: Water Wells and Springs in the Panamint, Searles, and Knob Valleys, San Bernardino and Inyo Counties, California. December 1969; 110 p. [\$2.00 a copy]
- 91-18: Water Wells in the San Luis Rey River Valley Area, San Diego County, California. May 1971; 347 p. [\$4.00 a copy]
- 91-19: Water Wells in the Harper, Superior, and Cuddeback Areas, San Bernardino County, California. May 1971; 99 p. [\$2.00 a copy]
- 91-20: Water Wells and Springs in the Western Part of the Upper Santa Margarita River Watershed, Riverside and San Diego Counties, California. August 1971; 377 p. [\$4.00 a copy]
- 91-21: Water Wells and Springs in Ivanpah Valley, San Bernardino County, California. January 1972; 56 p. [\$2.00 a copy]
- 91-22: Water Wells and Springs in the Eastern Part of the Upper Santa Margarita Watershed, Riverside and San Diego Counties, California. August 1974; 213 p. [\$3.00 a copy]

PREFACE

Previous Investigations and Acknowledgments

The data on ground-water hydrology and geology presented in this report came from several published reports; from numerous files in Federal, State, and local governmental agencies; from the files of private individuals; and from field canvass of individual wells by J. D. Horne, R. L. Blazs, and L. A. Price of the U.S. Geological Survey.

The published reports include Mendenhall (1909); Waring (1915); Brown (1920 and 1923); Kocher and Youngs (1926); Ver Planck (1952); California Division of Water Resources (1954); Metzger (1965); Metzger, Loeltz, and Irelan (1973); and the U.S. Environmental Protection Agency (1972). The previously unpublished data included in this report are from the files of the California Division of Water Resources, Palo Verde Irrigation District, U.S. Department of Agriculture, Riverside County Flood Control District, and many individuals and well owners.

The geologic map in this report was compiled from the original unpublished sources used by the California Division of Mines and Geology for the published Salton Sea map sheet (scale 1:250,000) by Jennings (1967). The original unpublished sources were used because they were closer to the scale used in this report (1:62,500). Original geologic mapping was by James Gamble and E. A. Donehy, geologists with the Southern Pacific Land Co.; C. W. Jennings and R. B. Saul, geologists with the California Division of Mines and Geology; and Warren Hamilton, geologist with the U.S. Geological Survey. Some modifications or additions were made by W. R. Moyle, Jr., in this report.

The cooperation and assistance of all those who contributed materially to the completeness of the data in this report are gratefully acknowledged.

Purpose and Scope of the Investigation

The data in this bulletin were collected by the U.S. Geological Survey, in cooperation with the California Department of Water Resources, as a phase of the investigation of water wells and springs and of general hydrologic conditions throughout much of the desert region of southern California.


The objective of the investigation was to collect and tabulate ground-water data for the individual desert basins, in order to provide other agencies and the general public with the information needed to make ground-water evaluations and to plan water utilization and developmental work.

The work included (1) brief reconnaissance of major geologic features to determine the extent and general character of the deposits that contain ground water; (2) field examination of most water wells and one spring in the area to determine their location with respect to the geographic and cultural features and the public-land net and to record well depth and casing diameter, type and

capacity of pumping equipment, use of the water, and other pertinent information available at the well site; (3) measurement of the depth to water below land surface; (4) selection of representative wells to be measured periodically to detect and record changes of water level; and (5) collection and tabulation of well and spring records, including water-level measurements, chemical analyses, and pumping-test data.

Well- and Spring-Numbering System

Wells and springs are numbered according to their location in the rectangular system for the subdivision of public land. For example, in the number 6S/22E-22B1, the part of the number preceding the slash indicates the township (T. 6 S.), the part between the slash and the hyphen indicates the range (R. 22 E.), the number between the hyphen and the letter indicates the section (sec. 22), and the letter indicates the 40-acre subdivision of the section. Within the 40-acre tract, wells are numbered serially, as indicated by the final digit. Thus, well 6S/22E-22B1 is the first well to be listed in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 6 S., R. 22 E., as shown in the diagram below. All well and spring locations are referenced to the San Bernardino base line and meridian.



Where a Z has been substituted for the letter designating the 40-acre tract, the Z indicates that the well is plotted from an unverified location description; the indicated sites of such wells were visited, but no evidence of a well could be found.

Springs are numbered the same way except that an S is placed between the 40-acre subdivision letter and the final digit as shown in the following spring number: 9S/20E-10DS1.

WATER WELLS AND SPRING IN PALO VERDE VALLEY
RIVERSIDE AND IMPERIAL COUNTIES, CALIFORNIA

By W. R. Moyle, Jr., and Mary J. Mermod

CONTENTS

	Page
Conversion factors-----	8
General features-----	8
Geologic and hydrologic features-----	8
Geologic units and their water-bearing character-----	8
Recharge and discharge of ground water-----	10
Records of water level-----	10
Quality of water-----	10
References cited-----	10
Explanation of well table-----	12

ILLUSTRATIONS

	Page
Maps of the Palo Verde Valley area, Riverside and Imperial Counties, Calif., showing reconnaissance geology and location of wells and spring-----	243

TABLES

	Page
Table 1. Description of wells-----	13
2. Description of spring-----	25
3. Records of water level-----	26
4. Chemical analyses of water-----	232
5. Public water supply criteria-----	236
6. Pumping tests-----	237

Copies of this bulletin at \$5.00 each may be ordered from:

State of California
DEPARTMENT OF WATER RESOURCES
P.O. Box 388
Sacramento, California 95802

Make checks payable to STATE OF CALIFORNIA.
California residents add sales tax.

CONVERSION FACTORS

For readers who prefer metric units rather than English units, conversion factors for the terms used herein are listed below:

Multiply English unit	By	To obtain metric unit
acres	4.047×10^{-3}	square kilometers
ft (feet)	3.048×10^{-1}	meters
gal/min (gallons per minute)	6.309×10^{-2}	liters per second
(gal/min)/ft (gallons per minute per foot)	2.070×10^{-1}	liters per second per meter
in (inches)	2.540×10	millimeters
mi (miles)	1.609	kilometers
mi ² (square miles)	2.590	square kilometers

GENERAL FEATURES

Palo Verde Valley covers an area of about 575 mi² on the west side of the Colorado River in California. The valley contains the towns of Blythe, Palo Verde, and Ripley. The north edge of the study area is along the surface-water drainage divide of the Big and Little Maria Mountains. On the west and south, the edges of the study area follow the drainage divides of the McCoy, Mule, and Palo Verde Mountains.

The base map for the study area was compiled at a scale of 1:62,500 from all or parts of the following U.S. Geological Survey topographic maps: Big Maria Mountains, Midland, McCoy Spring, and Palo Verde Mountains at a scale of 1:62,500; and McCoy Wash, Blythe Northeast, Ripley, Blythe, Palo Verde, Mule Wash, and Cibola at a scale of 1:24,000.

GEOLOGIC AND HYDROLOGIC FEATURES

Geologic Units and Their Water-Bearing Character

Geologic units in the Palo Verde Valley area are divided into two main groups, consolidated and unconsolidated rocks. Water-bearing characteristics of these two groups are dissimilar. The unconsolidated rocks are more porous and permeable than the consolidated rocks and contain most of the ground water stored in the area.

The consolidated rocks comprise the mountains and hills surrounding the valley areas and underlie the unconsolidated rocks that form the valley fill. Most of the precipitation in the drainage area falls on the mountains, but some falls directly upon the valley floor. Both surface-water runoff from the mountains and direct rainfall penetrate the valley alluvium to recharge the ground water in the unconsolidated rocks.

From oldest to youngest, the individual rock units are described in the following paragraphs:

Basement complex of pre-Tertiary age.--This includes igneous and metamorphic rocks composed of granite, diorite, quartzite, schist, gneiss, metalimestone, and metavolcanics. These rocks are non-water-bearing except where saturated along fractures and faults.

Volcanic rocks of Miocene(?) and Pliocene(?) age.--These rocks form an assemblage of intrusive and extrusive plugs, dikes, and flows. They are composed of andesite, rhyodacite, tuff, pyroclastic breccia, and agglomerate. These rocks include the Palo Verde volcanic sequence of Gamble and Donehy (1960) and yield little or no water to wells or springs.

Fanglomerate of Miocene(?) and Pliocene(?) age.--This unit is composed of well-indurated, reddish-brown volcanic debris. It includes the Tolbard Fanglomerate of Gamble and Donehy (1960). Water is not known to be produced from this unit within the study area. If the formation were penetrated by a well, it probably would not yield more than a few gallons of water per minute.

Continental and marine sedimentary rocks of Pliocene and Pleistocene age.--These rocks comprise moderately to highly indurated and well-bedded limestone, sandstone, tuffaceous siltstone, silt, sand, clay, tufa, and fanglomerate. Included are the Barren Mountain Group (composed of the Vinagre Formation, undifferentiated, and the Cibola Member of the Vinagre Formation from Gamble and Donehy, 1960) and the Bouse Formation, of Pliocene age, which are considered to be part marine and part continental in origin. The rocks, where saturated, will yield small to moderate quantities of water to wells, as described by Metzger, Loeltz, and Irelan (1973, p. 18-19). They indicated that the upper part of the Bouse Formation may yield 15 gallons of water per minute per foot of drawdown while the lower part of the Bouse Formation may yield as little as 1 (gal/min)/ft of drawdown. They also indicated that the thickness of the Bouse Formation in some areas may be as much as 900 ft.

Older alluvium of Pleistocene age.--This is composed of moderately indurated, well-sorted sand, gravel, boulders, silt, and clay. Where saturated, the older alluvium is the principal aquifer in the study area and will yield large quantities of water to wells. Wells may produce as much as 250 (gal/min)/ft of drawdown. Many wells produce water in the range between 1,000 and 2,500 gal/min. Included in the older alluvium is the Arroyo Seco Formation of Gamble and Donehy (1960).

Younger alluvium of Holocene age.--This is composed of unconsolidated sand, gravel, silt, and clay. It is dry in the mountains and on the slopes but contains water in the flood plain of the Colorado River where it yields water freely to wells.

Dune sand of Holocene age.--This is actively drifting sand that is generally dry. In places this sand may yield small quantities of water.

For a more detailed description of the geologic units and their water-bearing characteristics, see Metzger, Loeltz, and Irelan (1973).

Recharge and Discharge of Ground Water

Recharge to ground water in the Palo Verde Valley occurs as seepage from the Colorado River, ground-water inflow from Chuckwalla Valley (west of Blythe off base map), and direct infiltration of rain. Discharge from Palo Verde Valley is south to the Colorado River. Estimates of recharge and discharge were given by Metzger, Loeltz, and Irelan (1973).

Records of Water Level

Measurements of the water level have been made in many wells along the Colorado River flood plain on a weekly or monthly basis since 1922 by the Palo Verde Irrigation District. In many wells the fluctuation of the water table has been less than 5 ft for the period of record. Therefore, for those wells along the flood plain where the fluctuations are small, only two measurements a year are shown in table 3. If an unusual fluctuation occurred, it was included also.

Quality of Water

Ground water in Palo Verde Valley ranges in dissolved-solids concentration from about 500 to 13,000 milligrams per liter as shown by the chemical analyses in table 4. This indicates that the water varies from good to poor for public supply, irrigation, stock, and industrial uses. These analyses indicate that the major constituents in the water are sodium (Na), chloride (Cl), sulfate (SO₄), and bicarbonate (HCO₃). Table 5 lists the recommended limit for individual constituents in water used for public supply (U.S. Environmental Protection Agency, 1972). Many of the constituents listed in table 5 so rarely occur in objectionable concentrations that, unless requested, they are normally not determined in chemical analyses.

REFERENCES CITED

- Brown, J. S., 1920, Routes to desert watering places in the Salton Sea region, California: U.S. Geol. Survey Water-Supply Paper 490-A, 86 p.
— 1923, The Salton Sea region, California: U.S. Geol. Survey Water-Supply Paper 497, 292 p.
California Division of Water Resources, 1954, Ground water occurrence and quality, Colorado River Basin Region: California Div. Water Resources Water Quality Inv. rept. no. 4, 55 p.

- Gamble, James, and Donehy, E. A., 1960, Maps of areal economic geology, T. 9 S., R. 21 and 22 E., S.B.M., and T. 10 S., R. 21 and 22 E., S.B.M., to accompany Minerals for industry, southern California: San Francisco, Southern Pacific Co., Land Dept., 2 maps.
- Jennings, C. W., 1967, Geologic map of California, Salton Sea sheet: California Div. Mines and Geology, 1 map, scale 1:250,000.
- Kocher, A. E., and Youngs, F. O., 1926, Soil survey of the Palo Verde area, California: U.S. Dept. Agr., p. 571-625.
- Mendenhall, W. C., 1909, Some desert watering places in southeastern California and southwestern Nevada: U.S. Geol. Survey Water-Supply Paper 224, 98 p.
- Metzger, D. G., 1965, A Miocene(?) aquifer in the Parker-Blythe-Cibola area, Arizona and California: U.S. Geol. Survey Prof. Paper 525-C, p. 203-205.
- Metzger, D. G., Loeltz, O. J., and Irelan, Burdge, 1973, Geohydrology of the Parker-Blythe-Cibola area, Arizona and California: U.S. Geol. Survey Prof. Paper 486-G, 130 p.
- U.S. Environmental Protection Agency, Environmental Studies Board, 1972, Water quality criteria 1972-a report of the Committee on Water Quality Criteria: Washington, U.S. Govt. Printing Office, 594 p.
- Ver Planck, W. E., 1952, Gypsum in California: California Div. Mines, Bull. 163, 151 p.
- Waring, G. A., 1915, Springs of California: U.S. Geol. Survey Water-Supply Paper 338, 410 p.

EXPLANATION OF WELL TABLE

[Boxhead explanations are abstracted and modified from U.S. Geological Survey "Instructions for Using the Punch-Card System for the Storage and Retrieval of Ground-Water Data"]

State number: The wells are identified according to their location in the rectangular system for the subdivision of public land. The identification consists of the township number, north or south; the range number, east or west; and the section number. The section is further subdivided into sixteen 40-acre tracts lettered consecutively (excepting I and O), beginning with A in the northeast corner of the section and progressing in a sinusoidal manner to K in the southeast corner. Wells within the 40-acre tract are numbered sequentially. The base line and meridians are indicated by the final letter, as follows: H, Humboldt; M, Mount Diablo; S, San Bernardino.

Owner or name: The apparent owner or user. In some cases, the local name of the well is given.

Inventory date: The year the well was field canvassed; other information given generally applies for this date.

Method drilled:

A Rotary	P Air percussion
B Bored or augered	R Reverse-rotary
C Cable-tool	T Trenching
D Dug	V Driven
N Hydraulic-rotary	W Drive-wash
J Jetted	Z Other.

Depth of well: Depth, in feet below land-surface datum, is defined as the bottom of the perforated or screened interval or the bottom of the uncased part of the well.

Depth cased: Length of casing, in feet below land-surface datum, or to the top of the perforated or screened interval.

Well finish:

C Porous concrete	O Open end	W Walled or shored
F Gravel wall, perforated or slotted casing	P Perforated or slotted casing	X Open hole in aquifer (generally cased to aquifer)
G Gravel wall, commercial screen	S Screen	Z Other.
H Horizontal gallery or collector	T Sand point	

Diameter: Inside diameter of the well, in inches; nominal inside diameter, in inches, of the innermost casing at the surface for drilled cased wells.

Power:

1 Hand	3 Gasoline engine	4 Diesel engine	5 Electric motor	7 LP gas engine (propane or butane)
2 Natural gas engine	P 0-5 hp	M 0-50 hp	S 0-1 hp	A 0-20 hp
A 0-20 hp	G >5-20	N >50-150	T >1-5	B >20-50
B >20-50	H >20-50	P >150-400	U >5-15	C >50-100
C >50-100	J >50-100	Q >400-750	V >15-100	D >100-200
D >100-200	K >100-200	G >750	W >100	E >200
E >200	L >200		6 Wind	8 Other.

Lift method:

<u>Water use:</u>		<u>Well use:</u>	
A Air	A Air conditioning	P Public supply	A Anode
B Bucket	B Bottling	R Recreation	D Drainage
C Centrifugal	C Commercial	S Stock supply	G Seismic hole
J Jet	D Dewatering	T Institutional	H Heat reservoir
L Multiple (centrifugal)	E Power generation	U Unused	O Observation
M Multiple (turbine)	F Fire protection	V Repressurization	P Dil or gas
N None	H Domestic	W Recharge	R Recharge
P Piston	I Irrigation	X Desalination, public supply	T Test hole
R Rotary	M Medicinal	Y Desalination, other use	U Unused
S Submersible	N Industrial, including mining	Z Other.	W Withdraw water
T Turbine			
Z Other.			

Altitude of land: Altitude of land-surface datum, in feet, above or below (-) mean sea level. Land-surface datum is an arbitrary plane closely approximating land surface at the time of the first measurement and used as the plane of reference for all subsequent measurements.

Number of water level: O Indicates one measurement; I indicates more than one measurement.

Chemical analyses:

C	Indicates one analysis in which the major chemical constituents were determined in order to permit an anion-cation equation balance
M	Indicates more than one analysis
P	Indicates one analysis in which a few selected constituents and properties were determined.

Pumping data:

P Indicates pumping data available.

Log data: Restricted information. Availability to public dependent upon requester securing owner's permission.

A Drilling-time	L Laterolog	V Fluid-velocity
B Casing-collar	M Microlog	W Electric and radiation
C Caliper (diameter) survey	N Neutron	X Electric, radiation, caliper, and fluid-velocity
D Driller's	D Microlaterolog	Y Electric, radiation, and sample (or driller's)
E Electric	P Photographic	Z Electric, radiation, temperature, and fluid-conductivity
F Fluid-conductivity or fluid-resistivity	Q Radioactive-tracer	B Miscellaneous (other combinations).
G Geologist or sample	R Radiation (includes both neutron and gamma-ray)	
H Magnetic	S Sonic	
I Induction	T Temperature	
J Gamma-ray	U Temperature and fluid-conductivity (resistivity)	
K Dipmeter or directional (inclinometer) survey		

TABLE 1.--Description of wells

STATE NUMBER	OWNER OR NAME	D	D	D	D	D	D	D	D	D	D	D	C	P	C	P			
		IN-	R	H	R	O	O	C	F	D	P	M	W	W	ALTI-	N	H	P	
		VEN-	Y	I	E	E	W	E	A	W	I	O	L	E	TUDE	U	N	U	
		TORY	EL	TL	PE	PS	EN	AM	EE	IT	TS	LS	EU	LE	OF	M.	ML	PT	
		DATE	AL	HL	TL	TE	LI	M	EE	FH	EE	LE	LSD	BL	BL	LY	MA	GTA	
			HE	OE	HL	HD	LS	*	R	TO	R	D		E	E	CS	IA	AA	
			O	O	O	H									R	AE	EG	LA	
															(FT)	(FT)	(IN)		
045/21E-09R01 S	U.S.GYPSUM CO	1971	1964								16	N	U	U	860	0			E
045/21E-15Z01 S	U.S.GYPSUM CO	1971	1964	C								N	U	U	790	0			E
055/21E-27001 S		1971			U						60	N	U	U	550	0			
055/22E-26M01 S		1971	1953	C	790	745	0	16				N	U	U	460	I			D
055/22E-26M01 S	C.CHEELY	1971	1957		875	750	P	12	V	T	U	U	U	440	0				
055/22E-28C01 S	RIGGI	1971	1960	H	601	270	F	14	4	T	I	W	485	I	H	P	P	DE	
055/22E-28C02 S	RIGGI	1971	1959	H	400	256	F	16		N	U	U	485	I	P	P	P	D	
055/22E-28001 S		1971	1910	D		0	6			N	U	U	455	I					
055/22E-31D01 S	J.EKERNEIT	1971	1933					12		N	U	U	476	I					
055/22E-31E01 S	V.RAZICKA	1971	1965	C	467	291	P	14		N	U	U	475	I	H	P	P	D	
055/22E-33J01 S	J.HUNT	1971	1962	H	380	260	F	12		T	I	W	438	I	P	P	D		
055/22E-33J02 S	J.HUNT	1971	1968	H	300	170	F	16	V	T	I	W	440	I	P	P	D		
055/22E-35A01 S	C.CHFELY	1971	1964	H	450	220	F	14	V	T	I	W	440	I	C	P	D		
055/22E-35D01 S		1971	C	293	180	F	14	V	T	I	W	440	I						
055/22E-35M01 S	J.SMITH	1971	1964	C	400	290	F	14	V	T	I	W	425	I	H	P	D		
055/22E-35M02 S	J.SMITH	1971	1966	H	322	197	F	16	V	T	I	W	425	I	P	P	D		
055/22E-36G01 S	J.ROHINSON	1971	1967	H	360	200	F	16	W	T	I	W	425	I	P	P	D		
055/22E-36H01 S	J.ROHINSON	1971	1968	H	390	200	F	16	V	T	I	W	430	O	P	P	D		
055/23E-25K01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	266	I					
055/23E-25K02 S		1971	1946	V									Z	286	I				
055/23E-25K03 S		1971	1946	V									Z	280	I				
055/23E-25L01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	285	I					
055/23E-25N01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	284	I					
055/23E-25N01 S		1971	1946	V									Z	283	I				
055/23E-25N02 S		1971	1948	V									Z	286	I				
055/23E-25P01 S		1971	1946	V									Z	284	I				
055/23E-25P02 S		1971	1946	V									Z	284	I				
055/23E-25P03 S		1971	1946	V									Z	281	I				
055/23E-25P04 S		1971	1947	V									Z	284	I				
055/23E-26J01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	284	I					
055/23E-26J02 S	PALO VERDE IRR	1971	1947	V		0	1			N	U	U	285	I					
055/23E-26L01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	283	I					
055/23E-26M01 S		1971	1946	V									Z	283	I				
055/23E-26N01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	282	I					
055/23E-26N02 S	PALO VERDE IRR	1971	1948										Z	283	I				
055/23E-26P01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	282	I					
055/23E-26P02 S		1971	1946	V									Z	283	I				
055/23E-26001 S	PALO VERDE IRR	1971	V			0	1			N	U	U	284	I					
055/23E-26R01 S		1971	1948	V									Z	284	I				
055/23E-27R01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	282	I					
055/23E-32N01 S		1971	1919										Z	274	I				
055/23E-33G01 S		1971	1951	V									Z	279	I				
055/23E-33H01 S		1971	V										Z	282	I				
055/23E-33J01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	277	I					
055/23E-33J02 S		1971	V										Z	279	I				
055/23E-33L01 S		1971	1949	V									Z	275	I				
055/23E-33N01 S		1971	V										Z	275	I				
055/23E-33N02 S		1971	1949	V									Z	279	I				
055/23E-33R01 S	PALO VERDE IRR	1971	1960	V		0	1			N	U	U	278	I					
055/23E-34A01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	280	I					
055/23E-34A02 S	PALO VERDE IRR	1971	V			0	1			N	U	U	279	I					
055/23E-34B01 S		1971	1960	V									Z	282	I				
055/23E-34C01 S	PALO VERDE IRR	1971	1960	V		0	1			N	U	U	281	I					
055/23E-34E01 S	PALO VERDE IRR	1971	1957	V		0	0			N	U	U	278	I					
055/23E-34E02 S	PALO VERDE IRR	1971	V			0	1			N	U	U	278	I					
055/23E-34E03 S	PALO VERDE IRR	1971	V			D	1			N	U	U	279	I					
055/23E-34E04 S		1971	1960	V									Z	280	I				
055/23E-34F01 S		1971	1960	V									Z	281	I				
055/23E-34F02 S		1971	1960	V									Z	281	I				
055/23E-34G01 S		1971	1948	V									Z	281	I				
055/23E-34G02 S		1971	1947	V									Z	282	I				
055/23E-34G03 S		1971	1960	V									Z	281	I				
055/23E-34H01 S	PALO VERDE IRR	1971	V			0	1			N	U	U	278	I					
055/23E-34H02 S		1971	1948	V									Z	280	I				
055/23E-34H03 S		1971	1948	V									Z	283	I				

STATE NUMBER	OWNER OR NAME	D	D	O	O	C	F	D	P	M	W	W	ALTI-	N	C	A	P	O	L	D
		IN-	R	M	R	E	W	E	I	O	L	E	TUDE	U	M	H	N	U	A	
		VEN-	Y	I	E	I	P	S	E	W	I	T	LSO	OF	M.	ML	P	T	G	
DATE	ME	AL	LL	HE	TL	PE	EL	EN	AM	WE	ER	TO	RE	LSO	BL	LY	IA	SE	GA	
	DD	D	D	D	D	H	H	L	H	R	D	O	EE	EE	EE	EE	AE	EG	LS	
		(FT)		(FT)		(IN)						(FT)								
055/23E-34J01 S	PALO VERDE IRR	1971	V			0	I		N	U	0	280	I							
055/23E-34J02 S	PALO VERDE IRR	1971	1953	V		0			N	U	Z	282	I							
055/23E-34K01 S	PALO VERDE IRR	1971	V			0	1		N	U	0	279	I							
055/23E-34K02 S		1971	1947	V							Z	283	I							
055/23E-34K03 S		1971	V								Z	282	I							
055/23E-34L01 S		1971	1947	V							Z	280	I							
055/23E-34M01 S	PALO VERDE IRR	1971	V			0	1		N	U	0	278	I							
055/23E-34M02 S	PALO VERDE IRR	1971	V			0	1		N	U	0	278	I							
055/23E-34M03 S	PALO VERDE IRR	1971	V			0	1		N	U	0	278	I							
055/23E-34M04 S		1971	1960	V							Z	280	I							
055/23E-34N01 S	PALO VERDE IRR	1971	V			0	1		N	U	0	278	I							
055/23E-34Q01 S	BLYTHE MILLING	1971	1952	C	266	246	P	8			0	280	O	C	D					
055/23E-34Q02 S		1971	1919								Z	280								
055/23E-34Q03 S	PALO VERDE IRR	1971	V			0	1		N	U	0	279	I							
055/23E-34R01 S		1971	1948	V							Z	284	I							
055/23E-35A01 S		1971	1947	V							Z	284	I							
055/23E-35A02 S		1971	1947	V							Z	285	I							
055/23E-35A03 S		1971	1948	V							Z	286	I							
055/23E-35B01 S		1971	1946	V							Z	283	I							
055/23E-35B02 S		1971	1947	V							Z	282	I							
055/23E-35B03 S																				
055/23E-35F01 S		1971	1948	V							Z	284	I							
055/23E-35F02 S		1971	1948	V							Z	285	I							
055/23E-35F03 S		1971	1947	V							Z	284	I							
055/23E-35G01 S		1971	1946	V							Z	285	I							
055/23E-35G02 S		1971	1946	V							Z	284	I							
055/23E-35G03 S		1971	1947	V							Z	284	I							
055/23E-35G04 S		1971	1946	V							Z	284	I							
055/23E-35H01 S		1971	1946	V							Z	285	I							
055/23E-35H02 S		1971	1946	V							Z	286	I							
055/23E-35H03 S		1971	1946	V							Z	287	I							
055/23E-35H04 S		1971	1946	V							Z	292	I							
055/23E-35H05 S		1971	1946	V							Z	289	I							
055/23E-35H06 S		1971	1946	V							Z	283	I							
055/23E-35H07 S		1971	1946	V							Z	283	I							
055/23E-35H08 S		1971	1947	V							Z	283	I							
055/23E-35H09 S		1971	1946	V							Z	283	I							
055/23E-35H10 S		1971	1946	V							Z	283	I							
055/23E-35H11 S		1971	1946	V							Z	286	I							
055/23E-35H12 S		1971	1946	V							Z	282	I							
055/23E-35H13 S		1971	1946	V							Z	283	I							
055/23E-35H14 S		1971	1946	V							Z	284	I							
055/23E-35J01 S		1971	1946	V							Z	282	I							
055/23E-35J02 S		1971	1946	V							Z	283	I							
055/23E-35J03 S		1971	1946	V							Z	283	I							
055/23E-35J04 S		1971	1946	V							Z	282	I							
055/23E-35J05 S		1971	1946	V							Z	282	I							
055/23E-35J06 S		1971	1946	V							Z	285	I							
055/23E-35K01 S		1971	1946	V							Z	283	I							
055/23E-35K02 S		1971	1948	V							Z	283	I							
055/23E-35L01 S		1971	1948	V							Z	285	I							
055/23E-35M01 S		1971	1966	C	236	210	P	8	5	C	H	W	280	O	P	D				
055/23E-35M02 S		1971	1948	V								Z	284	I						
055/23E-35N01 S	PALO VERDE IRR	1971	V			0	1		N	U	O	282	I							
055/23E-35N02 S		1971	1948	V							Z	282	I							
055/23E-35N03 S		1971	1946	V							Z	285	I							
055/23E-35P01 S		1971	1947	V							Z	284	I							
055/23E-35P02 S		1971	1947	V							Z	283	I							
055/23E-35Q01 S		1971	1946	V							Z	283	I							
055/23E-35Q02 S		1971	1946	V							Z	283	I							
055/23E-35Q03 S		1971	1946	V							Z	283	I							
055/23E-35Q04 S		1971	1947	V							Z	284	I							
055/23E-35Q05 S		1971	1947	V							Z	283	I							
055/23E-35Q06 S		1971	1946	V							Z	284	I							
055/23E-35R01 S	PALO VERDE IRR	1971	V			0	1		N	U	O	281	I							
055/23E-35R02 S		1971	1946	V							Z	282	I							
055/23E-35R03 S		1971	1946	V							Z	282	I							
055/23E-35R04 S		1971	1946	V							Z	282	I							
055/23E-35R05 S		1971	1946	V							Z	283	I							
055/23E-35R06 S	PALO VERDE IRR	1971	1946	V			0				Z	283	I							
055/23E-36B01 S		1971	1946	V							Z	284	I							

STATE NUMBER	OWNER OR NAME	D	D	D	U	C	F	D	P	M	W	W	ALTI-	N	C	P
		IN-	R	M	E	W	E	A	W	I	W	A	TUDE	H	H	U
		VEN-	Y	I	E	I	E	P	S	E	W	I	S	M	L	D
		TOHY	EL	TL	PE	PS	EN	IA	W	I	7	T	S	LS	BL	AT
		DATE	RE	OE	HL	TL	TE	LI	M	ER	F	HE	LE	LSD	ER	G
			D	DD	HL	HD	LS	.	R	TO	D	EE	LE	R	AE	LD
														(FT)	LS	
0SS/23E-36H02 S	PALO VERDE IRR	1971	1946	V			0					Z	285	I		
0SS/23E-36C01 S		1971	1947	V								Z	286	I		
0SS/23E-36C02 S		1971	1946	V								Z	285	I		
0SS/23E-36D01 S		1971	1947	V								Z	284	I		
0SS/23E-36D02 S		1971	1946	V								Z	285	D		
0SS/23E-36D03 S		1971	1941	V								Z	284	I		
0SS/23E-36E01 S		1971	1946	V								Z	285	I		
0SS/23E-36F01 S		1971	1946	V								Z	285	I		
0SS/23E-36G01 S		1971	1946	V								Z	285	I		
0SS/23E-36G02 S		1971	1946	V								Z	285	I		
0SS/23E-36H01 S	MEAT MAKERS IND	1971	1962	C	134	126	P	8		U	U	Z	285	O		D
0SS/23E-36H02 S		1971	1946	V								Z	283	I		
0SS/23E-36L01 S		1971	1946	V								Z	285	I		
0SS/23E-36L02 S		1971	1946	V								Z	282	I		
0SS/23E-36M01 S		1971	1946	V								Z	282	I		
0SS/23E-36M02 S		1971	1947	V								Z	284	I		
0SS/23E-36N01 S		1971	1941	V								Z	284	I		
0SS/23E-36N02 S		1971	1945	V								Z	286	I		
0SS/23E-36N03 S	PALO VERDE IRR	1971	1946	V			0					Z	281	I		
0SS/23E-36P01 S	PALO VERDE IRR	1971	1946	V			0					Z	282	I		
0SS/23E-36P02 S	PALO VERDE IRR	1971	1946	V			0					Z	281	I		
0SS/23E-36P03 S	PALO VERDE IRR	1971	1946	V			0					Z	282	I		
0SS/23E-36P04 S	PALO VERDE IRR	1971	1946	V			0					Z	282	I		
0SS/24E-18L01 S	B.DONELSON	1971	1950	C	34	22	P	8	S	C	H	W	300	I		P D
0SS/24E-19P01 S		1971	1946	V			0					Z	291	I		
0SS/24E-30B01 S	RIVERVIEW IRR	1971	1948		130	112		20	T	U	U	Z	289	O	C	P
0SS/24E-30C01 S		1971	1946	V								Z	288	I		
0SS/24E-30D01 S	RIVERVIEW FARM	1971						7	N	U	U	Z	290	D		
0SS/24E-30E01 S		1971	1946	V								Z	288	I		
0SS/24E-30E02 S		1971		V								Z	290	I		
0SS/24E-30F01 S		1971	1946	V								Z	288	I		
0SS/24E-30F02 S		1971	1947	V								Z	289	I		
0SS/24E-30G01 S		1971	1946	V								Z	288	I		
0SS/24E-30L01 S		1971	1947	V								Z	284	I		
0SS/24E-30N01 S		1971	1950	V								Z	282	I		
0SS/24E-30N02 S		1971	1946	V								Z	288	I		
0SS/24E-31A01 S		1971	1946	V								Z	289	I		
0SS/24E-31B01 S		1971	1946	V								Z	288	I		
0SS/24E-31C01 S		1971	1946	V								Z	286	I		
0SS/24E-31C02 S		1971	1946	V								Z	281	I		
0SS/24E-31D01 S	PALO VERDE IRR	1971		V			0	1	N	U	U	Z	284	I		
0SS/24E-31F01 S		1971	1946	V								Z	287	I		
0SS/24E-31F02 S		1971	1946	V								Z	284	I		
0SS/24E-31G01 S		1971	1946	V								Z	284	I		
0SS/24E-31L01 S		1971	1946	V								Z	284	I		
0SS/24E-31L02 S		1971	1946	V								Z	284	I		
0SS/24E-31M01 S	PALO VERDE IRR	1971		V			0		N	U	U	Z	286	I		
0SS/24E-31M02 S		1971	1946	V								Z	283	I		
0SS/24E-31P01 S		1971	1946	V								Z	284	I		
0SS/24E-31P02 S		1971	1946	V								Z	281	I		
06S/21E-01R01 S	DENEWELLER	1971		D			X	48	N	U	U	448	O			
06S/21E-25A01 S	BLYTHE AIRPORT	1971	1942		260	170	F	14	N	U	U	398	I		P D	
06S/21E-35B01 S		1971						10	N	U	U	409	O			
06S/21E-35B02 S		1971						12	N	U	U	409	O		D D	
06S/21E-36M01 S		1971										393				
06S/21E-36R01 S	A.NICHOLLS	1961	1946		620	520		14	T	H	W	389	I	M	P D	
06S/22E-01F01 S	M.CURLIS	1971	1966	H	350	150	F	16	W	T	U	U	405	I	C P	
06S/22E-01H01 S	P.DANSIE	1971	1959	H	320	180	F	10	V	T	U	U	400	I	D D	
06S/22E-01L01 S	N.WEEKS	1971	1966	H	340	200	F	10	V	T	U	U	407	I	D D	
06S/22E-01N01 S	CHRISTIANA	1971	1962	C	426	410		12	V	T	U	W	405	O	C D	
06S/22E-01N02 S	CHRISTIANA	1971										Z	405	O		
06S/22E-01R01 S	PALO VERDE IRR	1971		V			0	1	N	U	U	O	269	I		
06S/22E-02F01 S	R.BROWN	1971	1967	H	320	220	F	16	W	T	U	U	402	I	P D	
06S/22E-02J01 S	ERKENEFF	1971	1951	C	426	410	P	12	V	T	U	U	403	I		
06S/22E-02M01 S		1971						2	N	U	U	U	407	I		
06S/22E-02P01 S	W.REEDER	1971	1964	H	250	150	F	12	N	U	U	U	402	I	M P D	
06S/22E-02P02 S	W.REEDER	1971	1968	H	350	220	F	16	V	T	I	W	404	I	P D	
06S/22E-02R01 S	CHRISTIANA	1971	1965	S14	406			12	N	U	U	U	403	I	P D	
06S/22E-03B01 S	REEDER-HANSEN	1971	1964	H	414	275	F	12	N	U	U	U	421	I	P P D	
06S/22E-03J01 S		1971						10	N	U	U	U	406	I		
06S/22E-03P01 S	A.NICHOLLS	1971		C	380	250	F	12	N	U	U	Z	400	D		
06S/22E-03R01 S	J.MORTENSEN	1971	1966	H	355	180	F	16	V	T	I	W	403	I	P D	
06S/22E-03R02 S	J.MORTENSEN	1971	1966	H	350	170	F	16	W	T	I	W	406	I	P D	
06S/22E-08J01 S	J.BRADSBURY	1971	1966	H	302	172	F	16	V	T	I	W	408	I	C P D	
06S/22E-08L01 S	R.BACKMAN	1971	1966	H	300	180	F	16	V	T	I	W	408	I	C P D	
06S/22E-09L01 S	L.MYERS	1971	1966	H	332	172	F	16	V	T	I	W	402	I	C C P D	

STATE NUMBER	OWNER OR NAME	D	D	D	D	D	F	D	P	H	W	W	ALTITU-	N	C	P	L	D
		IN-	R	M	E	I	W	E	A	O	T	H	U	DE	M.	H	U	D
		VEN-	T	Y	E	L	L	P	S	E	A	L	E	OF	B.	M.	AL	P
DATE	RE	RE	AL	HE	LL	PE	PS	E	SE	EL	SH	AM	AM	LS	BL	IC	UD	LO
	DD	DD	DD	DD	(FT)	(FT)	(FT)	(IN)						(FT)		SS	PT	GA
06S/22E-09M01 S	L.MYERS	1971	1966	H	292	162	F	16	V	T	I	W	404	I	C	P	D	
06S/22E-09P01 S	U.S.G.S	1971	1967	H	250	230	F	6	N	T	U	D	402	I	C	P	D	
06S/22E-09R01 S	H.BRAUBURY	1971	1966	H	302	172	F	16	W	T	I	W	403	I	C	P	D	
06S/22E-10H01 S	V.SMITH	1971	1966	H	304	174	F	16	W	T	I	W	403	I	C	P	D	
06S/22E-11M01 S	H.NEIGHBOUR	1971	1955	C	235	170		10	V	T	I	W	405	I	M	P	D	
06S/22E-11M02 S	H.NEIGHBOUR	1971		H				16		N	I	W	405	O				
06S/22E-11N01 S	L.SCHINDLER	1971	1968	H	480	220	F	16	W	T	I	W	402	I		P	0	
06S/22E-11R01 S	U.S.G.S	1971	1967	B	77	75	T	1	N	N	U	D	276	I	C			
06S/22E-11R02 S	U.S.G.S	1971	1967	B	21	18	T	1	N	N	U	D	276	I	C			
06S/22E-12A01 S	PALO VERDE IRR	1971		V			O	1	N	N	U	O	269	I				
06S/22E-12A02 S	PALO VERDE IRR	1971	1965	V			O					Z	270	I				
06S/22E-12A03 S	PALO VERDE IRR	1971	1922	V			O					Z	268	I				
06S/22E-12C01 S	MESA RANCH	1971	1969	H	471	436	F	16	U	T	H	W	406	I		P	0	
06S/22E-12E01 S	CITY OF BLYTHE	1971	1925	C	220	160		16	V	T	R	W	405	I	M	P	P	
06S/22E-12F01 S	MURPHY	1971	1940					14	V	T	I	W	400	I				
06S/22E-12L01 S	PALO VERDE IRR	1971	1965	V			O	1	N	U	O	270	I					
06S/22E-12L02 S	H.KOVALL	1971					O	8	T	T	I	W	275	O	P	P		
06S/22E-12M01 S	PALO VERDE IRR	1971	1965	V			O	1	N	U	O	268	I					
06S/22E-12N01 S	PALO VERDE IRR	1971		V			O	1	N	U	O	275	I					
06S/22E-12R01 S	O.PRATHER	1971	1950	C	160	141	X	4	N	U	H	W	270	O			D	
06S/22E-12R02 S	PALO VERDE IRR	1971	1923	V			O					Z	266	I				
06S/22E-13D01 S	PALO VERDE IRR	1971	1965				O					U	275	I				
06S/22E-13G01 S	PALO VERDE IRR	1971		V			O					Z	266	I				
06S/22E-13H01 S		1971	1923				O					Z	265	I				
06S/22E-13N01 S	PALO VERDE IRR	1971	1966	V			O	1	N	U	O	276	I					
06S/22E-13P01 S	PALO VERDE IRR	1971	1923	V			O					Z	267	I				
06S/22E-13S01 S	U.S.G.S	1971	1967	B	116	114	T	1	N	U	O	268	I	C		D		
06S/22E-13S02 S	U.S.G.S	1971	1967	B	22	20	T	1	N	U	O	268	I	C				
06S/22E-13S03 S	PALO VERDE IRR	1971	1957	V			O		N	U	O	266	I					
06S/22E-13R01 S		1971					O					Z	264	I				
06S/22E-14L01 S	U.S.G.S	1971	1967				94	90	T	1	N	U	395	I	C		D	
06S/22E-14L02 S	U.S.G.S	1971	1967				34	30	T	2	N	U	295	I	C			
06S/22E-15E01 S	LAND-LEASING CO	1971									W	T	390					
06S/22E-15M01 S	LAND-LEASING CO	1971	1955	R	315	171	F	12	T	S	H	W	397	I	M	P	D	
06S/22E-15S01 S	E.WEEKS	1971	1963		572	346	F	12	V	T	I	W	375	I	M	P	D	
06S/22E-16A01 S	LAND-LEASING CO	1971	1966	H	359	170	F	16	W	T	I	W	368	I		P	D	
06S/22E-16D01 S	D.MC MILLAN	1971	1966	C	420	235	F	20	W	T	I	W	398	I		P	D	
06S/22E-16E01 S	NICHOLAS LAND	1971	1968		345	185	F	16	W	T	I	W	396	I				
06S/22E-16G01 S	LAND-LEASING CO	1971	1971										400	O				
06S/22E-16P01 S	LAND-LEASING CO	1971		H	306	161	F	16	W	T	I	W	386	I		P		
06S/22E-17B01 S	D.MC MILLAN	1971	1966	H	302	181	F	16	V	T	I	W	399	I		P	D	
06S/22E-17L01 S	J.MYERS	1971	1966	H	445	180	F	16	W	T	I	W	400	I	C		D	
06S/22E-17L02 S	J.MYERS	1971	1966	H	323	171	F	12	W	T	I	W	397	I	C	P	D	
06S/22E-18A01 S	L.NICHOLS	1971	1966	H	298	168	F	16	V	T	I	W	408	I	C	P	D	
06S/22E-18J01 S	L.NICHOLS	1971	1966	H	302	172	F	16	V	T	I	W	408	I	C	P	D	
06S/22E-19N01 S	BLYTHE AIRPORT	1971						12	N	U	U	U	398	O				
06S/22E-20A01 S	U.S.G.S	1971	1967	H	250	230		6	N	U	O	395	I	C		D		
06S/22E-21B01 S	A.PETERSON	1971	1966	H	378	178	F	16	W	T	I	W	380	I	C	P	D	
06S/22E-21K01 S	A.PETERSON	1971	1966	H	323	182	F	16	W	T	I	W	375	I	C	P	D	
06S/22E-22B01 S	L.HUNT	1971	1966	H	372	192	F	16	W	T	I	W	367	I	C	P	D	
06S/22E-23J01 S	PALO VERDE IRR	1971	1959	V			O					Z	263	I				
06S/22E-23L01 S	PALO VERDE IRR	1971	1966	V			O	1	N	U	U	Z	268	I				
06S/22E-23Q01 S	PALO VERDE IRR	1971	1957	V			O	1	N	U	U	Z	262	I				
06S/22E-23R01 S	PALO VERDE IRR	1971	1924	V			O					Z	264	I				
06S/22E-24J01 S	PALO VERDE IRR	1971	1923	V			O					Z	264	I				
06S/22E-24J02 S	PALO VERDE IRR	1971	1922	V			O					Z	264	I				
06S/22E-24N01 S	PALO VERDE IRR	1971	1922	V			O	1	N	U	U	Z	264	I				
06S/22E-24P01 S	PALO VERDE IRR	1971	1922	V			O					Z	264	I				
06S/22E-24R01 S	PALO VERDE IRR	1971	1918	V			O					Z	265	I				
06S/22E-25A02 S	PALO VERDE IRR	1971	1918	V			O					Z	264	I				
06S/22E-25F01 S	PALO VERDE IRR	1971	1921	V			O					Z	263	I				
06S/22E-25H01 S	PALO VERDE IRR	1971	1923	V			O					Z	264	I				
06S/22E-25N01 S	PALO VERDE IRR	1971	1916	V			O					Z	262	I				
06S/22E-25N02 S	PALO VERDE IRR	1971	1918	V			O					Z	261	I				
06S/22E-25Q01 S	PALO VERDE IRR	1971	1971	V			O					Z	262	I				
06S/22E-26A01 S	PALO VERDE IRR	1971	1947	V			O					Z	265	I				
06S/22E-26B01 S	PALO VERDE IRR	1971		V			O	1	N	U	U	Z	262	I				
06S/22E-26B02 S	PALO VERDE IRR	1971	1959	V			O	1	N	U	U	Z	263	I				
06S/22E-26C01 S	PALO VERDE IRR	1971	1959	V			O	1	N	U	U	Z	263	I				
06S/22E-26C02 S	PALO VERDE IRR	1971	1959	V			O					Z	263	I				
06S/22E-26E01 S	U.S.G.S	1971	1967	B	64	62	T	1	N	U	U	O	270	I	C		D	
06S/22E-26E02 S	U.S.G.S	1971	1967	B	21	19	T	1	N	U	U	O	270	I	C			
06S/22E-26E03 S	PALO VERDE IRR	1971	1959	V			O	1	N	U	U	O	262	I				
06S/22E-26G01 S	U.S.G.S	1971	1967	B	79	77	T	1	N	U	U	O	260	I	C		D	
06S/22E-26G02 S	U.S.G.S	1971	1967	B	21	19	T	2	N	U	U	O	260	I	C			

STATE NUMBER	OWNER OR NAME	D	D	O	O	C	F	O	P	M	W	W	ALTI-	C A	P	
		IN-	R	M	R	E	E	W	I	W	L	T	N	H	U	
		VEN-	Y	I	E	I	E	P	S	E	H	T	U	M	M	
		DATE	R	E	L	H	L	T	L	H	O	T	U	W	U	
			R	E	A	H	L	T	L	H	O	T	S	Y	A	
			D	D	D	D	D	D	D	D	D	D	L	S	G	
			(FT)	(FT)	(FT)	(FT)	(FT)	(IN)					(FT)			
06S/22E-26G03 S	PALO VERDE IRR	1971	1959	V			0	1		N	U	0	263	I		
06S/22E-26R01 S	PALO VERDE IRR	1971	V			0	1		N	U	0		261	I		
06S/22E-27R01 S	PALO VERDE IRR	1971	1916	V		0					Z		261	I		
06S/22E-27H01 S	PALO VERDE IRR	1971	V			0	1		N	U	0		264	I		
06S/22E-27R01 S	PALO VERDE IRR	1971	V			0	1		N	U	0		257	I		
06S/22E-27R02 S	PALO VERDE IRR	1971	1959	V			0	1		N	U	0	259	I		
06S/22E-27R03 S	PALO VERDE IRR	1971	1948							Z			259	I		
06S/22E-28G01 S	STILES	1971	1965	H	535	282	F	14	V	T	I	W	362	I	C	
06S/22E-28H01 S	HUNT-MOYER	1971	1965	H	300	220	F	6	T	S	U	W	355	0	P	
06S/22E-29D01 S	GLYTME AIRPORT	1971	1942		193	173		14		T	U	U		395	I	D
06S/22E-29G01 S	GLYTME AIRPORT	1971	1943		350	202		14		T	U	U		395	I	P
06S/22E-29J01 S	GLYTME AIRPORT	1971	1943		243	190		14		T	U	U		389	I	P
06S/22E-31K01 S		1971												367	0	D
06S/22E-32F01 S	GLYTME AIRPORT	1971	1943		230	195	P	14	V	S	U	U		388	I	M
06S/22E-32K01 S	J.AIELLO	1972	1953	C	464	112	P	16	V	T	U	U		360	I	P
06S/22E-32K02 S	J.AIELLO	1972	1971						V	T	I	W		370	O	D
06S/22E-32H01 S	PASSEY	1971	1947		448	120	P	14		N	U	U		332	I	M
06S/22E-34H01 S	PALO VERDE IRR	1971	1916	V			0			Z				257	I	D
06S/22E-34G01 S	PALO VERDE IRR	1971	1965	V			0	1		N	U	U		258	I	
06S/22E-34J01 S	PALO VERDE IRR	1971	1917	V			0			Z				258	I	
06S/22E-34K01 S	PALO VERDE IRR	1971	1916	V			0			Z				259	O	
06S/22E-34L01 S	F.OLSEN	1972	1959		360	350	P	10		N	U	U		330	I	C
06S/22E-34L02 S	PALO VERDE IRR	1971	1946	V			0			Z				256	I	
06S/22E-34L03 S	PALO VERDE IRR	1971	1946	V			0			Z				256	I	
06S/22E-34N01 S	PALO VERDE IRR	1971	V				0	1		N	U	0		255	I	
06S/22E-34P01 S	PALO VERDE IRR	1971	V				0			Z				254	I	
06S/22E-34R01 S	PALO VERDE IRR	1971	1925	V			0			Z				257	I	
06S/22E-34R02 S	PALO VERDE IRR	1971	V				0	1		N	U	0		257	I	
06S/22E-35A01 S	PALO VERDE IRR	1971	1929	V			0			Z				261	I	
06S/22E-35C01 S	PALO VERDE IRR	1971	1916				X			Z				260	O	
06S/22E-35D01 S	PALO VERDE IRR	1971	1936	V			0			Z				258	I	
06S/22E-35E01 S	PALO VERDE IRR	1971	1916	V			0			Z				260	O	
06S/22E-35G01 S	PALO VERDE IRR	1971	1916	V			0			Z				258	I	
06S/22E-35H01 S	PALO VERDE IRR	1971	1916	V			0			Z				259	I	
06S/22E-35J01 S	PALO VERDE IRR	1971	1917	V			0			Z				259	I	
06S/22E-35M01 S	C.MC KRIEDE	1972	1953	C	310	295	P	8	S	J	U	U		260	I	C
06S/22E-35N01 S	PALO VERDE IRR	1971	1936	V			0			Z				255	I	
06S/22E-35P01 S	PALO VERDE IRR	1971	1925	V			0			Z				257	I	
06S/22E-35S01 S	PALO VERDE IRR	1971	1949	V			0			Z				259	I	
06S/22E-35Q02 S	PALO VERDE IRR	1971	1925	V			0			Z				258	I	
06S/22E-35Q03 S	PALO VERDE IRR	1971	1949	V			0			Z				260	I	
06S/22E-35Q04 S	PALO VERDE IRR	1971	1949	V			0			Z				259	I	
06S/22E-35R01 S	SO.COUNTIES GAS	1972	1947		326	302	P	12	U	T	N	W		257	I	C
06S/22E-35R02 S	SO.COUNTIES GAS	1972	1947		328	304	P	12	U	T	N	W		256	I	P
06S/22E-35R03 S	PALO VERDE IRR	1971	1925	V			0			Z				259	I	D
06S/22E-35R04 S	PALO VERDE IRR	1971	1945	V			0			Z				261	I	
06S/22E-36D01 S	PALO VERDE IRR	1971	1946	V			0			Z				261	I	
06S/22E-36D02 S	PALO VERDE IRR	1971	V				0	1		N	U	0		262	I	
06S/22E-36H01 S	PALO VERDE IRR	1971	1916	V			0			Z				264	I	
06S/22E-36K01 S	PALO VERDE IRR	1971	1919	V			0			Z				262	I	
06S/22E-36N01 S	PALO VERDE IRR	1971	1918	V			0			Z				262	I	
06S/22E-36R01 S	PALO VERDE IRR	1971	1947	V			0	1		N	U	0		261	I	
06S/23E-01B01 S	PALO VERDE IRR	1971	1946	V			0			Z				279	I	
06S/23E-01B02 S	PALO VERDE IRR	1971	V				0			Z				280	I	
06S/23E-01P01 S	PALO VERDE IRR	1971	1919	V			0			Z				280	I	
06S/23E-02A01 S	PALO VERDE IRR	1971	1946	V			0			Z				281	I	
06S/23E-02E01 S	PALO VERDE IRR	1971	1949	V			0			Z				280	I	
06S/23E-02F01 S	PALO VERDE IRR	1971	V				0			Z				280	I	
06S/23E-02G01 S	PALO VERDE IRR	1971	1949	V			0			Z				280	I	
06S/23E-02H01 S	PALO VERDE IRR	1971	1946	V			0			Z				281	I	
06S/23E-02P01 S	PALO VERDE IRR	1971	1919				0			Z				277	I	
06S/23E-02R01 S	PALO VERDE IRR	1971	V				0			Z				277	I	
06S/23E-02R02 S	PALO VERDE IRR	1971	1949	V			0			Z				274	I	
06S/23E-03B01 S	PALO VERDE IRR	1971	1956	V			0			Z				276	I	
06S/23E-03B02 S	PALO VERDE IRR	1971	1956	V			0			Z				276	I	
06S/23E-03B03 S	PALO VERDE IRR	1971	1956	V			0			Z				276	I	
06S/23E-03B04 S	PALO VERDE IRR	1971	1956	V			0			Z				276	I	
06S/23E-03B05 S	PALO VERDE IRR	1971	1956	V			0			Z				275	I	
06S/23E-03B06 S	PALO VERDE IRR	1971	1956	V			0			Z				276	I	
06S/23E-03B07 S	PALO VERDE IRR	1971	1949	V			0			Z				279	I	
06S/23E-03B08 S	PALO VERDE IRR	1971	1956	V			0			Z				280	I	
06S/23E-03B09 S	PALO VERDE IRR	1971	1956	V			0			Z				280	I	
06S/23E-03E01 S	PALO VERDE IRR	1971	1923				0			Z				275	I	
06S/23E-03G01 S	PALO VERDE IRR	1971	1956	V			0			Z				276	I	
06S/23E-03J01 S	PALO VERDE IRR	1971	1949	V			0			Z				279	I	
06S/23E-03K01 S	PALO VERDE IRR	1971	1956	V			0			Z				277	I	
06S/23E-03N01 S	PALO VERDE IRR	1971	1956	V			0			Z				276	I	
06S/23E-03N02 S	PALO VERDE IRR	1971	V				0			Z				273	I	
06S/23E-03P01 S	PALO VERDE IRR	1971	V				0			Z				276	I	
06S/23E-03Q01 S	PALO VERDE IRR	1971	1956	V			0			Z				275	I	

STATE NUMBER	OWNER OR NAME	D	U		O	C	F	D	P	M	W		ALTI-	N	C A P	
		I	R	E	E	A	W	I	O	L E	A U	E	T U D E	M	H N N	
		VEN-	TORY	E L	T L	P E	P S	E N	I M	W	F H	E E	L S	M .	E A M	
		DATE	RE	OE	HL	TL	TE	LI	IM	ER	TO	RE	LE	OF	BL	Y I A
			D	U	D	H	H	L	S	H	D	O	LS	LSD	E .	C 5 N G
			(FT)	(FT)	(IN)								(FT)		R	A E G
															L	S
06S/23E-03R01 S	PALO VERDE IRR	1971		V				D	1		U	O	274	I		
06S/23E-03R02 S	PALO VERDE IRR	1971	1919								Z	Z	274	I		
06S/23E-04B01 S		1971	1919								Z	Z	273	I		
06S/23E-04D01 S	PALO VERDE IRR	1971	1957	V				O	1		U	O	278	I		
06S/23E-04G01 S	PALO VERDE IRR	1971	1949	V				D			Z	Z	274	I		
06S/23E-04M01 S	PALO VERDE IRR	1971									Z	Z	276	I		
06S/23E-04N01 S	PALO VERDE IRR	1971	1948	V				O	1		U	O	276	I		
06S/23E-04O01 S	PALO VERDE IRR	1971									Z	Z	273	I		
06S/23E-04D02 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	276	I		
06S/23E-04K01 S	PALO VERDE IRR	1971	1918								Z	Z	275	I		
06S/23E-05A01 S	PALO VERDE IRR	1971	1963	V				O			N	U	277	I		
06S/23E-05A02 S	PALO VERDE IRR	1971	1963	V				D			Z	Z	277	I		
06S/23E-05B01 S		1971	1919								Z	Z	273	I		
06S/23E-05E01 S	PALO VERDE IRR	1971	V					O	1		N	U	282	I		
06S/23E-05E02 S		1971									Z	Z	273	I		
06S/23E-05G01 S		1971									Z	Z	274	I		
06S/23E-05M01 S	PALO VERDE IRR	1971	1961	V				O	1		U	O	276	I		
06S/23E-05H02 S	PALO VERDE IRR	1971	V					O	1		U	O	276	I		
06S/23E-05K01 S	PALO VERDE IRR	1971	1958	V				O	1		N	U	274	I		
06S/23E-05M01 S	PALO VERDE IRR	1971	1958	V				O	1		N	U	272	I		
06S/23E-05N01 S	PALO VERDE IRR	1971	V					O	1		N	U	270	I		
06S/23E-05P01 S	PALO VERDE IRR	1971	V					O	1		N	U	271	I		
06S/23E-05R01 S	PALO VERDE IRR	1971	V					O	1		N	U	275	I		
06S/23E-05M01 S	PALO VERDE IRR	1971	1949	V				D			Z	Z	269	I		
06S/23E-05N01 S	PALO VERDE IRR	1971	1965	V				O	1		U	O	268	I		
06S/23E-06P01 S	PALO VERDE IRR	1971	1946	V				O			Z	Z	268	I		
06S/23E-06Q01 S		1971									Z	Z	268	O	J	
06S/23E-06R01 S	PALO VERDE IRR	1971	1919								Z	Z	268	I		
06S/23E-06Z01 S	PALO VERDE IRR	1971	V								Z	Z	269	I		
06S/23E-07A01 S	PALO VERDE IRR	1971	1918	V				O			Z	Z	267	I		
06S/23E-07A02 S	PALO VERDE IRR	1971	V					O			Z	Z	268	I		
06S/23E-07B01 S	PALO VERDE IRR	1971	1953	C	382	370	P	8	5	C	H	Z	271	I		P D
06S/23E-07F01 S		1971	1919	V				O			Z	Z	270	O		
06S/23E-07M01 S	PALO VERDE IRR	1971	V					O			Z	Z	267	I		
06S/23E-08A01 S	PALO VERDE IRR	1971	V					O			Z	Z	269	I		
06S/23E-08B01 S	PALO VERDE IRR	1971	V					O	1		N	U	273	I		
06S/23E-08B02 S	PALO VERDE IRR	1971	V					O	1		N	U	270	I		
06S/23E-08E01 S	PALO VERDE IRR	1971	1918	V				O	1		N	U	268	I		
06S/23E-08H01 S	PALO VERDE IRR	1971	1949	V				O	1		N	U	275	I		
06S/23E-08L01 S	PALO VERDE IRR	1971	1958	V				O	1		N	U	271	I		
06S/23E-08N01 S		1971									Z	Z	268	I		
06S/23E-08Q01 S		1971	1919								Z	Z	270	I		
06S/23E-08R01 S	PALO VERDE IRR	1971	V					O	1		N	U	271	I		
06S/23E-08R02 S	PALO VERDE IRR	1971	V					O	1		N	U	272	I		
06S/23E-09A01 S	PALO VERDE IRR	1971	V					O	1		N	U	277	I		
06S/23E-09B01 S	PALO VERDE IRR	1971	1929	V				O			Z	Z	273	I		
06S/23E-09B02 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	280	I		
06S/23E-09G01 S	PALO VERDE IRR	1971	1949	V				O			Z	Z	276	I		
06S/23E-09G02 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	279	I		
06S/23E-09J01 S		1971									Z	Z	274	I	J	
06S/23E-09M01 S		1971									Z	Z	274	I		
06S/23E-09P01 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	273	I		
06S/23E-09P02 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	275	I		
06S/23E-09Q01 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	274	I		
06S/23E-09Q02 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	277	I		
06S/23E-10C01 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	277	I		
06S/23E-10C02 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	276	I		
06S/23E-10N01 S	PALO VERDE IRR	1971	V					O	1		U	O	274	I		
06S/23E-11A01 S	PALO VERDE IRR	1971	1952	V				O	1		N	U	278	I		
06S/23E-11N01 S	PALO VERDE IRR	1971	V					O	1		N	U	277	I		
06S/23E-11P01 S		1971	1919	V				O	1		N	U	Z	276	I	
06S/23E-11R01 S	PALO VERDE IRR	1971	V					O	1		N	U	274	I		
06S/23E-11R02 S	PALO VERDE IRR	1971	V					O	1		N	U	273	I		
06S/23E-12P01 S	PALO VERDE IRR	1971	1919	V				O	1		N	U	276	O		
06S/23E-13P01 S		1971	1919	V				O	1		N	U	275	O		
06S/23E-14R01 S	PALO VERDE IRR	1971	1957	V				O	1		N	U	272	I		
06S/23E-15A01 S		1971	V					O	1		N	U	278	I		
06S/23E-15C01 S	PALO VERDE IRR	1971	1919	V				O	1		N	U	276	I		
06S/23E-15D01 S		1971	V					O	1		N	U	274	I		
06S/23E-15N01 S	PALO VERDE IRR	1971	V					O	1		N	U	274	I		
06S/23E-15P01 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	270	I		
06S/23E-15P01 S		1971	V					O			Z	Z	271	I		
06S/23E-16A01 S	PALO VERDE IRR	1971	1936	V				O			Z	Z	278	I		
06S/23E-16C01 S		1971	1919	V				O			Z	Z	272	I		
06S/23E-16C02 S	PALO VERDE IRR	1971	1956	V				O			Z	Z	273	I		

STATE NUMBER	OWNER OR NAME	O O												C A P						
		IN-	VENS-	R	H	R	D	D C	F	D	P	M	W	W	ALTI-	N	H	U	O	L
				Y	I	E	I	E	W	I	O	L E T	A U L	U E S	TUDE	W	E A M	U O L	O	A
DATE		REE	AL	M	LL	P	PE	P S	E N	A M	E R	F H O	E E	L L	OF	M	L P	T G	G A	
O O O		O	O	O	O	O	O	O	O	O	O	O	O	O	LSD.	B	C S	I Y	I A	
(FT)		(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(IN)	(IN)	(IN)	(IN)	(IN)	(IN)	(IN)	(FT)	(FT)	(FT)	(FT)	(FT)	
06S/23E-16C03 S	PALO VERDE IRR	1971	1956	V					0					Z	270	I				
06S/23E-16C04 S	PALO VERDE IRR	1971	1962	V					0					Z	271	I				
06S/23E-16C05 S	PALO VERDE IRR	1971	1962	V					0					Z	273	I				
06S/23E-16D01 S		1971												Z	271	I				
06S/23E-16E01 S	KONTILIS, ET AL	1971	1966	C	368	346	P	8		N	U			Z	273	0	P	0		
06S/23E-16E02 S	PALO VERDE IRR	1971												Z	271	I				
06S/23E-16F01 S	PALO VERDE IRR	1971	1956	V					0					Z	274	I				
06S/23E-16H01 S		1971												Z	270	I				
06S/23E-16K01 S	PALO VERDE IRR	1971	1956	V					0					Z	276	I				
06S/23E-16N01 S		1971												Z	272	I				
06S/23E-16P01 S	PALO VERDE IRR	1971												Z	276	I				
06S/23E-16P02 S	PALO VERDE IRR	1971												Z	275	I				
06S/23E-16U01 S		1971												Z	274	I				
06S/23E-16G02 S	PALO VERDE IRR	1971												Z	276	I				
06S/23E-16R01 S		1971												Z	272	I				
06S/23E-16R02 S	PALO VERDE IRR	1971												Z	274	I				
06S/23E-17B01 S	PALO VERDE IRR	1971	1922											Z	268	I				
06S/23E-17C01 S	PALO VERDE IRR	1971	1958	V					0					Z	271	I				
06S/23E-17T001 S	PALO VERDE IRR	1971	1936											Z	268	I				
06S/23E-17E01 S		1971	1918											Z	269	I				
06S/23E-17H01 S	PALO VERDE IRR	1971	1949	V					0	1	N	U	0	Z	271	I				
06S/23E-17N01 S		1971	1918											Z	268	I				
06S/23E-17Q01 S	PALO VERDE IRR	1971	1922											Z	269	I				
06S/23E-17Q02 S	PALO VERDE IRR	1971	1961	V					0					Z	270	I				
06S/23E-17Q03 S	PALO VERDE IRR	1971	1956	V					0					Z	271	I				
06S/23E-17R01 S	PALO VERDE IRR	1971												Z	273	I				
06S/23E-18A01 S	PALO VERDE IRR	1971	1961	V					0	1	N	U	0	Z	271	I				
06S/23E-18D01 S	PALO VERDE IRR	1971							0	1	N	U	0	Z	267	I				
06S/23E-18L01 S	PALO VERDE IRR	1971	1956	V					0					Z	268	I				
06S/23E-18M01 S		1971	1929											Z	265	I				
06S/23E-18N01 S	PALO VERDE IRR	1971	1942	V					0					Z	268	I				
06S/23E-18N02 S	PALO VERDE IRR	1971	1929	V					0					Z	267	I				
06S/23E-16001 S		1971	1919											Z	266	I				
06S/23E-19001 S	PALO VERDE IRR	1971	1936	V					0					Z	265	I				
06S/23E-19P01 S	PALO VERDE IRR	1971							0	1	N	U	0	Z	268	I				
06S/23E-19Q01 S	PALO VERDE IRR	1971	1922	V					0					Z	266	I				
06S/23E-20B01 S	PALO VERDE IRR	1971	1965	V					0		N	U	0	Z	271	I				
06S/23E-20C01 S		1971												Z	269	I				
06S/23E-20D01 S	PALO VERDE IRR	1971	1957	V					0	1	N	U	0	Z	268	I				
06S/23E-20D02 S	PALO VERDE IRR	1971	1918											Z	266	I				
06S/23E-20E01 S		1971	1918											Z	270	I				
06S/23E-20F01 S	PALO VERDE IRR	1971	1949	V					0					Z	272	I				
06S/23E-20J01 S	PALO VERDE IRR	1971							0	1	N	U	0	Z	272	I				
06S/23E-20J02 S	PALO VERDE IRR	1971	1966	V					0	1	N	U	0	Z	272	I				
06S/23E-20J03 S	PALO VERDE IRR	1971	1966	V					0	1	N	U	0	Z	269	I				
06S/23E-20R01 S	PALO VERDE IRR	1971	1918	V					0					Z	268	I				
06S/23E-20N01 S	PALO VERDE IRR	1971							0	1	N	U	0	Z	271	I				
06S/23E-20Q01 S		1971												Z	270	I				
06S/23E-20R01 S	PALO VERDE IRR	1971	1961	V					0	1	N	U	0	Z	271	I				
06S/23E-20R02 S	PALO VERDE IRR	1971	1966	V					0	1	N	U	0	Z	273	I				
06S/23E-21R03 S	PALO VERDE IRR	1971							0					Z	273	I				
06S/23E-21A01 S	PALO VERDE IRR	1971	1956	V					0					Z	273	I				
06S/23E-21B01 S	PALO VERDE IRR	1971	1956	V					0					Z	275	I				
06S/23E-21C01 S	PALO VERDE IRR	1971	1961	V					0	1	N	U	0	Z	272	I				
06S/23E-21E01 S	PALO VERDE IRR	1971	1961	V					0					Z	271	I				
06S/23E-21G01 S	PALO VERDE IRR	1971	1949	V					0	1	N	U	0	Z	271	I				
06S/23E-21H01 S	PALO VERDE IRR	1971	1923	V					0	1	N	U	0	Z	271	I				
06S/23E-21L01 S	PALO VERDE IRR	1971	1961	V					0	1	N	U	0	Z	270	I				
06S/23E-21M01 S	PALO VERDE IRR	1971	1961	V					0					Z	271	I				
06S/23E-21Q01 S		1971												Z	268	I				
06S/23E-21R01 S	PALO VERDE IRR	1971	1946	V					0					Z	271	I				
06S/23E-22A01 S	PALO VERDE IRR	1971							0	1	N	U	0	Z	268	I				
06S/23E-22C01 S	PALO VERDE IRR	1971	1956	V					0					Z	274	I				
06S/23E-22C02 S	PALO VERDE IRR	1971	1956	V					0					Z	268	I				
06S/23E-22N01 S	PALO VERDE IRR	1971	1918											Z	268	I				
06S/23E-22R01 S	PALO VERDE IRR	1971							0	1	N	U	0	Z	268	I				
06S/23E-23B01 S	PALO VERDE IRR	1971	1919						0					Z	268	0				
06S/23E-23D01 S	PALO VERDE IRR	1971	1963	V					0					Z	269	I				
06S/23E-24P01 S		1971	1919											Z	277	0				
06S/23E-25D01 S	PALO VERDE IRR	1971	1957	V					0	1	N	U	0	Z	269	I				
06S/23E-26R01 S	PALO VERDE IRR	1971							0	1	N	U	0	Z	270	I				
06S/23E-27C01 S	W.ANDERSON	1971							2		N	U	0	Z	272	0				
06S/23E-27C02 S	PALO VERDE IRR	1971	1919	V					0					Z	271	I				
06S/23E-27E01 S	G.WENUE	1971	1953	C	114	0	0	4	5	C	H	2	Z	270	0					
06S/23E-27E02 S		1971	1960										2	Z	270	0				

STATE NUMBER	OWNER OR NAME	IN-	D	U	O C F D P M W E A S U E L T H E R T O R D	W E L L E U S S E E R T H E R T O R D	ALTI-	TUDE	N	C A		
		VEN-	K Y I E I E N E A W I D P D L E E T H E R T O R D	M N E A M A L O A						M L P T G A		
		TOKY	ELL T L L P E S F N A W I E E T H E R T O R D	M L P T G A								
DATE	RE	O E	H L	H O L S	H	(FT)	(FT)	(IN)	(FT)	L S		
	O	O U	O	O	O							
06S/23E-27E03 S		1971	1922						Z	270	I	
06S/23E-27R01 S	PALO VERDE IRR	1971	V		0	1	N	U	0	266	I	
06S/23E-28A01 S	PALO VERDE IRR	1971	V		0	1	N	U	0	268	I	
06S/23E-28A02 S	PALO VERDE IRR	1971							Z	268	I	
06S/23E-28001 S	PALO VERDE IRR	1971	1937	V		0			Z	274	I	
06S/23E-28E01 S		1971							Z	266	I	
06S/23E-28G01 S	PALO VERDE IRR	1971	1949	V		0			Z	275	I	
06S/23E-28K01 S	PALO VERDE IPP	1971	1950	V		0			Z	272	I	
06S/23E-28N01 S	PALO VERDE IRR	1971	1961	V		0	1	N	0	271	I	
06S/23E-29E01 S	DESERT VERDE	1971	C	385	346	P	12	V	U	270	0	
06S/23E-29E02 S	DESERT VERDE	1971	1963	C	138	112	P	8	3	C	P	
06S/23E-29N01 S	BLYTHE MILLING	1972	1952	C	266	252	P	8	3	C	P	
06S/23E-29N02 S	R.SHELTON	1972	1956	C	25	20	P	2	S	T	P	
06S/23E-29R01 S	CITY OF BLYTHE	1971	1950	C	368	264	P	12	V	T	P	
06S/23E-30001 S	PALO VERDE IRR	1971	V		0				Z	266	I	
06S/23E-30002 S	PALO VERDE IRR	1971	1941	V		0			Z	267	I	
06S/23E-30003 S	PALO VERDE IRR	1971	1941	V		0			Z	264	I	
06S/23E-30004 S	PALO VERDE IRR	1971	1941	V		0			Z	266	I	
06S/23E-30005 S	PALO VERDE IRR	1971	1941	V		0			Z	267	I	
06S/23E-30E01 S	PALO VERDE IRR	1971	1941	V		0			Z	265	I	
06S/23E-30N01 S	PALO VERDE IRR	1971	V		0	1	N	U	0	264	I	
06S/23E-31A01 S	PALO VERDE IRR	1971	V		0	1	N	U	0	267	I	
06S/23E-31C01 S	R.EHLERS	1972	1948	C	123	0	P	4	S	T	H	
06S/23E-31G01 S		1972	1948	C	143	133	P	8	S	J	N	
06S/23E-31G02 S		1972	1948	C	135	125	P	8	S	J	N	
06S/23E-31J01 S	RAMADA INN	1972	1957	C	380	350	P	8	U	T	P	
06S/23E-32A01 S	CITY OF BLYTHE	1972	1950	C	368	264	P	12	T	P	W	
06S/23E-32C01 S	CITY OF BLYTHE	1971	1947	C	152	125	P	12	V	T	P	
06S/23E-32D01 S	CITY OF BLYTHE	1971	1953	C	286	122	P	14	V	T	P	
06S/23E-32E01 S	CITY OF BLYTHE	1971	1965	C	505	421	P	16	V	T	P	
06S/23E-32F01 S	CITY OF BLYTHE	1971	1937	C	168	128	P	14	V	C	U	
06S/23E-32F02 S	CITY OF BLYTHE	1971	1939	C			P	14	U	T	P	
06S/23E-32G03 S	P.V.HOSPITAL	1972	1949	C	124	0	P	4	V	T	N	
06S/23E-32K01 S	HUB THEATRE	1972	1947	C	140	120	P	8	T	T	H	
06S/23E-32K02 S	HUB THEATRE	1972	1947	C	142	122	F			Z	268	
06S/23E-32L01 S	CITY OF BLYTHE	1971	1943	C			P	16		N	U	
06S/23E-32L02 S	PALO VERDE IRR	1971	V		0	1	N	U	0	267	I	
06S/23E-32L03 S	RIO THEATRE	1972	1947	C	127	113	P	8		N	U	
06S/23E-32L04 S	RIO THEATRE	1972	1947	C	139	118	P	8	S	N	U	
06S/23E-32M01 S	CITY OF BLYTHE	1971	1948	C	294	282	P			Z	267	
06S/23E-32N01 S	CITY OF BLYTHE	1971	1956	C	335	310	P	14	V	T	P	
06S/23E-32P01 S	CITY OF BLYTHE	1971	1960	C	324	245	P	16	V	T	P	
06S/23E-32P02 S	ATSF RAILROAD	1971								Z	265	
06S/23E-32Q01 S	CITY OF BLYTHE	1971	1958	C	366	342	P	14	V	T	P	
06S/23E-32R01 S	PALO VERDE IRR	1971	1946							Z	265	
06S/23E-33A01 S	PALO VERDE IRR	1971	V		0	1			U	0	267	
06S/23E-33A01 S	D.SHEDARSON	1972	1967	C	562	540	P	12	U	H	W	
06S/23E-33E01 S	CITY OF BLYTHE	1971	1947	C	318	290	P	12	V	P	W	
06S/23E-33F01 S	E.BLYTHE WATER	1972	1966	C	464	446	P	12	U	T	P	
06S/23E-33F02 S		1972	1948	C	120	0	P			Z	270	
06S/23E-33G01 S	WATER DISTRICT	1972	1958		600	500	P	12	U	T	H	
06S/23E-33K01 S	E.BLYTHE WATER	1972	1959		408	351	F	12	U	T	H	
06S/23E-33K02 S	GIBBON	1972	1960	C	247	216	P	8	T	T	H	
06S/23E-33M01 S	CO.WATER DIST	1972	1949		100	70	P	12	S	C	H	
06S/23E-33N01 S	PALO VERDE IRR	1971	V		0	1	N	U	0	266	I	
06S/23E-33R01 S		1972	1959		408	351	P	12	V	T	P	
06S/23E-34M01 S	BLYTHE MARINE	1972	1966	C	454	436	P			Z	265	
06S/23E-34N01 S	PALO VERDE IRR	1971	V		0	1	N	U	0	265	I	
06S/23E-35M01 S	PALO VERDE IRR	1971							Z	266	I	
06S/23E-35N01 S	PALO VERDE IRR	1971	1950	V		0	1	N	U	0	267	I
06S/23E-35R01 S	D.SUTHERLAND	1972							Z	275	C	
06S/23E-35R02 S	PALO VERDE IRR	1971	V		0	1	N	U	0	271	I	
06S/23E-36N01 S	STATE OF CALIF	1972	1951	C	248	235	P	8	T	P	W	
07S/21E-12D01 S	WESTWARD HO	1972	1965	H	370	200	F	16	T	N	U	
07S/21E-12E01 S	BASHA	1972	1966						Z	386	I	
07S/21E-12E01 S	W.HAMMEL	1971	1911	C				12	N	U	U	
07S/21E-13D01 S	GUDZUNAS	1972							Z	386	I	
07S/21E-14A01 S	A.NICHOLDS	1971						16	N	U	U	
07S/21E-14B01 S		1971						14	N	U	U	
07S/21E-14B02 S	GUDZUNAS	1972							Z	384	I	
07S/21E-14B02 S		1972							Z	385	C	
07S/21E-14H01 S	BASHA	1972	1966	H	900	700	F	16	N	U	U	
07S/21E-23C01 S		1961						16	N	U	U	
07S/21E-27J01 S		1961						10	N	U	U	
07S/21E-27J02 S		1961						12	N	U	U	
07S/21E-36R01 S	PALO VERDE IRR	1971	1961	V		0	1	N	U	0	239	I

STATE NUMBER	OWNER OR NAME	IN-	O	O	O	D C	F	D	P	M	W	W	ALTI-	N	C A	P	U D	L D
		VEN-	R	M	E	W	E A	W I	I	W E	A U	W E	T UDE	U	H N	E A	M A	O A
		TOBY	Y E L L	I T L	E P E	S P S	E N	I A M	I	E R	I F H	T T S E	OF LSD	M H	M N L Y	P T A	G T A	
DATE	RE	EE	OE	HL	TL	HD	LS	•	ER	TO	RD	TO	LS	E	R	A E G	L S	
		(FT)	(FT)		(IN)								(FT)					
07S/22E-01D01 S	PALO VERDE IRR	1971	1955	V			0	1		N	U	0	261	I				
07S/22E-02D01 S	PALO VERDE IPR	1971	1918	V			0			Z	U	0	256	I				
07S/22E-02R01 S	PALO VERDE IRR	1971	1918	V			0	1		U	U	0	257	I				
07S/22E-03D01 S	U.S.G.S.	1972	1967		49	45	T	1		N	U	0	260	I	C	C	D	
07S/22E-03D02 S	U.S.G.S.	1972	1967		20	18	T	1		N	U	0	260	I	C	C		
07S/22E-03H01 S	U.S.G.S.	1972	1967		118	114	T	1		N	U	0	255	I	C	0		
07S/22E-03H02 S	U.S.G.S.	1972	1967		22	20	T	1		N	U	0	255	I	C	0		
07S/22E-03L01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-03N01 S	PALO VERDE IRP	1971	1918	V			0	1		N	U	0	254	I				
07S/22E-04H01 S	PALO VERDE IRR	1971	1947	V			0	1		N	U	0	256	I				
07S/22E-04H02 S	PALO VERDE IRR	1971	1965	V			0	1		N	U	0	256	I				
07S/22E-04P01 S	J.MASON	1972	1959	C	136	118	P	10	U	N	U	0	310	I	M	P	D	
07S/22E-04001 S	H.MILLER	1961					4	1	P	U	U	0	275	I				
07S/22E-04Q02 S	PALO VERDE IRP	1971		V			0	1		N	U	0	255	I				
07S/22E-05R01 S	PALO VERDE IRR	1971								Z	U	0	329					
07S/22E-06C01 S		1972	1969	H	340	240	F	8	U	T	H	W	390	I		P	0	
07S/22E-06C02 S		1972	1959						V	T	H	W	390	O				
07S/22E-08K01 S	PALO VERDE IRR	1971	1957	V			0	1		N	U	0	250	I				
07S/22E-08M01 S	PALO VERDE IPR	1971	1965	V			0	1		N	U	0	254	I				
07S/22E-09001 S	PALO VERDE IRR	1971	1957	V			0	1		N	U	0	254	I				
07S/22E-09N01 S	PALO VERDE IRR	1971	1936	V			0	1		N	U	0	252	I				
07S/22E-10R01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	254	I				
07S/22E-11D01 S	PALO VERDE IRR	1971	1951	V			0	1		N	U	0	256	I				
07S/22E-11Q01 S	G.SCOTT	1972					8	S		N	J	0	256	O	C			
07S/22E-12R01 S	PALO VERDE IRR	1971	1953	V			0	1		N	U	0	256	I				
07S/22E-13A01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	258	I				
07S/22E-13D01 S	PALO VERDE IRR	1971	1954	V						N	U	0	256	I				
07S/22E-13E01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	256	I				
07S/22E-13E02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	253	I				
07S/22E-13E03 S	PALO VERDE IRR	1971		V			0	1		N	U	0	256	I				
07S/22E-13E04 S	PALO VERDE IRR	1971	1953	V								Z	256	I				
07S/22E-13E05 S	PALO VERDE IRR	1971	1953	V								Z	257	I				
07S/22E-13E06 S	PALO VERDE IRR	1971		V								Z	257	I				
07S/22E-13E07 S	PALO VERDE IRR	1971	1953	V			0	1				Z	256	I				
07S/22E-13E08 S	PALO VERDE IRR	1971	1953	V			0	1				Z	255	I				
07S/22E-13E09 S	PALO VERDE IRR	1971	1953	V							Z	256	I					
07S/22E-13F01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-13G01 S	PALO VERDE IRR	1971	1961	V			0	1		N	U	0	256	I				
07S/22E-13G02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-13G03 S	PALO VERDE IRR	1971		V			0	1		N	U	0	256	I				
07S/22E-13G04 S	PALO VERDE IRR	1971	1953	V								Z	256	I				
07S/22E-13G05 S	PALO VERDE IRR	1971	1953	V			0	1				Z	257	I				
07S/22E-13G06 S	PALO VERDE IRR	1971	1953	V			0	1				Z	256	I				
07S/22E-13G07 S	PALO VERDE IRR	1971	1953	V			0	1				Z	256	I				
07S/22E-13H01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	259	I				
07S/22E-13H02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	259	I				
07S/22E-13H03 S	PALO VERDE IPR	1971	1953	V								Z	259	I				
07S/22E-13H04 S	PALO VERDE IRR	1971	1953	V			0	1				Z	257	I				
07S/22E-13H05 S	PALO VERDE IRR	1971	1953	V			0	1				Z	260	I				
07S/22E-13H06 S	PALO VERDE IRR	1971	1953	V			0	1				Z	258	I				
07S/22E-13J01 S	W.FISHER	1972	1950	C	128	0	0	1		N	U	0	260	O	C	P	D	
07S/22E-13J02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	259	I				
07S/22E-13J03 S	PALO VERDE IRR	1971	1954	V			0	1		N	U	0	259	I				
07S/22E-13J04 S	PALO VERDE IRR	1971		V			0	1		N	U	0	255	O				
07S/22E-13J05 S	SANTA FE R.R	1972	1952	C	152	117	P	8	T	T	U	0	260	O	P	0		
07S/22E-13K01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-13K02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-13K03 S	PALO VERDE IRR	1971		V			0	1		N	U	0	256	I				
07S/22E-13L01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-13M01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	255	I				
07S/22E-13P01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-13P02 S	PALO VERDE IRR	1971	1954	V			0	1		N	U	0	257	I				
07S/22E-14A01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-14E01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	255	I				
07S/22E-14E02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	253	I				
07S/22E-14F01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	253	I				
07S/22E-14G01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	256	I				
07S/22E-14G02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	256	I				
07S/22E-14H01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	256	I				
07S/22E-14H02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	254	I				
07S/22E-14H03 S	PALO VERDE IRR	1971		V			0	1		N	U	0	254	I				
07S/22E-14J01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	255	I				
07S/22E-14J02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				
07S/22E-14K01 S	PALO VERDE IRR	1971		V			0	1		N	U	0	252	I				
07S/22E-14K02 S	PALO VERDE IRR	1971		V			0	1		N	U	0	257	I				

STATE NUMBER	OWNER OR NAME	IN-	O	O	D	C	F	O	P	M	W	E	ALTI-	N	C	A	P
		VEN-	R	M	E	W	E	I	W	E	A	U	E	U	H	N	U
		TORY	Y	I	E	L	P	S	E	I	A	I	H	T	M	M	E
DATE	RE	DE	AL	HL	TL	PE	SS	E	EL	I	AM	ER	TO	OR	BL	LY	PT
	D	D	D	D	D	(FT)	(FT)	(IN)					D	(FT)	R	A	G
07S/22E-14K03 S	PALO VERDE IRR	1971											Z	254	I		
07S/22E-14L01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	254	I			
07S/22E-14M01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	253	I			
07S/22E-14N01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	252	I			
07S/22E-14P01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	254	I			
07S/22E-14P02 S	PALO VERDE IRR	1971	1963	V				0	1	N	U	0	253	I			
07S/22E-14P03 S	PALO VERDE IRR	1971	1963	V				0	1	N	U	0	253	I			
07S/22E-14Q01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	255	I			
07S/22E-14Q02 S	PALO VERDE IRR	1971	V					0	1	N	U	0	255	I			
07S/22E-14Q03 S	PALO VERDE IRR	1971	V					0	1	N	U	0	255	0			
07S/22E-14Q04 S	PALO VERDE IRR	1971	V					0	1	N	U	0	254	I			
07S/22E-14R01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	255	I			
07S/22E-15B01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	254	I			
07S/22E-15U01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	252	I			
07S/22E-15E01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	253	I			
07S/22E-15E02 S	PALO VERDE IRR	1971	V					0	1	N	U	0	252	I			
07S/22E-15F01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	253	I			
07S/22E-15F02 S	PALO VERDE IRR	1971	V					0	1	N	U	0	254	I			
07S/22E-15H01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	255	I			
07S/22E-15H02 S	PALO VERDE IRR	1971	V					0	1	N	U	0	254	I			
07S/22E-15J01 S	PALO VERDE IRR	1971	V					0	1	N	U	0	255	I			
07S/22E-15J02 S	PALO VERDE IRR	1971	V					0	1	N	U	0	253	I			
07S/22E-15M01 S	PALO VERDE IRR	1971	1953	V				0	1	N	U	0	253	I			
07S/22E-15M02 S	PALO VERDE IRR	1971	V					0	1	N	U	0	252	I			
07S/22E-15N01 S	PALO VERDE IRR	1971	1964	V				0	1	N	U	0	252	I			
07S/22E-15N02 S	PALO VERDE IRR	1971	V					0	1	N	U	0	251	I			
07S/22E-16G01 S	PALO VERDE IRR	1971	1953	V				0	1	N	U	0	255	I			
07S/22E-16G02 S	PALO VERDE IRR	1971	V					0	1	N	U	0	254	I			
07S/22E-16G03 S	PALO VERDE IRR	1971	V					0	1	N	U	0	255	I			
07S/22E-16G04 S	PALO VERDE IRR	1971	1953	V				0	1	N	U	0	252	I			
07S/22E-16G05 S	PALO VERDE IRR	1971	1953	V									Z	253	I		
07S/22E-16G06 S	PALO VERDE IRR	1971	1953	V									Z	252	I		
07S/22E-16G07 S	PALO VERDE IRR	1971	1953	V									Z	252	I		
07S/22E-16G08 S	PALO VERDE IRR	1971	1953	V									Z	253	I		
07S/22E-16G09 S	PALO VERDE IRR	1971	V										Z	253	I		
07S/22E-16G10 S	PALO VERDE IRR	1971	1953	V									Z	253	I		
07S/22E-16M01 S	PALO VERDE IRR	1971	V										Z	252	I		
07S/22E-16J01 S	PALO VERDE IRR	1971	V										Z	252	I		
07S/22E-16J02 S	PALO VERDE IRR	1971	V										Z	250	I		
07S/22E-16J03 S	PALO VERDE IRR	1971	V										Z	253	I		
07S/22E-16K01 S	PALO VERDE IRR	1971	V										Z	253	I		
07S/22E-17C01 S	PALO VERDE IRR	1971	V										Z	252	I		
07S/22E-17P01 S	O.NOWLAND	1972	1950	V									Z	250	I		
07S/22E-18A01 S	PALO VERDE IRR	1971	1965	V									Z	251	I		
07S/22E-18J01 S	PALO VERDE IRR	1971	V										Z	251	I		
07S/22E-18K01 S	PALO VERDE IRR	1971	V										Z	249	I		
07S/22E-18Q01 S	PALO VERDE IRR	1971	V										Z	248	I		
07S/22E-19A01 S	PALO VERDE IRR	1971	V										Z	248	I		
07S/22E-19F01 S	C.CMFELY	1972	1958	V									Z	325	I		
07S/22E-19R01 S	PALO VERDE IRR	1971	V										Z	250	I		
07S/22E-20001 S	PALO VERDE IRR	1971	V										Z	249	I		
07S/22E-21B01 S	PALO VERDE IRR	1971	1964	V									Z	252	I		
07S/22E-21D01 S	PALO VERDE IRR	1971	V										Z	250	I		
07S/22E-21J01 S	PALO VERDE IRR	1971	V										Z	253	I		
07S/22E-21L01 S	PALO VERDE IRR	1971	1964	V									Z	251	I		
07S/22E-21P01 S	PALO VERDE IRR	1971	1964	V									Z	250	I		
07S/22E-21P02 S	PALO VERDE IRR	1971	1964	V									Z	250	I		
07S/22E-21P03 S	PALO VERDE IRR	1971	1964	V									Z	253	I		
07S/22E-21P04 S	PALO VERDE IRR	1971	V										Z	248	I		
07S/22E-21R01 S	PALO VERDE IRR	1971	V										Z	251	I		
07S/22E-22M01 S	PALO VERDE IRR	1971	1963	V									Z	250	I		
07S/22E-22N01 S	PALO VERDE IRR	1971	V										Z	251	I		
07S/22E-22P01 S	PALO VERDE IRR	1971	V										Z	249	I		
07S/22E-24D01 S	PALO VERDE IRR	1971	V										Z	252	I		
07S/22E-25A01 S	PALO VERDE IRR	1971	1963	V									Z	252	I		
07S/22E-25K01 S	PALO VERDE IRR	1971	1948	V									Z	251	I		
07S/22E-25K02 S	PALO VERDE IRR	1971	1921	V									Z	251	I		
07S/22E-25K03 S	PALO VERDE IRR	1971	1948	V									Z	251	I		
07S/22E-25K04 S	PALO VERDE IRR	1971	1948	V									Z	250	I		
07S/22E-25N01 S	PALO VERDE IRR	1971	1945	V									Z	249	I		
07S/22E-25P001 S	PALO VERDE IRR	1971	1948	V									Z	254	I		
07S/22E-25Q002 S	PALO VERDE IRR	1971	1948	V									Z	254	I		
07S/22E-25Q003 S	PALO VERDE IRR	1971	1948	V									Z	250	I		
07S/22E-25Q004 S	PALO VERDE IRR	1971	1948	V									Z	254	I		
07S/22E-25Q005 S	PALO VERDE IRR	1971	1921	V									Z	249	I		

STATE NUMBER	OWNER OR NAME	IN-	O	O	D	D	C	W	I	P	M	W	ALTI-	N	C	A	P	L
		VEN-	R	I	E	#	E	A	EN	AM	O	LET	ATUOE	U	H	E	M	U
		DATE	RE	DE	HL	TL	TE	LL	SH	WER	FH	EE	OF	LSO	BL	LY	AT	
					(FT)	(FT)		(IN)					(FT)					
07S/22E-26W01 S	PALO VERDE IRR	1971	1946										Z	249	I			
07S/22E-27B01 S	PALO VERDE IRR	1971	V					0	1			U	0	251	I			
07S/22E-27C01 S	PALO VERDE IRR	1971	V					0	1			U	0	250	I			
07S/22E-27L01 S	PALO VERDE IRR	1971	V					0	1			U	0	246	I			
07S/22E-27L02 S	PALO VERDE IRR	1971	1964	V				0	1			U	0	245	I			
07S/22E-28D01 S	PALO VERDE IRR	1971	1960	V				0	1			N	U	0	248	I		
07S/22E-29H01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	249	I		
07S/22E-29R01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	246	D		
07S/22E-30B01 S	PALO VERDE IRR	1971	1966	V				0	1			N	U	0	249	I		
07S/22E-30G01 S	PALO VERDE IRR	1971	1956	V				0	1			N	U	0	248	I		
07S/22E-30P01 S	PALO VERDE IRR	1971	1956	V				0	1			N	U	0	245	I		
07S/22E-31W01 S	PALO VERDE IRR	1971	1923	V				0	1			N	U	0	244	I		
07S/22E-33D01 S	PALO VERDE IRR	1971	1919	V				0	1			N	U	0	248	I		
07S/22E-33N01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	246	I		
07S/22E-34C01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	243	O		
07S/22E-34H01 S	C.GLENN	1972	1951	C	114	0	U	4	S	J	H	W	245	D	C	P	O	
07S/22E-34H02 S	V.WARTZ	1972	1951	C	101	0	U	4	S	J	H	W	245	I	C	P	O	
07S/22E-34P01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	244	I		
07S/22E-35U01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	245	I		
07S/22E-35J01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	247	I		
07S/22E-36A01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	253	I		
07S/22E-36D01 S	PALO VERDE IRR	1971	1919	V				0	1			N	U	0	247	I		
07S/22E-36E02 S	PALO VERDE IRR	1971	1956	V				0	1			N	U	0	249	I		
07S/22E-36F01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	250	I		
07S/23E-03N01 S	PALO VERDE IRR	1971	1957	V				0	1			N	U	0	262	I		
07S/23E-03R01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	267	I		
07S/23E-04H01 S	E.VENABLE	1972	1953	V				0	4	S		H	W	262	I	C		
07S/23E-04R01 S	PALO VERDE IRR	1971	1946	V				0	1			N	U	0	261	I		
07S/23E-05A01 S	PALO VERDE IRR	1971	1947	V				0	1			N	U	0	265	I		
07S/23E-05G01 S	BLYTHE ICE CO	1972	1955	C	190	104	P	16	V	T	N	W	265	I	C	P	O	
07S/23E-05G02 S	ICE CO	1972	1942					16	S			U	U	0	265	O		
07S/23E-05E01 S	BLYTHE COOLING	1972	1957					8	U	T		N	W	265	O	C		
07S/23E-05F01 S	BLYTHE STEEL	1972	1951	C	109	0	0	4	T			N	W	0	267	O		
07S/23E-05M01 S	SHELL CHEMICAL	1972	1967	C	131	0	0	6	T			N	W	0	260	O		
07S/23E-05N01 S	VALLY NITROGEN	1972	1965	C	133	0	0	4	T			N	W	0	260	O		
07S/23E-05R01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	262	I		
07S/23E-06A01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	262	I		
07S/23E-06N01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	259	I		
07S/23E-06R01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	258	I		
07S/23E-08R01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	258	I		
07S/23E-09C01 S	R.SEVILLA	1972								5		H	W	261	I	C		
07S/23E-10D01 S	PALO VERDE IRR	1971										N	U	0	261	I		
07S/23E-15A01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	265	I		
07S/23E-15L01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	260	I		
07S/23E-15N01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	258	I		
07S/23E-16A01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	259	I		
07S/23E-17D01 S	UNION STOCK	1972	1951	C	147	112	P	12	V	T	S	W	255	O	C		D	
07S/23E-17U02 S	PALO VERDE IRR	1971	V					0	1			N	U	0	256	I		
07S/23E-17E01 S	UNION STOCK	1972	1956					0	1			T	S	W	255	I		
07S/23E-17N01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	255	I		
07S/23E-17R01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	256	I		
07S/23E-18A01 S	UNION FEED YARD	1972	1960	C	486	465	P	8	S	T	S	W	255	O	C		D	
07S/23E-18E01 S	PALO VERDE IRR	1971	1961	V				0	1			N	U	0	254	I		
07S/23E-18F01 S	PALO VERDE IRR	1971	1961	V				0	1			N	U	0	256	I		
07S/23E-18M01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	260	I		
07S/23E-18N01 S	PALO VERDE IRR	1971	1922	V				0	1			N	U	0	253	I		
07S/23E-21H01 S	J.ULMER	1972	1955					0	8	S	J	W	0	260	O	C		
07S/23E-21N01 S	PALO VERDE IRR	1971	1957	V				0	1			N	U	0	260	I		
07S/23E-22N01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	260	I		
07S/23E-27A01 S	PALO VERDE IRR	1971	1947	V				0	1			N	U	0	264	I		
07S/23E-27N01 S	PALO VERDE IRR	1971	1946	V				0	1			N	U	0	257	I		
07S/23E-27N02 S	ALLIED FAHMS	1972	1960	C	130	120	P	8	V	T	H	W	260	O	C		P	
07S/23E-29D01 S	IVEY	1972			353	350	D	6	T	J	H	W	255	O	C			
07S/23E-29N01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	255	I		
07S/23E-30A01 S	PALO VERDE IRR	1971	1958	V				0	1			N	U	0	255	I		
07S/23E-31N01 S	PALO VERDE IRR	1971	1957	V				0	1			N	U	0	253	I		
07S/23E-32M01 S	NORTON FARMS	1972	1961					0	1			N	U	0	256	I		
07S/23E-32R01 S	MELITA CORP	1972	1951	C	122	0	0	6	T	T	H	W	258	O	C		D	
07S/23E-33D01 S	PALO VERDE IRR	1971	1964	V				0	1			T	H	W	259	I		
07S/23E-34P01 S	RIVERSIDE CO	1972	1966		438	20	P	8	T	S	P	W	255	P				
08S/21E-01Q01 S	PALO VERDE IRR	1971	V					0	1			N	U	0	244	I		
08S/21E-13A01 S	U.S.G.S	1972	1963		430	39		12				N	U	0	240	I	C	P
08S/21E-13C01 S	PALO VERDE IRR	1971	1956	V				0	1			N	U	0	240	I		
08S/21E-13P01 S	PALO VERDE IRR	1971	1923	V				0	1			N	U	0	237	I		
08S/21E-13R01 S	PALO VERDE IRR	1971	1964	V				0	1			N	U	0	237	I		

STATE NUMBER	OWNER OR NAME	D IN- VEN- DATE	D R Y E H E D D DD	D M I L H O H	D C W A T E L H	F E P S T E L H	D I N M L S H	P D R .	M L F W I T F T	W A U H H E E D D	# L T S L E R D	ALTI- TUDE OF LSD	N U M B R E E R	C H N E B L I C S A E G	P U D A M P T I A G	
		(FT)	(FT)	(IN)			(FT)						(FT)			
085/21E-24N01 S	PALO VERDE IRR	1971	1959	V	0	1	N	U	0	236	I					
085/21E-24R01 S	PALO VERDE IRR	1971	1956	V	0	1	N	U	0	233	I					
085/21E-25D01 S	PALO VERDE IRR	1971	1965	V	0	1	N	U	0	237	I					
085/21E-36A01 S	PALO VERDE IRR	1971	1956	V	0	1	N	U	0	233	I					
085/22E-04E01 S	PALO VERDE IRR	1971	1961	V	0	1	N	U	0	246	I					
085/22E-04M01 S	PALO VERDE IRR	1971	1961	V	0	1	N	U	0	244	I					
085/22E-04N01 S	PALO VERDE IRR	1971	1961	V	0	1	N	U	0	242	I					
085/22E-04N02 S	PALO VERDE IRR	1971	1922	V	0	1	N	U	0	242	I					
085/22E-04P01 S	PALO VERDE IRR	1971	1961	V	0	1	N	U	0	244	I					
085/22E-05G01 S	PALO VERDE IRR	1971		V	0	1	N	U	0	245	O					
085/22E-06N01 S	PALO VERDE IRR	1971	1956	V	0	1	N	U	0	243	I					
085/22E-07P01 S	PALO VERDE IRR	1971	1923	V	0	1	N	U	0	239	I					
085/22E-08D02 S	PALO VERDE IRR	1971	1947	V	0	1	N	U	0	244	I					
085/22E-09P01 S	PALO VERDE IRR	1971	1959	V	0	1	N	U	0	238	I					
085/22E-10P01 S	PALO VERDE IRR	1971	1947	V	0	1	N	U	0	242	I					
085/22E-10D01 S	PALO VERDE IRR	1971	1966	V	D	1	N	U	0	242	I					
085/22E-10N01 S	COLD.RIVER FEED	1972	1969	M	130	90	G	8	U	238	I	P	D			
085/22E-10001 S	PALO VERDE IRR	1971	1959	V	0	1	N	U	0	243	I					
085/22E-11D01 S	PALO VERDE IRR	1971	1937	V	0	1	N	U	0	242	I					
085/22E-12D01 S	PALO VERDE IRR	1971	1954	V	D	1	N	U	0	247	I					
085/22E-12N01 S	PALO VERDE IRR	1971	1953	V	D	1	N	U	0	245	I					
085/22E-13R01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	250	I					
085/22E-14D01 S	PALO VERDE IRR	1971	1958	V	D	1	N	U	0	244	I					
085/22E-14N01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	245	I					
085/22E-15D01 S	PALO VERDE IRR	1971	1919	V	D	1	N	U	0	237	I					
085/22E-15D02 S	COLD.RIVER FEED	1972		V			V	T		238	I					
085/22E-16R01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	239	I					
085/22E-17D01 S	PALO VERDE IRR	1971	1918	V	D	1	N	U	0	241	I					
085/22E-18P01 S	PALO VERDE IRR	1971	1956	V	D	1	N	U	0	237	I					
085/22E-18R01 S	PALO VERDE IRR	1971	1970	V	D	1	N	U	0	237	I					
085/22E-19A01 S	L.PERRY	1972	1959					V		237	I	C				
085/22E-19J01 S	PALO VERDE IRR	1971	1958	V	D	1	N	U	0	235	I					
085/22E-19P01 S	PALO VERDE IRR	1971	1956	V	D	1	N	U	0	235	I					
085/22E-19R01 S	PALO VERDE IRR	1971	1964	V	D	1	N	U	0	235	I					
085/22E-20A01 S	PALO VERDE IRR	1971	1965	V	D	1	N	U	0	236	I					
085/22E-20A02 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	236	I					
085/22E-20B01 S	PALO VERDE IRR	1971	1965	V	D	1	N	U	0	236	I					
085/22E-20E01 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	236	I					
085/22E-20N01 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	234	I					
085/22E-20R01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	235	I					
085/22E-22N01 S	LAND-CATTLE CO	1972	1950	C	100	0	D	6	S	H	W	239	O	C	P	D
085/22E-22N02 S	PALO VERDE IRR	1972		V	D	2	N	U	0	237	I					
085/22E-23B01 S	PALO VERDE IRR	1972	1957	V	D	1	N	U	0	243	I					
085/22E-23J01 S	E.ENLOERS	1972	1950	C	108	0	D	4	S	J	W	245	O	C		D
085/22E-24A01 S	N.NYDYKE	1972	1962				D	1	N	H	Z	250	C			
085/22E-24N01 S	PALO VERDE IRR	1972		V			D	1	N	U	0	250	I			
085/22E-26D01 S	PALO VERDE IRR	1972		V			D	1	N	U	0	242	I			
085/22E-28D01 S	LAND-CATTLE CO	1972	1951	C	132	0	D	1	N	U	0	236	O			D
085/22E-29R01 S	PALO VERDE IRR	1972		V			D	1	N	U	0	236	I			
085/22E-30A01 S	PALO VERDE IRR	1971		V			D	1	N	U	0	235	I			
085/22E-30E01 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	234	I					
085/22E-30J01 S	PALO VERDE IRR	1971		V	D	1	N	U	0	233	I					
085/22E-30K01 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	233	I					
085/22E-30K02 S	PALO VERDE IRR	1971		V	D	1	N	U	0	233	I					
085/22E-30L01 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	233	I					
085/22E-30N01 S	PALO VERDE IRR	1971	1956	V	D	1	N	U	0	235	I					
085/22E-30R01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	231	I					
085/22E-31D01 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	234	I					
085/22E-31K01 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	233	I					
085/22E-31M01 S	PALO VERDE IRR	1971	1959	V	D	1	N	U	0	234	I					
085/22E-32N01 S	PALO VERDE	1972		V			D	1	N	U	0	235	I			
085/22E-32R01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	236	I					
085/22E-34D01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	237	I					
085/22E-34N01 S	PALO VERDE IRR	1972	1960	V	D	1	N	U	0	241	I					
085/22E-34R01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	238	I					
085/22E-35A01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	244	I					
085/22E-35D01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	240	I					
085/22E-35P01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	237	I					
085/23E-03E01 S	PALO VERDE IRR	1971	1957	V	D	1	N	U	0	258	I					
085/22E-04E01 S	PALO VERDE IRR	1971		V	D	1	N	U	0	256	D					
085/23E-05E01 S	PALO VERDE IRR	1971		V	D	1	N	U	0	256	O					
085/23E-06P01 S	KNAPPENBERGER	1972	1953	370	362		T	8	J	H	W	250	I	C	P	D
085/23E-07B01 S	KNAPPENBERGER	1972	1953	C	382	370	P	8	T	J	H	W	254	I	C	
085/23E-07D01 S	PALO VERDE IRR	1971	1949	D	0	1	N	U	0	251	L					
085/23E-07N01 S	PALO VERDE IRR	1972		V	D	1	N	U	0	251	I					

STATE NUMBER	OWNER OR NAME	O	D	R	M	R	D	D C	F	D	P	L	E	A	U	E	U	ALTI-	TUDE	N	H	C	P
		IN-	VEN-	Y	I	E	I	E	W	1	I	OW	LE	IT	S	EE	LE	OF	TUDE	U	W	E	A
		DATE	TO	EL	TL	PE	PS	EN	TL	TE	LI	ER	FO	TH	EE	LE	LSD	BL	M	ML	P	T	
				D	DD	D	DD	D	DD	H	D	D	D	D	D	D	(FT)	(FT)	(IN)			(FT)	
08S/23E-07R01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		253	I						
08S/23E-06U01 S	PALO VERUE IRR	1971	1942	V				0		1		N	U	0		257	I						
08S/23E-19N01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		252	I						
09S/21E-01N01 S	BURWOOD INVEST	1972	1963					T		2	S	J	H	W	U	0	232						
09S/21E-01R01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		234	I	C					
09S/21E-02C01 S	PALO VERDE CITY	1972	1969	M	440	420	F	6				N	U	U		235	I	C					D
09S/21E-02C02 S	OLD EST CAFE	1972									S	J	M	W		240		P					
09S/21E-02C03 S	TRAUING POST	1972	V					T			S	C	H	W		235	O	P					
09S/21E-02C04 S	R.BREWER	1972						T		2		N	U	U	Z	235							
09S/21E-02G01 S	ARPS TRAILER PK	1972													Z	232		C					
09S/21E-02G02 S	ARPS TRAILER PK	1972													Z	232		P					
09S/21E-02J01 S	U.S.G.S	1972	1962	B	231	229	T								Z	230		C					D
09S/21E-02J02 S	U.S.G.S	1972	1962	B	147	145	T								Z	230							
09S/21E-02J03 S	U.S.G.S	1972	1962	B	94	92	T								Z	230		C					D
09S/21E-02J04 S	U.S.G.S	1972	1962	B	52	50	T								Z	230		C					D
09S/21E-02N01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		231	I						
09S/21E-02P01 S	IMPERIAL COUNTY	1972	1963	B	104	103	T	1				N	U	0		234	I	C					D
09S/21E-03H01 S	U.S.H.R	1972									6	N	U	0		235	I						
09S/21E-03N01 S	U.S.G.S	1972	1963					T				N	U	0		260		C					D
09S/21E-03Q01 S	L.MILLINGEN	1972						60	40		8	U	T	H	W	244	I	M	P				
09S/21E-03R01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		232	I						
09S/21E-04J01 S		1972								12		N	U	U		260	O						
09S/21E-11A01 S	IMPERIAL COUNTY	1972	1963	B	120	119	T								Z	232		C	P	D			
09S/21E-11A02 S	IMPERIAL COUNTY	1972	1963	B	100	99	T	1				N	U	0		232		C		D			
09S/21E-11A03 S	PALO VERDE IRR	1972	V					0		1		N	U	0		232	I						
09S/21E-11K01 S	IMPEPIAL COUNTY	1972	1963	B	110	109	T								Z	230		C	P	D			
09S/21E-12B01 S	PALO VERUE IRR	1972	V					0		1		N	U	0		233	I						
09S/21E-12C01 S	PALO VEROE IRR	1972	V					D		1		N	U	0		235	I						
09S/21E-14B01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		231	I						
09S/21E-14P01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		230	I						
09S/21E-15A01 S	U.RICHEY	1972						56	42						Z	235	O	C					
09S/21E-23C01 S	RANCHO DEL RIO	1972	1963		100	15	G	20				N	U	0		224	I						
09S/21E-23Q01 S	PALU VERUE IRR	1972	1964	V				0		1		N	U	0		226	I						
09S/21E-24D01 S	IMPERIAL COUNTY	1972	1963	B	104	102	T	1				N	U	0		225	I	C	D				
09S/21E-24E01 S	PALO VERUE IRR	1972	1964	V				0		1		N	U	0		229	I						
09S/21E-24N01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		227	I						
09S/21E-25E01 S	PALO VEROE IRR	1972	1964	V				0		1		N	U	0		227	I						
09S/21E-25H01 S	PALO VERDE IRR	1972	1964	V				0		1		N	U	0		230	I						
09S/21E-25N01 S	PALO VERDE IRR	1972	1964	V				0		1		N	U	0		229	I						
09S/21E-25Q01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		228	I						
09S/21E-36F01 S	PALO VERDE IRR	1972	1964	V				0		1		N	U	0		226	I						
09S/21E-36G01 S	PALO VERDE IRR	1972	1964	V				0		1		N	U	0		228	I						
09S/21E-36H01 S	RANCHO DEL RIO	1972						100	15	G		N	U	0		225	O						
09S/22E-03A01 S	PALU VERDE IRR	1972	V					0		1		N	U	0		240	I						
09S/22E-03E01 S		1972	1954									N	U	0		245							
09S/22E-09A01 S	PALO VEROE IRR	1972	V					0		1		N	U	0		246	O						
10S/21E-01A01 S	PALO VERDE IRR	1972	V					0		1		N	U	0		222	I						
10S/21E-29E01 S	U.S.G.S	1972									2	N	U	0		460	O						
10S/21E-30B01 S		1972										N	U	0		503							
10S/21E-30C01 S	U.S.G.S	1972									2	N	U	0		485	O						
10S/21E-30H01 S	U.S.G.S	1972									3	N	U	0		480	O						
10S/21E-30J01 S	U.S.G.S	1972									3	N	U	0		480	O						

TABLE 2.--Description of spring 9S/20E-10DS1

Local name----- Clapp Spring
 Date spring discharge was measured----- August 30, 1972
 Discharge----- (1)
 Water use----- Unused
 Chemical analysis----- Partial
 Altitude of land-surface datum,² in feet above mean sea level----- 600

¹24-inch hole which has muddy water 10 inches below land surface.²Land-surface datum is an arbitrary plane closely approximating land surface.

TABLE 3.--Records of water level

Letter(s) following water-level measurements:

A Well being pumped.	G Measurement by another agency.	M Obstruction in well above water surface.
B Well pumped recently.	H Tape measurement (recorder).	N No measurement.
C Nearby well being pumped.	I Affected by atmospheric pressure.	O Discontinued.
D Nearby well pumped recently.	J Water level below sea level.	P Destroyed.
E Estimated.	K Measurement from recorder chart.	Q Flowing.
F Dry.		

4S/21E-981 S. DEPTH 1088 FT IN 1964.

LSD 860 FT ABOVE MSL.

HIGHEST WATER LEVEL 546.60 BELOW LSD, JULY 29, 1971,

LOWEST WATER LEVEL 546.60 BELOW LSD, JULY 29, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 29, 1971	546.6						

4S/21E-15Z1 S. DEPTH 1202 FT IN 1964.

LSD 790 FT ABOVE MSL.

HIGHEST WATER LEVEL 466.00 BELOW LSD, MAY 26, 1964,

LOWEST WATER LEVEL 466.00 BELOW LSD, MAY 26, 1964.

RECORDS AVAILABLE: 1964.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 26, 1964	466. G						

5S/21E-27Q1 S. DEPTH 58.0 FT IN 1971.

LSD 550 FT ABOVE MSL.

DRY, WATER LEVEL NOT MEASUREABLE, AUG. 5, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 5, 1971	F						

5S/22E-26M1 S. PERFORATED 745-780 FT; OPEN END AT 790 FT.

LSD 460 FT ABOVE MSL.

HIGHEST WATER LEVEL 181.20 BELOW LSD, SEP. 9, 1971,

LOWEST WATER LEVEL 197.82 BELOW LSD, JAN. 20, 1966.

RECORDS AVAILABLE: 1953, 1962-63, 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 14, 1953	196. G	SEP. 15, 1962	197.65	JAN. 20, 1966	197.82	SEP. 9, 1971	181.20
FEB. 14, 1962	197.45	JAN. 9, 1963	197.55				

5S/22E-26R1 S. PERFORATED 750-875 FT; DEPTH 770 FT IN 1962.

LSD 440 FT ABOVE MSL.

HIGHEST WATER LEVEL 175.45 BELOW LSD, FEB. 14, 1962,

LOWEST WATER LEVEL 175.85 BELOW LSD, FEB. 14, 1962.

RECORDS AVAILABLE: 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1962	175.85	SEP. 9, 1971	N				

SS/22E-28C1 S. PERFORATED 270-358, 382-601 FT.

LSD 485 FT ABOVE MSL.

HIGHEST WATER LEVEL 220.00 BELOW LSD, JUNE 27, 1960, NOV. 17, 1960.

LOWEST WATER LEVEL 233.75 BELOW LSD, FEB. 13, 1962.

RECORDS AVAILABLE: 1960, 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 10, 1960	230. G	NOV. 17, 1960	220. G	FEB. 13, 1962	233.75	SEP. 8, 1971	M
JUNE 27	220. G						

SS/22E-28C2 S. PERFORATED 256-400 FT.

LSD 485 FT ABOVE MSL.

HIGHEST WATER LEVEL 139.00 BELOW LSD, MAR. 12, 1959.

LOWEST WATER LEVEL 239.00 BELOW LSD, MAR. 16, 1959.

RECORDS AVAILABLE: 1959, 1962-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1959	139. G	FEB. 13, 1962	226.30	SEP. 27, 1963	230. G	SEP. 8, 1971	M
MAR. 16	239. G						

SS/22E-2801 S. DEPTH 300 FT IN 1910, 3.5 FT IN 1971.

LSD 455 FT ABOVE MSL.

HIGHEST WATER LEVEL 195.35 BELOW LSD, FEB. 13, 1962.

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 8, 1971.

RECORDS AVAILABLE: 1962-63, 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 13, 1962	195.35	JAN. 9, 1963	197.19	OCT. 19, 1966	197.47	SEP. 8, 1971	F
SEP. 13	196.98						

SS/22E-31D1 S. DEPTH 214 FT IN 1962, 152.0 FT IN 1971.

LSD 476 FT ABOVE MSL.

DRY, WATER LEVEL NOT MEASUREABLE, FEB. 13, 1962, AUG. 4, 1971.

RECORDS AVAILABLE: 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 13, 1962	F	AUG. 4, 1971	F				

SS/22E-31E1 S. PERFORATED 291-467 FT.

LSD 475 FT ABOVE MSL.

HIGHEST WATER LEVEL 218.50 BELOW LSD, FEB. 8, 1966.

LOWEST WATER LEVEL 222.00 BELOW LSD, JULY 26, 1965.

RECORDS AVAILABLE: 1965-66, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 26, 1965	222. G	FEB. 8, 1966	218.5	AUG. 4, 1971	220.69		

SS/22E-33J1 S. PERFORATED 260-380 FT.

LSD 438 FT ABOVE MSL.

HIGHEST WATER LEVEL 170.00 BELOW LSD, MAR. 16, 1962.

LOWEST WATER LEVEL 182.00 BELOW LSD, FEB. 19, 1962.

RECORDS AVAILABLE: 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1962	182. G	MAR. 16, 1962	170. G	SEP. 8, 1971	N		

5S/22E-33J2 S. PERFORATED 170-300 FT.
 LSD 440 FT ABOVE MSL.
 HIGHEST WATER LEVEL 183.00 BELOW LSD, MAR. 1, 1968,
 LOWEST WATER LEVEL 191.49 BELOW LSD, SEP. 8, 1971.
 RECORDS AVAILABLE: 1968, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1968	183. G	SEP. 8, 1971	191.49B				

5S/22E-35A1 S. PERFORATED 220-450 FT.
 LSD 440 FT ABOVE MSL.
 HIGHEST WATER LEVEL 175.50 BELOW LSD, OCT. 23, 1964,
 LOWEST WATER LEVEL 190.55 BELOW LSD, SEP. 9, 1971.
 RECORDS AVAILABLE: 1964, 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1964	175.5 G	FEB. 8, 1966	176.25	SEP. 9, 1971	190.55		

5S/22E-35D1 S. PERFORATED 180-293 FT.
 LSD 440 FT ABOVE MSL.
 HIGHEST WATER LEVEL 178.57 BELOW LSD, JAN. 28, 1966,
 LOWEST WATER LEVEL 182.72 BELOW LSD, SEP. 9, 1971.
 RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 28, 1966	178.57	SEP. 9, 1971	182.72				

5S/22E-35M1 S. PERFORATED 290-400 FT.
 LSD 425 FT ABOVE MSL.
 HIGHEST WATER LEVEL 165.00 BELOW LSD, JAN. , 1964,
 LOWEST WATER LEVEL 180.00 BELOW LSD, JUNE 21, 1966.
 RECORDS AVAILABLE: 1964, 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. , 1964	165. G	JUNE 21, 1966	180. G	AUG. 20, 1971	200. A		

5S/22E-35M2 S. PERFORATED 197-322 FT.
 LSD 425 FT ABOVE MSL.
 HIGHEST WATER LEVEL 158.00 BELOW LSD, DEC. 23, 1966,
 LOWEST WATER LEVEL 158.00 BELOW LSD, DEC. 23, 1966.
 RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 23, 1966	158. G	AUG. 20, 1971	196.50A				

5S/22E-36G1 S. PERFORATED 200-360 FT.
 LSD 425 FT ABOVE MSL.
 HIGHEST WATER LEVEL 165.00 BELOW LSD, JULY 13, 1967,
 LOWEST WATER LEVEL 173.60 BELOW LSD, SEP. 9, 1971.
 RECORDS AVAILABLE: 1967, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 13, 1967	165. G	SEP. 9, 1971	173.60				

SS/22E-36H1 S. PERFORATED 200-390 FT.

LSD 430 FT ABOVE MSL.

HIGHEST WATER LEVEL 165.00 BELOW LSD, MAR. 12, 1968,

LOWEST WATER LEVEL 165.00 BELOW LSD, MAR. 12, 1968.

RECORDS AVAILABLE: 1968, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1968	165. G	SEP. 9, 1971	M				

SS/23E-25K1 S. RECORDS PRIOR TO 6/25/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.0 FT IN 1971.

LSD 285.61 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.65 BELOW LSD, SEP. 4, 1965,

LOWEST WATER LEVEL 10.00 BELOW LSD, JAN. 13, 1970.

RECORDS AVAILABLE: 1948, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 3, 1948	4.95	JAN. 6, 1966	9.05	JAN. 8, 1968	9.55	JAN. 13, 1970	10.00
SEP. 13	5.28	SEP. 10	4.30	SEP. 10	3.85	SEP. 8	4.20
APR. 7, 1965	4.70	JAN. 7, 1967	4.65	JAN. 11, 1969	9.40	JAN. 11, 1971	9.90
SEP. 4	3.65	SEP. 9	4.45	SEP. 16	4.55	JUNE 25	4.43

SS/23E-25K2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 285.80 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.61 BELOW LSD, SEP. 15, 1947,

LOWEST WATER LEVEL 6.42 BELOW LSD, SEP. 12, 1946.

RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	5.96	JAN. 3, 1947	5.87	SEP. 15, 1947	5.61	AUG. 12, 1971	P
SEP. 12	6.42						

SS/23E-25K3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 280.40 FT ABOVE MSL.

HIGHEST WATER LEVEL 0.48 BELOW LSD, FEB. 28, 1946,

LOWEST WATER LEVEL 1.75 BELOW LSD, SEP. 12, 1946.

RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	.48	JAN. 3, 1947	1.22	AUG. 6, 1947	1.06	AUG. 12, 1971	P
SEP. 12	1.75						

SS/23E-25L1 S. RECORDS PRIOR TO 6/25/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.6 FT IN 1971.

LSD 285.19 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.60 BELOW LSD, SEP. 4, 1965,

LOWEST WATER LEVEL 8.75 BELOW LSD, JAN. 13, 1970.

RECORDS AVAILABLE: 1948, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	5.70	JAN. 6, 1966	7.65	JAN. 8, 1968	8.30	JAN. 13, 1970	8.75
SEP. 13	5.37	SEP. 10	4.05	SEP. 10	3.85	SEP. 8	4.00
APR. 7, 1965	4.50	JAN. 7, 1967	4.45	JAN. 11, 1969	8.50	JAN. 11, 1971	8.70
SEP. 4	3.60	SEP. 9	4.05	SEP. 16	4.10	JUNE 25	4.02

5S/23E-25M1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
9.2 FT IN 1971.
LSD 284.37 FT ABOVE MSL.
HIGHEST WATER LEVEL 3.60 BELOW LSD, SEP. 4, 1965,
LOWEST WATER LEVEL 8.60 BELOW LSD, JAN. 11, 1971.
RECORDS AVAILABLE: 1948-1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 16, 1948	5.21	JAN. 6, 1966	7.80	JAN. 8, 1968	7.65	JAN. 13, 1970	8.55
AUG. 19	4.02	SEP. 10	4.40	SEP. 10	4.30	SEP. 8	4.25
SEP. 3	4.71	JAN. 7, 1967	4.85	JAN. 11, 1969	7.20	JAN. 11, 1971	8.60
APR. 7, 1965	5.10	SEP. 9	4.50	SEP. 16	5.90	JUNE 24	4.42
SEP. 4	3.60						

5S/23E-25N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 283.46 FT ABOVE MSL.
HIGHEST WATER LEVEL 3.59 BELOW LSD, MAY 1, 1947,
LOWEST WATER LEVEL 5.86 BELOW LSD, SEP. 3, 1946.
RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 31, 1946	3.85	JAN. 3, 1947	5.43	MAY 1, 1947	3.59	AUG. 12, 1971	P
SEP. 3	5.86						

5S/23E-25N2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 285.90 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.00 BELOW LSD, MAY 3, 1948,
LOWEST WATER LEVEL 6.33 BELOW LSD, JAN. 23, 1948.
RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	6.33	MAY 3, 1948	5.00	AUG. 12, 1971	P		

5S/23E-25P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 283.60 FT ABOVE MSL.
HIGHEST WATER LEVEL 3.68 BELOW LSD, FEB. 28, 1946,
DRY, WATER LEVEL NOT MEASUREABLE, JUNE 3, 1946.
RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	3.68	JUNE 3, 1946	F	AUG. 13, 1971	P		

5S/23E-25P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 284.50 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.39 BELOW LSD, FEB. 26, 1946, APR. 3, 1946,
LOWEST WATER LEVEL 7.48 BELOW LSD, DEC. 4, 1947.
RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	4.39	NOV. 17, 1947	6.63	DEC. 4, 1947	7.48	AUG. 12, 1971	P
APR. 3	4.39						

SS/23E-2501 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 281.30 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.09 BELOW LSD, FEB. 28, 1946,
 LOWEST WATER LEVEL 4.51 BELOW LSD, SEP. 3, 1946.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	2.09	JAN. 3, 1947	3.07	JAN. 2, 1948	3.38	AUG. 13, 1971	P
SEP. 3	4.51	SEP. 15	3.58	SEP. 3	3.18		

SS/23E-2502 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.05 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.84 BELOW LSD, JAN. 23, 1948,
 LOWEST WATER LEVEL 5.21 BELOW LSD, DEC. 4, 1947.
 RECORDS AVAILABLE: 1947-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1947	4.94	JAN. 23, 1948	4.84	SEP. 2, 1948	5.10	AUG. 13, 1971	P
DEC. 4	5.21						

SS/23E-25R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 286.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.05 BELOW LSD, APR. 3, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 1, 1946, SEP. 12, 1946, OCT. 8, 1946, FEB. 3, 1947,
 SEP. 15, 1947, JAN. 2, 1948.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	7.37	JUNE 3, 1946	7.98	OCT. 8, 1946	F	FEB. 3, 1947	F
MAR. 1	7.36	JULY 2	8.35	NOV. 1	8.25	SEP. 15	F
APR. 3	7.05	AUG. 1	F	DEC. 3	8.36	JAN. 2, 1948	F
MAY 7	7.29	SEP. 12	F	JAN. 3, 1947	8.37	AUG. 13, 1971	P

SS/23E-25R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSU 281.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.68 BELOW LSD, FEB. 28, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 2, 1948.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	2.68	JAN. 2, 1947	2.82	JAN. 2, 1948	F	AUG. 13, 1971	P
SEP. 12	F	SEP. 15	2.82	SEP. 3	2.80		

SS/23E-25R3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 285.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.70 BELOW LSD, FEB. 28, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	6.70	JAN. 3, 1947	8.00	JAN. 2, 1948	7.67	AUG. 13, 1971	P
SEP. 12	F	SEP. 15	F				

SS/23E-25R4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.64 BELOW LSD, MAY 7, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, JUNE 3, 1946, JULY 17, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	3.96	MAY 7, 1946	3.64	JULY 17, 1946	F	AUG. 13, 1971	P
APR. 3	3.89	JUNE 3	F				

SS/23E-26J1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 7.5 FT IN 1971.
 LSD 283.50 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.81 BELOW LSD, SEP. 27, 1954,
 LOWEST WATER LEVEL 7.85 BELOW LSD, JAN. 6, 1966.
 RECORDS AVAILABLE: 1948-56, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	5.29	JAN. 22, 1952	5.96	JAN. 26, 1956	4.31	JAN. 8, 1968	7.75
SEP. 3	4.07	SEP. 30	4.31	FEB. 24	3.46	SEP. 10	3.30
JAN. 3, 1949	5.50	JAN. 28, 1953	6.11	APR. 7, 1965	4.90	JAN. 11, 1969	7.65
SEP. 7	4.71	SEP. 25	4.61	SEP. 4	3.60	SEP. 16	4.80
JAN. 9, 1950	3.65	JAN. 12, 1954	4.51	JAN. 6, 1966	7.85	JAN. 13, 1970	7.80
SEP. 11	4.82	SEP. 27	2.81	SEP. 10	4.15	SEP. 8	4.20
JAN. 22, 1951	5.66	JAN. 28, 1955	4.31	JAN. 7, 1967	4.65	JAN. 11, 1971	7.60
SEP. 10	4.76	SEP. 26	3.51	SEP. 9	4.45	JUNE 24	3.92

SS/23E-26J2 S. RECORDS PRIOR TO 6/14/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.0 FT IN 1971.
 LSD 285.29 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.40 BELOW LSD, SEP. 9, 1967,
 LOWEST WATER LEVEL 8.55 BELOW LSD, JAN. 8, 1968.
 RECORDS AVAILABLE: 1948, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	6.69	JAN. 6, 1966	8.45	JAN. 8, 1968	8.55	JAN. 13, 1970	7.00
SEP. 3	6.77	SEP. 10	8.15	SEP. 10	7.05	SEP. 8	7.00
APR. 7, 1965	6.55	JAN. 7, 1967	6.75	JAN. 11, 1969	7.00	JAN. 11, 1971	7.15
SEP. 4	7.00	SEP. 9	6.40	SEP. 16	7.05	JUNE 14	7.15

SS/23E-26L1 S. RECORDS PRIOR TO 6/25/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.1 FT IN 1971.
 LSD 282.80 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.66 BELOW LSD, SEP. 12, 1958,
 LOWEST WATER LEVEL 7.60 BELOW LSD, JAN. 11, 1969, JAN. 11, 1971.
 RECORDS AVAILABLE: 1948-59, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 16, 1948	4.85	JAN. 15, 1953	6.12	SEP. 18, 1957	3.91	SEP. 9, 1967	4.20
SEP. 3	4.42	SEP. 25	6.12	JAN. 11, 1958	4.31	JAN. 8, 1968	7.30
JAN. 3, 1949	5.10	JAN. 12, 1954	5.92	SEP. 12	3.66	SEP. 10	3.80
SEP. 1	5.16	SEP. 27	4.02	JAN. 3, 1959	3.81	JAN. 11, 1969	7.60
JAN. 4, 1950	5.64	FEB. 2, 1955	6.12	APR. 7, 1965	4.45	SEP. 16	4.40
SEP. 11	5.12	SEP. 26	5.00	SEP. 4	3.85	JAN. 9, 1970	7.50
JAN. 22, 1951	5.72	FEB. 4, 1956	5.62	JAN. 6, 1966	7.15	SEP. 8	4.50
SEP. 10	4.77	OCT. 2	4.72	SEP. 10	3.90	JAN. 11, 1971	7.60
JAN. 22, 1952	5.77	MAR. 26, 1957	5.87	JAN. 7, 1967	5.00	JUNE 25	3.99
OCT. 11	5.67						

5S/23E-26M1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.81 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.13 BELOW LSD, SEP. 26, 1955,

LOWEST WATER LEVEL 9.03 BELOW LSD, FEB. 23, 1951.

RECORDS AVAILABLE: 1946-48, 1950-57, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1946	5.71	MAY 23, 1950	8.21	JAN. 28, 1953	6.33	JAN. 26, 1956	5.93
SEP. 3	8.17	NOV. 10	7.42	SEP. 25	6.03	OCT. 2	4.23
JAN. 3, 1947	5.34	FEB. 23, 1951	9.03	JAN. 12, 1954	6.83	JAN. 4, 1957	5.53
SEP. 15	7.93	SEP. 10	6.18	SEP. 27	5.53	AUG. 23	5.33
JAN. 23, 1948	6.23	JAN. 30, 1952	6.53	JAN. 28, 1955	6.73	AUG. 13, 1971	P
JULY 1	6.06	SEP. 30	5.83	SEP. 26	4.13		

5S/23E-26N1 S. RECORDS PRIOR TO 6/25/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.7 FT IN 1971.

LSD 281.86 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.15 BELOW LSD, SEP. 16, 1969,

LOWEST WATER LEVEL 7.90 BELOW LSD, JAN. 8, 1968.

RECORDS AVAILABLE: 1948, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	5.35	JAN. 6, 1966	7.80	JAN. 8, 1968	7.90	JAN. 13, 1970	6.50
SEP. 3	4.56	SEP. 10	5.40	SEP. 10	5.30	SEP. 8	5.10
APR. 7, 1965	5.00	JAN. 7, 1967	6.90	JAN. 11, 1969	5.70	JAN. 11, 1971	5.85
SEP. 4	4.70	SEP. 9	5.75	SEP. 16	4.15	JUNE 25	6.02

5S/23E-26N2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.65 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.05 BELOW LSD, JAN. 29, 1948,

LOWEST WATER LEVEL 5.10 BELOW LSD, JULY 1, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	5.05	JULY 1, 1948	5.10	JULY 14, 1971	P		

5S/23E-26P1 S. RECORDS PRIOR TO 7/14/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 7.9 FT IN 1971.

LSD 282.32 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.69 BELOW LSD, MAY 1, 1947,

LOWEST WATER LEVEL 7.60 BELOW LSD, JAN. 8, 1968, JAN. 11, 1969.

RECORDS AVAILABLE: 1946-47, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1946	4.55	DEC. 4, 1965	5.15	JAN. 8, 1968	7.60	JAN. 9, 1970	7.20
SEP. 3	6.76	JAN. 6, 1966	7.35	JULY 9	4.70	JULY 7	4.80
FEB. 3, 1947	5.58	SEP. 10	4.85	JAN. 11, 1969	7.60	JAN. 11, 1971	7.10
MAY 1	3.69	FEB. 6, 1967	6.30	JULY 14	4.70	JULY 14	4.89
MAY 8, 1965	3.90	OCT. 7	4.70				

5S/23E-26P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.99 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.50 BELOW LSD, JUNE 12, 1947,

LOWEST WATER LEVEL 8.56 BELOW LSD, SEP. 3, 1946.

RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1946	4.66	JAN. 3, 1947	6.18	JAN. 29, 1948	5.43	AUG. 13, 1971	P
SEP. 3	8.56	JUNE 12	4.50	JULY 1	4.77		

5S/23E-26Q1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.45 FT IN 1971.
 LSD 283.64 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.85 BELOW LSD, SEP. 10, 1968,
 LOWEST WATER LEVEL 7.92 BELOW LSD, JAN. 28, 1953, JAN. 12, 1954.
 RECORDS AVAILABLE: 1946-71.

DATE	WATER LEVEL						
MAR. 6, 1946	4.44	SEP. 30, 1952	7.42	JAN. 3, 1959	6.92	SEP. 4, 1965	4.58
SEP. 3	7.72	JAN. 28, 1953	7.92	SEP. 8	4.33	JAN. 6, 1966	6.85
JAN. 3, 1947	6.16	SEP. 25	7.12	JAN. 11, 1960	5.88	SEP. 10	4.75
SEP. 15	7.40	JAN. 12, 1954	7.92	SEP. 7	4.03	JAN. 7, 1967	5.85
JAN. 29, 1948	5.95	SEP. 27	6.82	FEB. 2, 1961	5.23	SEP. 9	5.50
SEP. 3	6.05	JAN. 28, 1955	7.82	SEP. 5	4.53	JAN. 8, 1968	6.60
JAN. 3, 1949	6.85	SEP. 26	6.42	JAN. 3, 1962	4.43	SEP. 10	2.85
SEP. 7	6.79	JAN. 26, 1956	7.52	SEP. 10	4.23	JAN. 11, 1969	6.35
JAN. 4, 1950	6.76	OCT. 2	6.32	JAN. 4, 1963	4.53	SEP. 16	6.15
SEP. 11	7.31	JAN. 4, 1957	7.22	SEP. 6	4.63	JAN. 9, 1970	6.55
JAN. 22, 1951	6.72	SEP. 18	5.12	JAN. 7, 1964	6.03	SEP. 8	5.10
SEP. 10	7.12	JAN. 11, 1958	6.42	SEP. 4	2.98	JAN. 11, 1971	6.80
JAN. 30, 1952	7.62	SEP. 12	5.77	JAN. 6, 1965	6.33	JUNE 24	3.01

5S/23E-26R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.23 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.88 BELOW LSD, SEP. 3, 1948,
 LOWEST WATER LEVEL 5.70 BELOW LSD, JAN. 23, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	5.70	SEP. 3, 1948	4.88	AUG. 13, 1971	P		

5S/23E-27R1 S. RECORDS PRIOR TO 6/25/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.0 FT IN 1971.
 LSD 281.52 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.92 BELOW LSD, JAN. 29, 1948,
 LOWEST WATER LEVEL 8.70 BELOW LSD, JAN. 13, 1970.
 RECORDS AVAILABLE: 1948, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	4.92	JAN. 6, 1966	7.80	JAN. 8, 1968	8.45	JAN. 13, 1970	8.70
SEP. 13	5.47	SEP. 10	6.95	SEP. 10	6.50	SEP. 8	6.25
JAN. 3, 1949	7.08	JAN. 7, 1967	8.10	JAN. 11, 1969	8.15	JAN. 11, 1971	8.50
APR. 7, 1965	5.40	SEP. 9	7.25	SEP. 16	6.35	JUNE 25	6.10
SEP. 4	5.80						

5S/23E-32N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 274.50 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.24 BELOW LSD, NOV. 14, 1923,
 LOWEST WATER LEVEL 10.64 BELOW LSD, JAN. 19, 1924.
 RECORDS AVAILABLE: 1919, 1922-26, 1971.

DATE	WATER LEVEL						
APR. 12, 1919	10.3	JULY 19, 1923	9.34	SEP. 19, 1924	9.29	JAN. 2, 1926	10.19
MAY 16	10.1	NOV. 14	9.24	FEB. 13, 1925	10.49	MAR. 18	10.29
SEP. 4, 1922	10.54	JAN. 19, 1924	10.64	OCT. 15	10.09	AUG. 30, 1971	P

5S/23E-33G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 278.74 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.80 BELOW LSD, SEP. 10, 1951,
 LOWEST WATER LEVEL 7.99 BELOW LSD, JAN. 12, 1954, JAN. 8, 1955.
 RECORDS AVAILABLE: 1951-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1951	7.45	SEP. 30, 1952	6.59	JAN. 12, 1954	7.99	SEP. 26, 1955	6.49
SEP. 10	4.80	JAN. 28, 1953	7.29	SEP. 27	7.29	AUG. 16, 1971	P
JAN. 22, 1952	7.74	SEP. 25	7.59	JAN. 8, 1955	7.99		

5S/23E-33H1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.36 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.47 BELOW LSD, SEP. 20, 1955,
 LOWEST WATER LEVEL 9.77 BELOW LSD, JAN. 8, 1955.
 RECORDS AVAILABLE: 1918, 1952-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	8.8	JAN. 28, 1953	8.70	SEP. 27, 1954	8.30	SEP. 26, 1955	7.47
JAN. 22, 1952	8.90	SEP. 25	8.60	JAN. 8, 1955	9.77	AUG. 16, 1971	P
SEP. 30	7.70	JAN. 12, 1954	9.00				

5S/23E-33J1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 277.06 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.00 BELOW LSD, SEP. 20, 1961,
 LOWEST WATER LEVEL 7.60 BELOW LSD, JAN. 13, 1970.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	5.50	JAN. 5, 1963	5.50	JAN. 7, 1966	6.95	JAN. 11, 1969	6.50
SEP. 8	4.70	SEP. 6	3.50	SEP. 10	4.15	SEP. 16	5.15
JAN. 17, 1961	6.00	JAN. 7, 1964	4.90	JAN. 7, 1967	6.00	JAN. 13, 1970	7.60
SEP. 20	3.00	SEP. 4	3.15	SEP. 9	4.35	SEP. 8	5.05
JAN. 3, 1962	5.30	JAN. 6, 1965	5.80	JAN. 8, 1968	6.20	JUNE 29, 1971	4.98
SEP. 8	4.60	SEP. 6	4.35	SEP. 10	3.75		

5S/23E-33J2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 279 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.01 BELOW LSD, SEP. 26, 1955,
 LOWEST WATER LEVEL 8.01 BELOW LSD, JAN. 6, 1955.
 RECORDS AVAILABLE: 1919, 1952-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1919	4.7	SEP. 30, 1952	4.40	JAN. 12, 1954	5.30	SEP. 26, 1955	4.01
MAY 1	5.6	JAN. 28, 1953	5.50	SEP. 27	5.40	AUG. 16, 1971	P
JAN. 22, 1952	6.05	SEP. 25	5.40	JAN. 8, 1955	8.01		

5S/23E-33L1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 275.40 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.46 BELOW LSD, SEP. 10, 1951,
 LOWEST WATER LEVEL 7.28 BELOW LSD, MAR. 7, 1949.
 RECORDS AVAILABLE: 1949-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1949	7.28	JAN. 22, 1951	4.71	MAR. 6, 1953	3.83	JAN. 28, 1955	5.32
SEP. 20	3.91	SEP. 10	3.46	SEP. 25	5.32	SEP. 26	4.32
JAN. 4, 1950	4.02	JAN. 22, 1952	5.01	JAN. 12, 1954	5.42	AUG. 16, 1971	P
SEP. 11	4.41	SEP. 29	3.96	SEP. 27	5.12		

55/23E-33N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 275.16 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.71 BELOW LSD, JAN. 7, 1925,
 LOWEST WATER LEVEL 8.50 BELOW LSD, NOV. 14, 1918.
 RECORDS AVAILABLE: 1918-19, 1922-26, 1936-56, 1971.

DATE	WATER LEVEL						
NOV. 14, 1918	8.5	SEP. 18, 1937	4.77	DEC. 21, 1944	6.02	JAN. 22, 1951	6.10
APR. 1, 1919	8.4	JAN. 4, 1938	5.82	FEB. 26, 1945	5.02	SEP. 10	4.40
MAY 16	7.6	SEP. 15	7.52	MAR. 24	5.02	JAN. 22, 1952	6.25
SEP. 4, 1922	5.41	JAN. 4, 1939	7.42	MAR. 14, 1946	5.17	SEP. 29	4.50
JUNE 18, 1923	5.81	SEP. 15	6.32	SEP. 12	6.44	JAN. 28, 1953	5.80
NOV. 13	5.41	FEB. 2, 1940	6.32	JAN. 8, 1947	5.70	SEP. 23	6.17
JAN. 19, 1924	5.11	SEP. 26	5.62	SEP. 17	5.32	JAN. 29, 1954	6.37
SEP. 19	3.71	JAN. 9, 1941	5.42	JAN. 9, 1948	5.95	SEP. 27	5.47
JAN. 7, 1925	1.71	SEP. 26	5.32	SEP. 4	4.97	FEB. 21, 1955	5.07
OCT. 15	3.91	JUNE 9, 1942	5.22	JAN. 3, 1949	5.70	SEP. 26	5.37
JAN. 4, 1926	5.61	SEP. 9	6.22	SEP. 7	5.60	JAN. 26, 1956	5.27
NOV. 18, 1936	6.82	JAN. 11, 1943	5.82	JAN. 4, 1950	5.77	OCT. 30	4.45
DEC. 22	7.12	APR. 21	4.92	SEP. 11	6.40	AUG. 13, 1971	P
JAN. 29, 1937	7.92	OCT. 17, 1944	5.22				

55/23E-33N2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 279.35 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.40 BELOW LSD, MAY 4, 1953,
 LOWEST WATER LEVEL 10.21 BELOW LSD, JAN. 29, 1954.
 RECORDS AVAILABLE: 1949-56, 1971.

DATE	WATER LEVEL						
FEB. 21, 1949	8.55	JAN. 22, 1951	9.70	MAY 4, 1953	6.40	JAN. 28, 1955	9.91
SEP. 7	8.79	SEP. 26	8.35	SEP. 25	9.91	SEP. 26	8.51
JAN. 4, 1950	8.95	JAN. 22, 1952	9.70	JAN. 29, 1954	10.21	AUG. 16, 1971	P
SEP. 11	10.00	JUNE 30	9.00	SEP. 27	9.51		

55/23E-33R1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT
 IN 1960, 12.0 FT IN 1971.
 LSD 278.31 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.27 BELOW LSD, SEP. 6, 1963,
 LOWEST WATER LEVEL 8.85 BELOW LSD, JAN. 13, 1970.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	7.92	JAN. 5, 1963	6.37	JAN. 7, 1966	8.60	JAN. 11, 1969	7.80
SEP. 8	6.77	SEP. 6	4.27	SEP. 10	5.50	SEP. 16	7.75
JAN. 17, 1961	8.27	JAN. 7, 1964	7.42	JAN. 7, 1967	8.00	JAN. 13, 1970	8.85
SEP. 20	4.57	SEP. 4	4.55	SEP. 9	7.15	SEP. 8	6.40
JAN. 3, 1962	7.67	JAN. 6, 1965	7.55	JAN. 8, 1968	7.10	JUNE 29, 1971	6.66
SEP. 8	5.87	SEP. 6	6.10	SEP. 10	6.40		

55/23E-34A1 S. RECORDS PRIOR TO 6/25/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 19.3 FT IN 1971.
 LSD 279.59 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.28 BELOW LSD, JAN. 3, 1962,
 LOWEST WATER LEVEL 9.88 BELOW LSD, JAN. 6, 1965.
 RECORDS AVAILABLE: 1946-71.

DATE	WATER LEVEL						
MAY 31, 1946	4.79	JAN. 3, 1949	5.04	FEB. 11, 1952	5.44	JAN. 28, 1955	6.94
SEP. 3	8.44	SEP. 7	5.49	OCT. 17,	3.84	SEP. 26	6.14
JAN. 3, 1947	5.15	JAN. 4, 1950	5.87	JAN. 28, 1953	6.04	JAN. 26, 1956	6.14
SEP. 15	9.19	SEP. 11	4.19	AUG. 25	7.14	SEP. 25	6.19
JAN. 28, 1948	6.82	JAN. 22, 1951	5.29	JAN. 12, 1954	4.74	JAN. 4, 1957	4.94
SEP. 3	5.79	SEP. 10	6.74	SEP. 27	9.14	SEP. 18	5.84

5S/23E-34A1 S. (Continued)

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1958	4.64	SEP. 5, 1961	4.18	JAN. 6, 1965	9.88	SEP. 10, 1968	8.27
SEP. 12	4.68	JAN. 3, 1962	3.28	SEP. 4, 1965	8.78	JAN. 11, 1969	6.02
JAN. 3, 1959	4.98	SEP. 10	5.28	JAN. 6, 1966	5.13	SEP. 16	3.97
SEP. 4	5.98	JAN. 4, 1963	5.68	SEP. 10	4.26	JAN. 13, 1970	6.37
JAN. 23, 1960	5.98	SEP. 6	4.48	JAN. 7, 1967	7.58	SEP. 9	5.80
SEP. 22	4.28	JAN. 7, 1964	4.78	SEP. 9	4.87	JAN. 11, 1971	6.40
JAN. 13, 1961	4.08	SEP. 4	9.13	JAN. 8, 1968	5.72	JUNE 25	5.95

5S/23E-34A2 S. RECORDS PRIOR TO 6/25/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.2 FT IN 1971.

LSD 278.76 FT ABOVE MSL.

HIGHEST WATER LEVEL 0.95 BELOW LSD, JAN. 23, 1948,

LOWEST WATER LEVEL 8.05 BELOW LSD, SEP. 10, 1968.

RECORDS AVAILABLE: 1948, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	.95	JAN. 6, 1966	6.55	JAN. 8, 1968	6.50	JAN. 13, 1970	6.70
SEP. 3	2.29	SEP. 10	6.55	SEP. 10	8.05	SEP. 8	6.75
APR. 7, 1965	5.85	JAN. 7, 1967	6.20	JAN. 11, 1969	6.55	JAN. 11, 1971	6.90
SEP. 4	7.45	SEP. 9	6.10	SEP. 16	7.00	JUNE 25	6.46

5S/23E-34B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 281.61 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.30 BELOW LSD, JULY 23, 1960,

LOWEST WATER LEVEL 6.45 BELOW LSD, JAN. 20, 1960.

RECORDS AVAILABLE: 1960, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.45	JULY 23, 1960	5.30	AUG. 17, 1971	P		

5S/23E-34C1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.5 FT IN 1971.

LSD 281.46 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.70 BELOW LSD, SEP. 21, 1960,

LOWEST WATER LEVEL 11.55 BELOW LSD, JAN. 13, 1970.

RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.20	JAN. 5, 1963	7.40	JAN. 7, 1966	10.00	JAN. 11, 1969	10.15
SEP. 21	4.70	SEP. 6	8.40	SEP. 10	8.20	SEP. 16	10.00
FEB. 2, 1961	6.80	JAN. 7, 1964	7.85	JAN. 7, 1967	9.30	JAN. 13, 1970	11.55
SEP. 20	7.00	SEP. 4	7.90	SEP. 9	9.00	SEP. 8	10.30
JAN. 3, 1962	7.70	JAN. 6, 1965	9.20	JAN. 8, 1968	10.40	JUNE 25, 1971	8.48
SEP. 8	7.00	SEP. 6	8.95	SEP. 10	8.40		

55/23E-34E1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.9 FT IN 1971.
 LSD 278.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.59 BELOW LSD, SEP. 12, 1958,
 LOWEST WATER LEVEL 8.50 BELOW LSD, JAN. 13, 1970.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1957	6.89	JAN. 17, 1961	6.00	SEP. 4, 1964	3.50	JAN. 8, 1968	7.20
SEP. 17	2.89	SEP. 20	3.20	JAN. 6, 1965	6.90	SEP. 10	4.15
JAN. 11, 1958	5.49	JAN. 3, 1962	6.00	SEP. 6	4.50	JAN. 11, 1969	6.45
SEP. 12	2.59	SEP. 8	4.10	JAN. 7, 1966	7.75	SEP. 16	5.80
JAN. 3, 1959	5.14	JAN. 5, 1963	5.30	SEP. 10	4.70	JAN. 13, 1970	8.50
JAN. 20, 1960	6.00	SEP. 6	4.20	JAN. 7, 1967	6.75	MAY 13	6.10
SEP. 8	5.30	JAN. 7, 1964	5.70	SEP. 9	4.95	JUNE 29, 1971	5.20

55/23E-34E2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 7.5 FT IN 1971.
 LSD 277.72 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.90 BELOW LSD, SEP. 4, 1964,
 LOWEST WATER LEVEL 6.95 BELOW LSD, JAN. 7, 1966.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	5.26	JAN. 5, 1963	4.26	JAN. 7, 1966	6.95	JAN. 11, 1969	5.30
SEP. 8	5.26	SEP. 6	3.86	SEP. 10	4.00	SEP. 16	5.00
JAN. 17, 1961	5.36	JAN. 4, 1964	4.80	JAN. 7, 1967	5.90	JAN. 13, 1970	6.75
SEP. 20	3.36	SEP. 4	2.90	SEP. 9	4.25	SEP. 8	5.65
JAN. 3, 1962	4.86	JAN. 6, 1965	6.15	JAN. 8, 1968	5.55	JUNE 29, 1971	4.86
SEP. 8	3.56	SEP. 6	3.95	SEP. 10	3.55		

55/23E-34E3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.8 FT IN 1971.
 LSD 279.29 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.90 BELOW LSD, SEP. 4, 1964,
 LOWEST WATER LEVEL 8.70 BELOW LSD, JAN. 13, 1970.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.94	JAN. 5, 1963	5.99	JAN. 7, 1966	8.45	JAN. 11, 1969	7.75
SEP. 8	6.39	SEP. 6	5.79	SEP. 10	5.95	SEP. 16	6.90
JAN. 17, 1961	7.09	JAN. 7, 1964	6.55	JAN. 7, 1967	7.65	JAN. 13, 1970	8.70
SEP. 20	5.49	SEP. 4	4.90	SEP. 9	6.30	SEP. 8	7.65
JAN. 3, 1962	6.79	JAN. 6, 1965	7.75	JAN. 8, 1968	7.70	JUNE 29, 1971	7.32
SEP. 8	5.49	SEP. 6	5.95	SEP. 10	5.60		

55/23E-34E4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 280.46 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.89 BELOW LSD, SEP. 8, 1962,
 LOWEST WATER LEVEL 7.19 BELOW LSD, JAN. 23, 1961.
 RECORDS AVAILABLE: 1960-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.95	SEP. 20, 1961	5.29	SEP. 8, 1962	3.89	SEP. 6, 1963	6.09
SEP. 21	5.47	JAN. 3, 1962	6.99	JAN. 5, 1963	4.99	AUG. 17, 1971	P
JAN. 23, 1961	7.19						

SS/23E-34F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 280.60 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.45 BELOW LSD, JAN. 20, 1960,

LOWEST WATER LEVEL 6.90 BELOW LSD, SEP. 21, 1960.

RECORDS AVAILABLE: 1960, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.45	SEP. 21, 1960	6.90	AUG. 17, 1971	P		

SS/23E-34F2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 280.97 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.48 BELOW LSD, SEP. 21, 1960,

LOWEST WATER LEVEL 9.58 BELOW LSD, JAN. 5, 1963.

RECORDS AVAILABLE: 1960-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.45	SEP. 30, 1961	7.60	SEP. 25, 1962	8.98	SEP. 6, 1963	8.86
SEP. 21	5.48	JAN. 3, 1962	8.40	JAN. 5, 1963	9.58	AUG. 18, 1971	P
FEB. 2, 1961	7.60						

SS/23E-34G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 280.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.50 BELOW LSD, MAR. 26, 1957,

LOWEST WATER LEVEL 6.25 BELOW LSD, JAN. 29, 1955.

RECORDS AVAILABLE: 1948, 1953-58, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 3, 1948	4.41	JAN. 12, 1954	6.05	JAN. 26, 1956	5.85	JAN. 11, 1958	4.75
SEP. 13	5.19	SEP. 27	5.35	MAR. 27	4.65	SEP. 12	3.15
JAN. 6, 1953	5.88	JAN. 29, 1955	6.25	MAR. 26, 1957	2.50	AUG. 17, 1971	P
JULY 2	4.88	SEP. 26	4.45	SEP. 18	3.45		

SS/23E-34G2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.29 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.05 BELOW LSD, JAN. 23, 1948,

LOWEST WATER LEVEL 7.87 BELOW LSD, SEP. 3, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	7.05	SEP. 3, 1948	7.87	AUG. 17, 1971	P		

SS/23E-34G3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 280.84 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.98 BELOW LSD, SEP. 21, 1960,

LOWEST WATER LEVEL 6.20 BELOW LSD, JAN. 20, 1960.

RECORDS AVAILABLE: 1960, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.20	SEP. 21, 1960	4.98	AUG. 17, 1971	P		

5S/23E-34H1 S. RECORDS PRIOR TO 6/25/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 10.7 FT IN 1971.
 LSD 278.32 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.82 BELOW LSD, MAR. 27, 1956,
 LOWEST WATER LEVEL 9.35 BELOW LSD, FEB. 7, 1969.
 RECORDS AVAILABLE: 1948, 1953-59, 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	2.67	JAN. 26, 1956	2.67	APR. 7, 1965	2.90	SEP. 10, 1968	2.25
SEP. 3	2.11	MAR. 27	1.82	SEP. 4	2.45	FEB. 7, 1969	9.35
JAN. 6, 1953	3.17	MAR. 26, 1957	3.36	JAN. 6, 1966	5.15	SEP. 16	7.90
SEP. 25	2.77	SEP. 18	5.06	SEP. 10	2.00	JAN. 13, 1970	7.65
JAN. 12, 1954	3.27	JAN. 11, 1958	4.76	JAN. 7, 1967	3.55	SEP. 8	4.80
SEP. 27	2.67	SEP. 12	2.61	SEP. 9	2.25	JAN. 11, 1971	7.45
JAN. 29, 1955	3.27	JAN. 3, 1959	4.06	JAN. 8, 1968	4.80	JUNE 25	3.55
SEP. 26	1.87						

5S/23E-34H2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 280.50 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.59 BELOW LSD, JULY 1, 1948,
 LOWEST WATER LEVEL 5.63 BELOW LSD, JAN. 29, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	5.63	JULY 1, 1948	4.59	AUG. 16, 1971	P		

5S/23E-34H3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.60 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.91 BELOW LSD, MAY 3, 1948,
 LOWEST WATER LEVEL 6.65 BELOW LSD, SEP. 3, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 3, 1948	4.91	SEP. 3, 1948	6.65	AUG. 17, 1971	P		

5S/23E-34J1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 10.9 FT IN 1971.
 LSD 279.98 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.02 BELOW LSD, SEP. 24, 1958,
 LOWEST WATER LEVEL 7.25 BELOW LSD, JAN. 9, 1970.
 RECORDS AVAILABLE: 1946-48, 1950-59, 1964-71.

DATE	WATER LEVEL						
MAY 31, 1946	4.16	DEC. 29, 1952	5.27	JAN. 11, 1958	4.47	JAN. 7, 1967	5.85
SEP. 3	5.63	MAR. 7, 1953	3.97	SEP. 24	2.02	SEP. 9	4.50
JAN. 3, 1947	4.53	SEP. 25	5.27	FEB. 13, 1959	4.82	JAN. 8, 1968	6.15
SEP. 15	5.32	MAR. 26, 1954	5.47	SEP. 8	3.52	SEP. 10	4.25
JAN. 23, 1948	4.96	SEP. 27	4.97	JAN. 7, 1964	5.53	JAN. 11, 1969	6.60
SEP. 15	4.45	FEB. 2, 1955	6.07	SEP. 4	3.53	SEP. 16	5.35
JAN. 4, 1950	4.88	SEP. 26	3.97	JAN. 6, 1965	6.28	JAN. 9, 1970	7.25
SEP. 11	5.82	JAN. 26, 1956	5.67	SEP. 4	4.18	SEP. 8	5.65
JAN. 22, 1951	5.37	SEP. 25	3.82	JAN. 6, 1966	6.98	JAN. 11, 1971	7.10
SEP. 10	4.37	JAN. 4, 1957	5.27	DEC. 5	6.40	JUNE 24	5.15
SEP. 30, 1952	4.67	SEP. 18	2.97				

5S/23E-34J2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 281.69 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.10 BELOW LSD, JAN. 26, 1956,
 LOWEST WATER LEVEL 8.20 BELOW LSD, JAN. 6, 1953.
 RECORDS AVAILABLE: 1953-56, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1953	8.20	SEP. 27, 1954	7.90	SEP. 26, 1955	5.20	AUG. 27, 1956	5.20
OCT. 6	7.30	JAN. 28, 1955	5.10	JAN. 26, 1956	4.10	AUG. 17, 1971	P
MAR. 26, 1954	5.30						

5S/23E-34K1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.0 FT IN 1971.
 LSD 278.69 FT ABOVE MSL.
 HIGHEST WATER LEVEL 0.20 BELOW LSD, SEP. 8, 1962,
 LOWEST WATER LEVEL 8.00 BELOW LSD, JAN. 13, 1970.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	4.50	JAN. 5, 1963	1.20	JAN. 7, 1966	7.25	JAN. 11, 1969	6.95
SEP. 21	1.72	OCT. 16	4.35	SEP. 10	4.05	SEP. 16	6.15
FEB. 2, 1961	4.70	JAN. 7, 1964	5.75	JAN. 7, 1967	6.20	JAN. 13, 1970	8.00
SEP. 20	3.70	SEP. 4	4.00	SEP. 9	4.80	SEP. 8	6.35
JAN. 3, 1962	5.70	JAN. 6, 1965	6.35	JAN. 8, 1968	6.40	JUNE 25, 1971	4.35
SEP. 8	.20	SEP. 6	5.05	SEP. 10	4.90		

5S/23E-34K2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.73 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.02 BELOW LSD, SEP. 12, 1958,
 LOWEST WATER LEVEL 10.32 BELOW LSD, JAN. 29, 1955.
 RECORDS AVAILABLE: 1948, 1953-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	8.38	JAN. 12, 1954	10.02	JAN. 26, 1956	10.02	JAN. 11, 1958	7.62
SEP. 3	8.31	SEP. 27	9.42	MAR. 27	8.37	SEP. 12	5.02
JAN. 6, 1953	9.67	JAN. 29, 1955	10.32	MAR. 26, 1957	6.57	JAN. 3, 1959	8.07
OCT. 6	9.77	SEP. 26	8.12	SEP. 18	5.07	AUG. 17, 1971	P

5S/23E-34K3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.44 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.29 BELOW LSD, SEP. 11, 1950,
 LOWEST WATER LEVEL 9.50 BELOW LSD, JAN. 28, 1955.
 RECORDS AVAILABLE: 1948-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	8.89	FEB. 6, 1951	6.00	JAN. 12, 1954	9.10	JAN. 4, 1957	8.40
SEP. 13	7.87	SEP. 10	7.20	SEP. 27	8.70	SEP. 18	6.50
JAN. 3, 1949	6.46	JAN. 30, 1952	8.75	JAN. 28, 1955	9.50	JAN. 11, 1958	8.15
SEP. 7	8.57	SEP. 30	6.70	SEP. 26	7.20	SEP. 12	5.80
JAN. 4, 1950	8.61	JAN. 1, 1953	8.70	JAN. 26, 1956	9.30	JAN. 3, 1959	8.30
SEP. 11	5.29	SEP. 25	8.40	OCT. 2	7.50	AUG. 17, 1971	P

5S/23E-34L1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1947.
 LSD 280.21 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.17 BELOW LSD, SEP. 3, 1948,
 LOWEST WATER LEVEL 6.53 BELOW LSD, JAN. 23, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	6.53	SEP. 3, 1948	6.17	AUG. 17, 1971	P		

5S/23E-34M1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.5 FT IN 1971.
 LSD 277.93 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.94 BELOW LSD, SEP. 20, 1961,
 LOWEST WATER LEVEL 8.30 BELOW LSD, JAN. 13, 1970.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.99	JAN. 5, 1963	5.20	JAN. 7, 1966	8.10	JAN. 11, 1969	7.35
SEP. 8	6.04	SEP. 6	4.80	SEP. 10	5.05	SEP. 16	7.15
JAN. 17, 1961	7.04	JAN. 7, 1964	6.50	JAN. 7, 1967	7.50	JAN. 13, 1970	8.30
SEP. 20	2.94	SEP. 4	4.60	SEP. 9	6.50	SEP. 8	5.15
FEB. 22, 1962	5.10	JAN. 6, 1965	7.10	JAN. 8, 1968	6.90	JUNE 29, 1971	6.20
SEP. 8	4.80	SEP. 6	4.60	SEP. 10	5.35		

5S/23E-34M2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.4 FT IN 1971.
 LSD 278.42 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.61 BELOW LSD, SEP. 20, 1961,
 LOWEST WATER LEVEL 8.25 BELOW LSD, JAN. 7, 1966.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	6.66	JAN. 5, 1963	4.86	JAN. 7, 1966	8.25	JAN. 11, 1969	7.60
SEP. 8	6.01	SEP. 6	4.80	SEP. 10	5.65	SEP. 16	7.30
JAN. 17, 1961	6.31	JAN. 7, 1964	6.80	JAN. 7, 1967	7.55	JAN. 13, 1970	8.20
SEP. 20	2.61	SEP. 4	4.60	SEP. 9	6.50	SEP. 8	5.30
FEB. 1, 1962	5.41	JAN. 6, 1965	7.30	JAN. 8, 1968	7.25	JUNE 29, 1971	5.33
SEP. 8	4.36	SEP. 6	5.25	SEP. 10	5.65		

5S/23E-34M3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.50 FT IN 1971.
 LSD 278.10 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.79 BELOW LSD, SEP. 20, 1961,
 LOWEST WATER LEVEL 8.00 BELOW LSD, JAN. 13, 1970.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	5.84	JAN. 5, 1963	4.69	JAN. 7, 1966	7.45	JAN. 11, 1969	7.00
SEP. 8	5.59	SEP. 6	4.20	SEP. 10	5.15	SEP. 16	6.55
JAN. 17, 1961	5.89	JAN. 7, 1964	6.10	JAN. 7, 1967	5.80	JAN. 13, 1970	8.00
SEP. 20	2.79	SEP. 4	4.15	SEP. 9	4.75	SEP. 8	5.30
JAN. 3, 1962	5.09	JAN. 6, 1965	6.80	JAN. 8, 1968	4.40	JUNE 29, 1971	5.59
SEP. 8	3.19	SEP. 6	4.75	SEP. 10	4.85		

5S/23E-34M4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1960.
 LSD 279.80 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.66 BELOW LSD, SEP. 8, 1962,
 LOWEST WATER LEVEL 7.49 BELOW LSD, JAN. 23, 1961.
 RECORDS AVAILABLE: 1960-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	7.00	OCT. 9, 1961	4.76	SEP. 8, 1962	4.66	FEB. 6, 1963	4.76
SEP. 21	5.31	JAN. 3, 1962	7.46	JAN. 5, 1963	6.26	AUG. 17, 1971	P
JAN. 23, 1961	7.49						

5S/23E-34NI S. RECORDS PRIOR TO 6/29/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.7 FT IN 1971.
 LSD 278.27 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.71 BELOW LSD, SEP. 20, 1961,
 DRY, WATER LEVEL NOT MEASUREABLE, DEC. 22, 1936, OCT. 1, 1946, AUG. 7, 1947, AUG. 2, 1949.
 RECORDS AVAILABLE: 1918-19, 1922-26, 1936-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 27, 1918	3.27	NOV. 23, 1940	5.84	JAN. 22, 1951	6.51	SEP. 20, 1961	1.71
NOV. 14	4.57	JAN. , 1941	5.64	SEP. 10	3.86	JAN. 3, 1962	6.41
APR. 1, 1919	5.03	OCT. 27	6.34	JAN. 2, 1952	6.11	SEP. 11	4.91
MAY 16	6.13	MAY 13, 1942	3.24	SEP. 30	4.11	JAN. 4, 1963	5.71
SEP. 4, 1922	8.45	SEP. 9	6.94	JAN. 28, 1953	5.41	SEP. 6	4.71
JUNE 8, 1923	6.15	JAN. 11, 1943	4.34	SEP. 25	5.11	JAN. 7, 1964	6.31
NOV. 13	8.85	APR. 21	4.94	JAN. 12, 1954	6.71	SEP. 4	5.41
JAN. 19, 1924..	9.45	OCT. 17, 1944	5.09	SEP. 27	5.51	JAN. 6, 1965	6.41
SEP. 19	8.85	DEC. 21	5.84	JAN. 28, 1955	5.81	SEP. 6	3.51
JAN. 7, 1925	8.45	FEB. 26, 1945	6.24	SEP. 26	5.71	JAN. 7, 1966	7.36
OCT. 15	7.25	JULY 2	6.34	JAN. 26, 1956	5.51	SEP. 10	6.06
JAN. 4, 1926	8.65	JUNE 7, 1946	5.47	SEP. 25	5.61	JAN. 7, 1967	6.61
OCT. 1	7.40	OCT. 1	F	JAN. 4, 1957	6.81	SEP. 9	5.81
JULY 30, 1936	7.36	JAN. 8, 1947	6.29	SEP. 7	5.21	JAN. 8, 1968	5.76
DEC. 22	F	AUG. 7	F	JAN. 10, 1958	5.91	SEP. 10	5.66
JAN. 29, 1937	8.54	JAN. 9, 1948	6.33	SEP. 11	3.91	JAN. 10, 1969	6.15
MAR. 17, 1938	7.84	SEP. 4	6.15	JAN. 6, 1959	6.41	SEP. 16	7.00
SEP. 15	6.54	JAN. 3, 1949	6.19	SEP. 8	5.31	JAN. 9, 1970	6.70
JAN. 4, 1939	7.34	AUG. 2	F	JAN. 11, 1960	7.26	SEP. 8	6.55
SEP. 15	7.14	JAN. 4, 1950	6.54	SEP. 7	5.91	JAN. 11, 1971	6.90
FEB. 2, 1940	6.74	SEP. 11	5.81	FEB. 2, 1961	5.91	JUNE 29	3.61

5S/23E-34Q1 S. PERFORATED 246-252, 263-266 FT.
 LSD 280 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.00 BELOW LSD, JAN. 14, 1952,
 LOWEST WATER LEVEL 5.00 BELOW LSD, JAN. 14, 1952.
 RECORDS AVAILABLE: 1952.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 14, 1952	5. G						

5S/23E-3402 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 279.76 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.10 BELOW LSD, MAY 7, 1919,
 DRY, WATER LEVEL NOT MEASUREABLE, JUNE 11, 1919.
 RECORDS AVAILABLE: 1919, 1922-27, 1971.

DATE	WATER LEVEL						
MAY 7, 1919	7.1	JAN. 19, 1924	10.79	OCT. 15, 1925	8.19	APR. 25, 1927	8.69
JUNE 11	F	SEP. 19	9.59	JAN. 2, 1926	9.29	MAY 28	9.99
JUNE 12, 1922	7.66	FEB. 13, 1925	11.09	MAR. 12	8.39	AUG. 30, 1971	P
NOV. 27, 1923	8.79						

5S/23E-34Q3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.7 FT IN 1971.
 LSD 279.38 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.70 BELOW LSD, SEP. 10, 1968,
 LOWEST WATER LEVEL 8.62 BELOW LSD, JAN. 7, 1966.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1960	4.01	JAN. 5, 1963	4.96	JAN. 7, 1966	8.62	JAN. 11, 1969	7.50
SEP. 21	3.89	SEP. 6	5.97	SEP. 10	5.62	SEP. 16	7.00
FEB. 2, 1961	6.61	JAN. 7, 1964	7.12	FEB. 6, 1967	7.90	JAN. 13, 1970	8.35
OCT. 9	3.42	SEP. 4	4.97	SEP. 9	5.95	SEP. 8	7.35
JAN. 3, 1962	6.72	JAN. 6, 1965	7.57	JAN. 8, 1968	7.45	JUNE 29, 1971	5.66
SEP. 8	3.36	SEP. 6	6.02	SEP. 10	2.70		

55/23E-34R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1948, 9 FT IN 1950.
 LSD 283.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.39 BELOW LSD, SEP. 18, 1957,
 LOWEST WATER LEVEL 9.39 BELOW LSD, JAN. 28, 1955.
 RECORDS AVAILABLE: 1948-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 1, 1948	7.72	JAN. 22, 1951	8.44	JAN. 29, 1954	9.29	JAN. 12, 1957	8.99
DEC. 13	8.40	SEP. 10	7.34	OCT. 27	7.39	SEP. 18	5.39
JAN. 3, 1949	8.78	JAN. 22, 1952	9.09	JAN. 28, 1955	9.39	JAN. 11, 1958	8.29
MAY 27	7.97	SEP. 30	7.59	SEP. 26	6.49	SEP. 12	6.69
MAY 23, 1950	8.30	FEB. 27, 1953	8.39	FEB. 8, 1956	9.14	JAN. 3, 1959	8.39
SEP. 11	8.51	OCT. 29	8.19	OCT. 2	5.89	AUG. 17, 1971	P

55/23E-35A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION. DEPTH 12 FT IN 1950, 11 FT IN 1951.
 LSD 283.96 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.50 BELOW LSD, JAN. 23, 1948,
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 2, 1949, NOV. 7, 1952.
 RECORDS AVAILABLE: 1948-59, 1971.

DATE	WATER LEVEL						
JAN. 23, 1948	3.50	JAN. 22, 1951	7.90	MAR. 26, 1954	8.52	JAN. 4, 1957	8.42
SEP. 3	6.03	SEP. 10	8.00	SEP. 27	7.92	SEP. 17	7.42
JAN. 3, 1949	5.91	JAN. 22, 1952	7.97	FEB. 21, 1955	7.52	JAN. 22, 1958	7.47
AUG. 2	F	NOV. 7	F	SEP. 26	8.12	SEP. 24	7.75
MAY 23, 1950	7.31	JAN. 28, 1953	8.22	FEB. 24, 1956	8.82	JAN. 3, 1959	7.95
AUG. 3	7.31	OCT. 29	9.02	OCT. 2	7.62	AUG. 18, 1971	P

55/23E-35A2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8 FT IN 1948.
 LSD 284.97 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.63 BELOW LSD, JAN. 23, 1948,
 LOWEST WATER LEVEL 6.45 BELOW LSD, SEP. 3, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	6.63	SEP. 3, 1948	6.95	AUG. 18, 1971	P		

55/23E-35A3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 285.60 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.94 BELOW LSD, JAN. 29, 1948,
 LOWEST WATER LEVEL 7.21 BELOW LSD, SEP. 13, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	6.94	SEP. 13, 1948	7.21	AUG. 17, 1971	P		

55/23E-35B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.07 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.58 BELOW LSD, JULY 1, 1948,
 LOWEST WATER LEVEL 6.58 BELOW LSD, SEP. 3, 1946.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	4.28	JAN. 3, 1947	5.82	JAN. 29, 1948	5.07	AUG. 18, 1971	P
SEP. 3	6.58	JUNE 5	3.98	JULY 1	3.58		

5S/23E-35B2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8 FT IN 1948.

LSD 282.45 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.01 BELOW LSD, SEP. 3, 1948,

LOWEST WATER LEVEL 5.20 BELOW LSD, JAN. 23, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	5.20	SEP. 3, 1948	5.01	AUG. 18, 1971	P		

5S/23E-35B3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8 FT IN 1941.

LSD 283.92 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.71 BELOW LSD, JAN. 23, 1948,

LOWEST WATER LEVEL 8.45 BELOW LSD, JAN. 12, 1954.

RECORDS AVAILABLE: 1948, 1953-58, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	5.71	JAN. 12, 1954	8.45	MAR. 7, 1956	7.15	JAN. 11, 1958	6.85
SEP. 3	6.63	SEP. 27	6.95	AUG. 27	6.15	SEP. 12	6.20
JAN. 6, 1953	8.05	JAN. 28, 1955	8.05	JAN. 4, 1957	7.65	AUG. 18, 1971	P
NOV. 6	7.15	SEP. 26	6.55	SEP. 17	6.30		

5S/23E-35C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13 FT IN 1947, 8 FT

IN 1948.

LSD 282.16 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.59 BELOW LSD, SEP. 3, 1948,

LOWEST WATER LEVEL 5.28 BELOW LSD, JAN. 23, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	5.28	SEP. 3, 1948	4.59	AUG. 18, 1971	P		

5S/23E-35E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 283.61 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.17 BELOW LSD, APR. 6, 1948,

LOWEST WATER LEVEL 7.81 BELOW LSD, JAN. 23, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	7.81	APR. 6, 1948	7.17	AUG. 8, 1971	P		

5S/23E-35E2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 283.38 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.84 BELOW LSD, SEP. 12, 1958,

LOWEST WATER LEVEL 8.59 BELOW LSD, JAN. 12, 1954.

RECORDS AVAILABLE: 1948, 1953-59, 1971.

DATE	WATER LEVEL						
JAN. 23, 1948	7.49	JAN. 12, 1954	8.59	JAN. 26, 1956	7.99	JAN. 11, 1958	6.74
SEP. 3	7.17	SEP. 27	7.09	OCT.	5.99	SEP. 12	5.84
JAN. 6, 1953	8.09	JAN. 29, 1955	8.39	JAN. 4, 1957	7.49	JAN. 3, 1959	6.89
SEP. 25	7.59	SEP. 26	6.29	SEP. 18	5.89	AUG. 18, 1971	P

5S/23E-35E3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 281.66 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.00 BELOW LSD, SEP. 7, 1960,
 LOWEST WATER LEVEL 7.21 BELOW LSD, JAN. 7, 1964.
 RECORDS AVAILABLE: 1960-64, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1960	6.80	SEP. , 1961	6.11	JAN. 4, 1963	6.91	JAN. 7, 1964	7.21
SEP. 7	5.00	JAN. 3, 1962	7.01	SEP. 6	6.81	AUG. 26, 1971	P
MAR. 24, 1961	6.61	SEP. 10	6.51				

5S/23E-35F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.77 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.36 BELOW LSD, AUG. 21, 1954,
 LOWEST WATER LEVEL 9.03 BELOW LSD, JAN. 29, 1954.
 RECORDS AVAILABLE: 1948, 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	6.78	JULY 2, 1953	6.84	AUG. 21, 1954	6.36	DEC. 30, 1955	7.61
SEP. 3	6.84	JAN. 29, 1954	9.03	NOV. 26, 1955	7.01	AUG. 18, 1971	P
JAN. 6, 1953	8.14						

5S/23E-35F2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 285.03 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.05 BELOW LSD, SEP. 3, 1948,
 LOWEST WATER LEVEL 8.37 BELOW LSD, JAN. 29, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	8.37	SEP. 3, 1948	8.05	AUG. 18, 1971	P		

5S/23E-35F3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8 FT IN 1947.
 LSD 283.73 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.20 BELOW LSD, SEP. 3, 1948,
 LOWEST WATER LEVEL 6.65 BELOW LSD, JAN. 23, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	6.65	SEP. 3, 1948	6.20	AUG. 20, 1971	P		

5S/23E-35G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1947.
 LSD 284.67 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.48 BELOW LSD, FEB. 26, 1946,
 LOWEST WATER LEVEL 9.52 BELOW LSD, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	4.48	JAN. 3, 1947	7.00	JAN. 23, 1948	6.05	AUG. 18, 1971	P
SEP. 12	5.38	SEP. 15	9.52	MAY 3	5.90		

5S/23E-3SG2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1946.
 LSD 283.99 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.97 BELOW LSD, AUG. 6, 1947,
 LOWEST WATER LEVEL 6.06 BELOW LSD, SEP. 10, 1946.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	4.87	FEB. 10, 1947	4.06	JAN. 2, 1948	5.33	AUG. 18, 1971	P
SEP. 10	6.06	AUG. 6	3.97	JUNE 4	6.03		

5S/23E-3SG3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSU 284.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.24 BELOW LSD, JULY 1, 1948,
 LOWEST WATER LEVEL 6.56 BELOW LSD, JAN. 23, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	6.56	JULY 1, 1948	5.24	AUG. 18, 1971	P		

5S/23E-3SG4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.08 BELOW LSD, FEB. 26, 1946,
 LOWEST WATER LEVEL 6.93 BELOW LSD, JAN. 3, 1947, JUNE 4, 1948.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	5.08	JAN. 3, 1947	6.93	JAN. 29, 1948	5.66	AUG. 18, 1971	P
SEP. 17	6.60	AUG. 6	6.68	JUNE 4	6.93		

5S/23E-3SH1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.75 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.25 BELOW LSD, FEB. 26, 1946,
 LOWEST WATER LEVEL 7.39 BELOW LSD, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	4.25	JAN. 8, 1947	7.10	JAN. 23, 1948	5.80	AUG. 18, 1971	P
SEP. 17	6.84	SEP. 15	7.39	JULY 1	6.38		

5S/23E-3SH2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 285.84 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.70 BELOW LSD, MAR. 6, 1946,
 LOWEST WATER LEVEL 8.37 BELOW LSD, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1946	4.70	JAN. 3, 1947	8.10	JAN. 23, 1948	7.55	AUG. 18, 1971	P
SEP. 3	8.25	SEP. 15	8.37	JULY 1	6.20		

SS/23E-35H3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16 FT IN 1947.
 LSD 287.16 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.21 BELOW LSD, FEB. 26, 1946.
 LOWEST WATER LEVEL 10.34 BELOW LSD, JAN. 3, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	7.21	JAN. 3, 1947	10.34	JAN. 29, 1948	10.24	AUG. 18, 1971	P
SEP. 20	9.82	OCT. 6	9.06	SEP. 2	7.49		

SS/23E-35H4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 291.72 FT ABOVE MSL.
 HIGHEST WATER LEVEL 13.04 BELOW LSD, JAN. 23, 1948.
 LOWEST WATER LEVEL 14.15 BELOW LSD, SEP. 3, 1946.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 8, 1946	13.13	JAN. 3, 1947	14.01	JAN. 23, 1948	13.04	AUG. 18, 1971	P
SEP. 3	14.15	OCT. 6	13.45	FEB. 2	13.17		

SS/23E-35HS S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16 FT IN 1946.
 LSD 289.40 FT ABOVE MSL.
 HIGHEST WATER LEVEL 10.81 BELOW LSD, JAN. 23, 1948.
 LOWEST WATER LEVEL 12.44 BELOW LSD, SEP. 3, 1946.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 8, 1946	11.15	JAN. 3, 1947	11.50	JAN. 23, 1948	10.81	AUG. 18, 1971	P
SEP. 3	12.44	OCT. 6	10.92	FEB. 2	12.07		

SS/23E-35H6 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.56 BELOW LSD, MAR. 1, 1946.
 LOWEST WATER LEVEL 2.85 BELOW LSD, FEB. 26, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	2.85	MAR. 1, 1946	2.56	AUG. 18, 1971	P		

SS/23E-35H7 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.57 BELOW LSD, MAR. 1, 1946,
 LOWEST WATER LEVEL 2.97 BELOW LSD, FEB. 19, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1946	2.97	MAR. 1, 1946	2.57	AUG. 18, 1971	P		

SS/23E-35H8 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 283.45 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.14 BELOW LSD, APR. 16, 1948,

LOWEST WATER LEVEL 6.19 BELOW LSD, SEP. 15, 1947.

RECORDS AVAILABLE: 1947-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1947	5.18	APR. 16, 1948	5.14	SEP. 2, 1948	5.34	AUG. 19, 1971	P
SEP. 15	6.19						

SS/23E-35H9 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.79 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.74 BELOW LSD, MAR. 1, 1946,

LOWEST WATER LEVEL 3.30 BELOW LSD, FEB. 19, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1946	3.30	MAR. 1, 1946	2.74	AUG. 19, 1971	P		

SS/23E-35H10 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.82 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.89 BELOW LSD, MAR. 1, 1946,

LOWEST WATER LEVEL 3.10 BELOW LSD, FEB. 25, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1946	3.10	MAR. 1, 1946	2.89	AUG. 19, 1971	P		

SS/23E-35H11 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1947.

LSD 286.38 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.54 BELOW LSD, FEB. 26, 1946,

LOWEST WATER LEVEL 9.83 BELOW LSD, SEP. 3, 1946.

RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	6.54	JAN. 3, 1947	8.74	JAN. 29, 1948	9.04	AUG. 19, 1971	P
SEP. 3	9.83	OCT. 31	8.20	SEP. 2	8.21		

SS/23E-35H12 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1946.

LSD 282.46 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.78 BELOW LSD, MAR. 1, 1946,

LOWEST WATER LEVEL 3.00 BELOW LSD, FEB. 26, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	3.00	MAR. 1, 1946	2.78	AUG. 19, 1971	P		

SS/23E-35H13 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.67 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.88 BELOW LSD, MAR. 1, 1946,

LOWEST WATER LEVEL 3.13 BELOW LSD, FEB. 26, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	3.13	MAR. 1, 1946	2.88	AUG. 19, 1971	P		

SS/23E-3SH14 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.50 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.37 BELOW LSD, MAR. 1, 1946,
 LOWEST WATER LEVEL 3.82 BELOW LSD, FEB. 26, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	3.82	MAR. 1, 1946	3.37	AUG. 20, 1971	P		

SS/23E-35J1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 281.94 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.75 BELOW LSD, JULY 8, 1946,
 LOWEST WATER LEVEL 5.51 BELOW LSD, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1946	4.75	FEB. 10, 1947	4.81	SEP. 15, 1947	5.51	AUG. 19, 1971	P
OCT. 4	4.90						

SS/23E-35J2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.62 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.40 BELOW LSD, JULY 8, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1946	5.40	SEP. 12, 1946	F	AUG. 19, 1971	P		

SS/23E-35J3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.09 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.70 BELOW LSD, JULY 8, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1946	5.70	SEP. 12, 1946	F	AUG. 19, 1971	P		

SS/23E-35J4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 281.95 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.14 BELOW LSD, MAR. 1, 1946,
 LOWEST WATER LEVEL 2.81 BELOW LSD, FEB. 26, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	2.81	MAR. 1, 1946	2.14	AUG. 19, 1971	P		

SS/23E-35J5 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 281.51 FT ABOVE MSL.*

HIGHEST WATER LEVEL 1.45 BELOW LSD, MAR. 1, 1946,

LOWEST WATER LEVEL 2.45 BELOW LSD, FEB. 26, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	2.45	MAR. 1, 1946	1.45	AUG. 19, 1971	P		

SS/23E-35J6 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 285 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.30 BELOW LSD, APR. 3, 1947,

DRY, WATER LEVEL NOT MEASUREABLE, FEB. 26, 1946, SEP. 12, 1946, JAN. 3, 1947, AUG. 6, 1947.

RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	F	SEP. 12, 1946	F	APR. 3, 1947	5.30	AUG. 19, 1971	P
AUG. 1	S.62	JAN. 3, 1947	F	AUG. 6	F		

SS/23E-35K1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.95 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.61 BELOW LSD, MAR. 2, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1946	5.61	SEP. 12, 1946	F	AUG. 19, 1971	P		

SS/23E-35K2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.94 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.60 BELOW LSD, OCT. 12, 1948,

LOWEST WATER LEVEL S.12 BELOW LSD, JULY 1, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 1, 1948	S.12	OCT. 12, 1948	4.60	AUG. 19, 1971	P		

SS/23E-35L1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16 FT IN 1948.

LSD 284.94 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.28 BELOW LSD, SEP. 3, 1948,

LOWEST WATER LEVEL 8.19 BELOW LSD, JAN. 29, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	8.19	SEP. 3, 1948	7.28	AUG. 19, 1971	P		

5S/23E-35M1 S. PERFORATED 210-236 FT.

LSD 280 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, APR. 27, 1966,

LOWEST WATER LEVEL 7.00 BELOW LSD, APR. 27, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 27, 1966	7. G	JULY 27, 1971	N				

5S/23E-35M2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1948.

LSD 283.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.09 BELOW LSD, SEP. 12, 1958,

LOWEST WATER LEVEL 9.79 BELOW LSD, JAN. 12, 1954, JAN. 28, 1955.

RECORDS AVAILABLE: 1948-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1948	8.51	FEB. 6, 1951	8.70	JAN. 12, 1954	9.79	JAN. 4, 1957	8.79
SEP. 3	8.44	SEP. 10	7.94	SEP. 27	8.19	SEP. 18	6.59
JAN. 3, 1949	8.78	JAN. 30, 1952	9.49	JAN. 28, 1955	9.79	JAN. 11, 1958	7.49
SEP. 7	9.00	SEP. 30	8.49	SEP. 26	7.19	SEP. 12	6.09
JAN. 4, 1950	8.86	JAN. 28, 1953	9.29	JAN. 26, 1956	9.19	JAN. 3, 1959	8.99
SEP. 11	8.14	SEP. 25	8.69	OCT. 2	7.09	AUG. 20, 1971	P

5S/23E-35N1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1971.

LSD 282 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.80 BELOW LSD, SEP. 4, 1964,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 26, 1942, SEP. 2, 1948, FEB. 7, 1949, SEP. 7, 1949.

RECORDS AVAILABLE: 1919, 1941-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 18, 1919	7.51	SEP. 2, 1948	F	SEP. 25, 1956	4.76	SEP. 4, 1964	2.80
MAY 20	6.26	FE8. 7, 1949	F	JAN. 4, 1957	7.06	JAN. 6, 1965	7.30
JUNE 9, 1941	5.16	SEP. 7	F	SEP. 7	4.46	SEP. 4	5.10
SEP. 26	5.76	JAN. 4, 1950	4.68	JAN. 11, 1958	6.41	JAN. 6, 1966	8.85
NOV. 3	6.16	SEP. 11	6.47	SEP. 12	5.01	SEP. 10	6.15
JAN. 26, 1942	F	JAN. 22, 1951	5.15	JAN. 6, 1959	7.36	JAN. 6, 1967	8.65
JULY 29	6.66	SEP. 10	4.90	SEP. 8	5.56	SEP. 9	6.80
JAN. 11, 1943	7.46	JAN. 22, 1952	7.60	JAN. 11, 1960	7.66	JAN. 8, 1968	8.75
OCT. 17, 1944	7.66	SEP. 30	5.20	SEP. 7	5.46	SEP. 10	6.00
FEB. 26, 1945	6.99	JAN. 28, 1953	7.30	JAN. 13, 1961	7.86	JAN. 10, 1969	8.75
JULY 2	7.19	SEP. 25	7.14	SEP. 5	5.65	SEP. 16	6.65
MAR. 14, 1946	6.46	JAN. 12, 1954	8.34	JAN. 3, 1962	8.35	JAN. 9, 1970	9.25
SEP. 6	5.39	SEP. 27	5.54	SEP. 10	7.85	SEP. 8	7.25
JAN. 3, 1947	7.44	JAN. 28, 1955	8.14	JAN. 4, 1963	8.25	JAN. 11, 1971	8.90
SEP. 15	7.90	SEP. 26	5.46	SEP. 6	5.15	JUNE 24	6.91
JAN. 23, 1948	6.07	JAN. 26, 1956	7.46	JAN. 7, 1964	7.40		

5S/23E-35N2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.34 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.42 BELOW LSD, OCT. 2, 1956,

LOWEST WATER LEVEL 8.65 BELOW LSD, JAN. 12, 1954.

RECORDS AVAILABLE: 1948-58, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 1, 1948	6.00	JAN. 22, 1951	5.34	JAN. 12, 1954	8.65	JAN. 16, 1957	5.22
SEP. 2	4.45	SEP. 10	4.14	OCT. 27	4.22	NOV. 6	3.82
JAN. 3, 1949	6.46	FEB. 11, 1952	6.60	JAN. 28, 1955	7.02	JAN. 11, 1958	5.02
SEP. 7	5.64	SEP. 30	5.45	SEP. 26	5.32	OCT. 10	5.02
JAN. 31, 1950	5.74	JAN. 28, 1953	6.55	FEB. 8, 1956	6.52	AUG. 19, 1971	P
SEP. 11	4.84	OCT. 29	8.15	OCT. 2	2.42		

55/23E-35N3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1948.
LSD 284.76 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.56 BELOW LSD, FEB. 28, 1946,
LOWEST WATER LEVEL 10.22 BELOW LSD, JAN. 12, 1954.
RECORDS AVAILABLE: 1946, 1948-58, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	4.56	JAN. 22, 1951	8.73	JAN. 12, 1954	10.22	JAN. 4, 1957	7.12
SEP. 2, 1948	8.07	SEP. 10	7.53	OCT. 27	7.75	SEP. 16	7.07
JAN. 3, 1949	9.14	JAN. 22, 1952	9.68	JAN. 28, 1955	9.85	JAN. 11, 1958	7.02
SEP. 7	8.71	SEP. 30	9.03	SEP. 26	5.92	SEP. 12	7.08
JAN. 4, 1950	7.61	JAN. 28, 1953	9.53	JAN. 26, 1956	7.02	AUG. 20, 1971	P
SEP. 11	8.97	SEP. 25	9.12	OCT. 2	7.12		

55/23E-35P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 284.13 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.51 BELOW LSD, SEP. 3, 1948,
LOWEST WATER LEVEL 6.20 BELOW LSD, JAN. 23, 1948.
RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1948	6.20	SEP. 3, 1948	5.51	AUG. 19, 1971	P		

55/23E-35P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8 FT IN 1948.
LSD 283.43 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.68 BELOW LSD, OCT. 2, 1956,
LOWEST WATER LEVEL 8.88 BELOW LSD, JAN. 28, 1955.
RECORDS AVAILABLE: 1947-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 10, 1947	6.50	SEP. 11, 1950	5.46	FEB. 22, 1954	7.98	JAN. 4, 1957	7.18
SEP. 15	7.51	JAN. 22, 1951	6.26	OCT. 27	6.88	SEP. 18	4.88
JAN. 23, 1948	5.77	SEP. 10	5.31	JAN. 28, 1955	8.88	JAN. 11, 1958	6.98
SEP. 2	4.84	FEB. 11, 1952	6.95	SEP. 26	6.18	SEP. 12	4.78
JAN. 3, 1949	6.22	SEP. 30	6.05	JAN. 26, 1956	8.38	JAN. 3, 1959	7.58
SEP. 7	6.21	FEB. 27, 1953	6.95	OCT. 2	4.68	AUG. 20, 1971	P
JAN. 4, 1950	5.77	SEP. 25	5.35				

55/23E-35Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 283.30 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.00 BELOW LSD, APR. 28, 1946,
DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947.
RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	5.39	SEP. 12, 1946	F	MAR. 5, 1947	5.37	AUG. 19, 1971	P
APR. 28	5.00	JAN. 3, 1947	F				

55/23E-35Q2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 282.99 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.12 BELOW LSD, JAN. 23, 1948,
LOWEST WATER LEVEL 9.71 BELOW LSD, JAN. 11, 1960.
RECORDS AVAILABLE: 1947-48, 1960-64, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 10, 1947	5.62	JAN. 11, 1960	9.71	JAN. 3, 1962	9.66	SEP. 6, 1963	5.26
OCT. 6	7.23	SEP. 7	5.71	SEP. 10	7.96	JAN. 7, 1964	9.51
JAN. 23, 1948	4.12	JAN. 13, 1961	8.86	JAN. 4, 1963	8.86	AUG. 20, 1971	P
SEP. 2	4.24	SEP. 5	6.16				

5S/23E-35Q3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.89 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.37 BELOW LSD, JULY 8, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, DEC. 3, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1946	5.37	SEP. 12, 1946	F	NOV. 7, 1946	5.61	AUG. 20, 1971	P
AUG. 1	5.58	OCT. 4	5.59	DEC. 3	F		

5S/23E-35Q4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.60 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.15 BELOW LSD, APR. 16, 1948,
 LOWEST WATER LEVEL 6.48 BELOW LSD, SEP. 2, 1948.
 RECORDS AVAILABLE: 1947-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 10, 1947	6.35	APR. 16, 1948	5.15	SEP. 2, 1948	6.48	AUG. 20, 1971	P
SEP. 15	6.11						

5S/23E-35Q5 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10 FT IN 1951.
 LSD 283.22 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.08 BELOW LSD, OCT. 2, 1956,
 LOWEST WATER LEVEL 8.38 BELOW LSD, JAN. 12, 1954.
 RECORDS AVAILABLE: 1947-59, 1971.

DATE	WATER LEVEL						
FEB. 24, 1947	6.72	SEP. 11, 1950	6.23	JAN. 12, 1954	8.38	JAN. 4, 1957	7.18
SEP. 15	6.11	FEB. 23, 1951	6.13	SEP. 27	5.48	SEP. 16	3.93
JAN. 23, 1948	4.33	SEP. 10	5.58	JAN. 28, 1955	8.18	JAN. 11, 1958	7.08
SEP. 2	6.03	JAN. 22, 1952	8.13	SEP. 26	5.78	SEP. 22	4.63
JAN. 3, 1949	6.06	SEP. 30	6.13	JAN. 26, 1956	7.98	JAN. 3, 1959	7.38
SEP. 7	5.97	FEB. 27, 1953	7.43	OCT. 2	3.08	AUG. 20, 1971	P
JAN. 4, 1950	5.90	SEP. 25	6.78				

5S/23E-35Q6 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.10 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.30 BELOW LSD, SEP. 2, 1948,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	6.70	JAN. 3, 1947	F	SEP. 15, 1947	6.96	SEP. 2, 1948	5.30
SEP. 12	F	JULY 24	6.97	JAN. 23, 1948	5.74	AUG. 20, 1971	P
OCT. 4	7.10						

5S/23E-35R1 S. RECORDS PRIOR TO 7/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.6 FT IN 1971.
 LSD 281.13 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.40 BELOW LSD, SEP. 4, 1964,
 LOWEST WATER LEVEL 8.30 BELOW LSD, JAN. 6, 1966.
 RECORDS AVAILABLE: 1957-59, 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1957	7.25	JAN. 7, 1964	7.65	JAN. 6, 1967	6.55	SEP. 16, 1969	6.10
SEP. 16	3.85	SEP. 4	2.40	SEP. 9	5.80	JAN. 9, 1970	7.90
JAN. 11, 1958	6.45	JAN. 6, 1965	8.10	JAN. 8, 1968	8.05	SEP. 8	6.60
SEP. 12	4.80	SEP. 4	4.65	SEP. 10	4.50	JAN. 11, 1971	7.55
JAN. 6, 1959	6.75	JAN. 6, 1966	8.30	JAN. 10, 1969	6.65	JULY 24	6.40
SEP. 8	3.75	SEP. 10	3.90				

5S/23E-35R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 281.85 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.35 BELOW LSD, OCT. 4, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 1, 1946, SEP. 12, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1946	4.39	SEP. 12, 1946	F	NOV. 1, 1946	4.32	AUG. 20, 1971	P
AUG. 1	F	OCT. 4	3.35				

5S/23E-35R3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 281.92 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.81 BELOW LSD, JULY 8, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 1, 1946, SEP. 12, 1946, OCT. 4, 1946, NOV. 1, 1946,
 DEC. 3, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1946	4.81	SEP. 12, 1946	F	NOV. 1, 1946	F	AUG. 20, 1971	P
AUG. 1	F	OCT. 4	F	DEC. 3	F		

5S/23E-35R4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.40 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.19 BELOW LSD, JULY 8, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 1, 1946, SEP. 12, 1946, DEC. 3, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1946	5.19	SEP. 12, 1946	F	NOV. 1, 1946	5.50	AUG. 20, 1971	P
AUG. 1	F	OCT. 4	5.59	DEC. 3	F		

5S/23E-35R5 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.71 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.78 BELOW LSD, JULY 8, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947.
 RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1946	4.78	NOV. 1, 1946	5.46	MAR. 5, 1947	5.32	JUNE 5, 1947	5.33
SEP. 12	F	JAN. 3, 1947	F	MAY 1	5.37	AUG. 20, 1971	P

5S/23E-35R6 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 283.25 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.15 BELOW LSD, MAR. 1, 1946,
 LOWEST WATER LEVEL 4.31 BELOW LSD, FEB. 27, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	4.31	MAR. 1, 1946	4.15	AUG. 27, 1976	P		

55/23E-36B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.30 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.15 BELOW LSD, FEB. 28, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947, SEP. 15, 1947, JAN. 3, 1949,
 AUG. 4, 1950.
 RECORDS AVAILABLE: 1946-50, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	5.15	SEP. 15, 1947	F	JAN. 3, 1949	F	AUG. 4, 1950	F
SEP. 12	F	JAN. 23, 1948	6.05	SEP. 7	6.77	AUG. 26, 1971	P
JAN. 3, 1947	F	SEP. 3	6.20	JAN. 4, 1950	6.15		

55/23E-36B2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 285.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.43 BELOW LSD, FEB. 28, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	6.43	JAN. 3, 1947	F	JAN. 2, 1948	7.38	AUG. 27, 1971	P
SEP. 12	F	SEP. 15	F	SEP. 3	7.49		

55/23E-36C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 286.42 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.48 BELOW LSD, SEP. 2, 1948,
 LOWEST WATER LEVEL 6.59 BELOW LSD, JAN. 24, 1948.
 RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1948	6.59	SEP. 2, 1948	5.48	AUG. 26, 1971	P		

55/23E-36C2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.70 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.25 BELOW LSD, FEB. 26, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 1, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	4.25	AUG. 1, 1946	F	AUG. 26, 1971	P		

55/23E-36D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.18 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.56 BELOW LSD, SEP. 18, 1957,
 LOWEST WATER LEVEL 6.24 BELOW LSD, JAN. 12, 1954.
 RECORDS AVAILABLE: 1947-50, 1952-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1947	4.71	MAY 8, 1950	5.35	SEP. 27, 1954	4.04	SEP. 18, 1957	2.56
JAN. 23, 1948	5.64	FEB. 11, 1952	5.54	JAN. 28, 1955	4.46	JAN. 11, 1958	4.36
SEP. 2	4.51	SEP. 30	4.94	SEP. 26	2.96	SEP. 12	4.06
JAN. 3, 1949	5.95	JAN. 28, 1953	5.64	JAN. 26, 1956	4.51	JAN. 3, 1959	4.71
SEP. 7	5.70	SEP. 25	4.94	OCT. 2	2.66	AUG. 26, 1971	P
JAN. 4, 1950	5.59	JAN. 12, 1954	6.24	JAN. 4, 1957	4.06		

5S/23E-36D2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 284.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.65 BELOW LSD, FEB. 26, 1946,

LOWEST WATER LEVEL 4.65 BELOW LSD, FEB. 26, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	4.65	AUG. 26, 1971	P				

5S/23E-36D3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 284.49 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.50 BELOW LSD, MAR. 12, 1941,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 26, 1942, APR. 9, 1946.

RECORDS AVAILABLE: 1941-42, 1945-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1941	3.5	MAY 13, 1942	4.6	APR. 9, 1946	F	JUNE 5, 1947	4.11
OCT. 6	5.5	FEB. 25, 1945	8.6	SEP. 12	4.66	AUG. 26, 1971	P
JAN. 26, 1942	F	MAR. 24	8.6	JAN. 3, 1947	6.07		

5S/23E-36E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 284.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.38 BELOW LSD, MAR. 1, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, APR. 3, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1946	4.38	APR. 3, 1946	F	AUG. 26, 1971	P		

5S/23E-36F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 285.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.91 BELOW LSD, APR. 3, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, FEB. 28, 1946, MAR. 1, 1946, MAY 7, 1946, JUNE 3, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	F	APR. 3, 1946	5.91	JUNE 3, 1946	F	AUG. 26, 1971	P
MAR. 1	F	MAY 7	F				

5S/23E-36G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 285.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.25 BELOW LSD, FEB. 27, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947, JAN. 2, 1948, JULY 17, 1948.

RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	7.25	JAN. 3, 1947	8.13	JAN. 2, 1948	F	AUG. 26, 1971	P
SEP. 12	F	SEP. 15	F	JULY 17	F		

5S/23E-36G2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.17 BELOW LSD, MAR. 1, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	6.22	SEP. 12, 1946	F	SEP. 15, 1947	F	SEP. 3, 1948	8.15
MAR. 1	6.17	JAN. 3, 1947	7.77	JAN. 2, 1948	7.36	AUG. 26, 1971	P

5S/23E-36H1 S. PERFORATED 126-134 FT.
 LSD 285 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.50 BELOW LSD, FEB. 24, 1962,
 LOWEST WATER LEVEL 7.50 BELOW LSD, FEB. 24, 1962.
 RECORDS AVAILABLE: 1962.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1962	7.5						

5S/23E-36H2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.30 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.55 BELOW LSD, FEB. 28, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	5.55	JAN. 3, 1947	6.42	JAN. 2, 1948	6.43	AUG. 26, 1971	P
SEP. 12	F	SEP. 15	F	JULY 17	6.55		

5S/23E-36L1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 288 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.96 BELOW LSD, MAR. 1, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947.
 RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1946	4.96	JAN. 3, 1947	F	SEP. 15, 1947	7.69	AUG. 26, 1971	P
SEP. 12	F						

5S/23E-36L2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.26 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.68 BELOW LSD, MAR. 1, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1946	1.68	SEP. 12, 1946	F	AUG. 26, 1971	P		

5S/23E-36M1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1946.

LSD 282.33 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.06 BELOW LSD, JAN. 15, 1947,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 15, 1947.

RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 3, 1946	4.70	JAN. 15, 1947	2.06	JAN. 23, 1948	4.22	AUG. 27, 1971	P
SEP. 3	6.74	SEP. 15	F	JUNE 4	3.04		

5S/23E-36M2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 283.52 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.94 BELOW LSD, JAN. 15, 1947,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 2, 1948.

RECORDS AVAILABLE: 1947-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1947	1.94	JAN. 23, 1948	4.04	SEP. 2, 1948	F	AUG. 27, 1971	P
OCT. 6	6.62						

5S/23E-36N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 283.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.20 BELOW LSD, SEP. 26, 1941,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 26, 1942, SEP. 9, 1942, JAN. 11, 1943, APR. 21, 1943.

RECORDS AVAILABLE: 1941-43, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 9, 1941	5.3	JAN. 26, 1942	F	JAN. 11, 1943	F	AUG. 20, 1971	P
SEP. 26	5.2	SEP. 9	F	APR. 21	F		

5S/23E-36N2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 286.43 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.30 BELOW LSD, MAR. 24, 1945,

LOWEST WATER LEVEL 8.20 BELOW LSD, JULY 2, 1945.

RECORDS AVAILABLE: 1945, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1945	7.8	MAR. 24, 1945	7.3	JULY 2, 1945	8.2	AUG. 26, 1971	P

5S/23E-36N3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1947, 8 FT IN 1948.

LSD 281.41 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.40 BELOW LSD, MAR. 1, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 3, 1946.

RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1946	1.40	JAN. 15, 1947	3.59	APR. 16, 1948	4.10	AUG. 27, 1971	P
SEP. 3	F	SEP. 15	5.38	SEP. 2	4.67		

5S/23E-36P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1947.
 LSD 282.25 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.62 BELOW LSD, FEB. 28, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 18, 1948.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	2.62	JAN. 3, 1947	6.94	APR. 16, 1948	6.26	AUG. 27, 1971	P
SEP. 3	8.68	SEP. 15	7.49	AUG. 18	F		

5S/23E-36P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1947.
 LSD 281 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.58 BELOW LSD, FEB. 28, 1946,
 LOWEST WATER LEVEL 10.75 BELOW LSD, FEB. 8, 1956.
 RECORDS AVAILABLE: 1946-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	3.58	SEP. 7, 1949	7.40	JAN. 28, 1953	6.92	OCT. 2, 1956	7.55
SEP. 3	7.81	JAN. 4, 1950	7.22	SEP. 25	6.89	JAN. 16, 1957	10.23
JAN. 3, 1947	6.36	NOV. 10	8.81	JAN. 12, 1954	8.49	SEP. 16	7.43
OCT. 6	7.26	JAN. 22, 1951	8.06	SEP. 27	7.05	JAN. 11, 1958	7.18
JAN. 29, 1948	5.52	SEP. 10	6.96	JAN. 28, 1955	8.15	SEP. 12	7.28
SEP. 2	7.53	JAN. 22, 1952	7.27	SEP. 26	7.75	JAN. 3, 1959	8.68
JAN. 3, 1949	6.07	SEP. 30	7.02	FEB. 8, 1956	10.25	AUG. 27, 1971	P

5S/23E-36P3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.04 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.94 BELOW LSD, MAR. 2, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, APR. 3, 1946, JUNE 3, 1946, AUG. 1, 1946, SEP. 12, 1946,
 DEC. 3, 1946.
 RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1946	2.94	JUNE 3, 1946	F	SEP. 12, 1946	F	DEC. 3, 1946	F
APR. 3	F	JULY 1	4.72	NOV. 1	4.68	AUG. 27, 1971	P
MAY 8	4.50	AUG. 1	F				

5S/23E-36P4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 282.30 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.91 BELOW LSD, MAR. 5, 1947,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947.
 RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	5.99	JAN. 3, 1947	F	MAR. 5, 1947	5.91	AUG. 27, 1971	P
SEP. 12	F						

5S/24E-18L1 S. PERFORATED 22.5-33.5 FT; DEPTH 30.9 FT IN 1971.
 LSD 300 FT ABOVE MSL.
 HIGHEST WATER LEVEL 12.50 BELOW LSD, NOV. 11, 1950,
 LOWEST WATER LEVEL 16.00 BELOW LSD, JUNE 16, 1971.
 RECORDS AVAILABLE: 1950, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 11, 1950	12.5 G	JUNE 16, 1971	16.0 B				

5S/24E-19P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.0 FT IN 1946.

LSD 291 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.99 BELOW LSD, FEB. 28, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, MAR. 1, 1946, APR. 3, 1946, MAY 8, 1946, JUNE 3, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	9.99	APR. 3, 1946	F	JUNE 3, 1946	F	AUG. 11, 1971	P
MAR. 1	F	MAY 8	F				

5S/24E-3081 S. PERFORATED 112-130 FT.

LSD 289 FT ABOVE MSL.

HIGHEST WATER LEVEL 11.40 BELOW LSD, JUNE 18, 1964,

LOWEST WATER LEVEL 11.40 BELOW LSD, JUNE 18, 1964.

RECORDS AVAILABLE: 1964, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 18, 1964	11.4	JULY 14, 1971	N				

5S/24E-30C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 287.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.77 BELOW LSD, APR. 3, 1946,

LOWEST WATER LEVEL 8.92 BELOW LSD, MAR. 1, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	8.83	MAR. 1, 1946	8.92	APR. 3, 1946	8.77	AUG. 11, 1971	P

5S/24E-30D1 S. DEPTH 45.5 FT IN 1971.

LSD 290 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.00 BELOW LSD, JULY 14, 1971,

LOWEST WATER LEVEL 3.00 BELOW LSD, JULY 14, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 14, 1971	3.00						

5S/24E-30E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 287.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.39 BELOW LSD, FEB. 28, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947.

RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	6.39	SEP. 12, 1946	F	JAN. 3, 1947	F	AUG. 12, 1971	P

SS/24E-30E2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1948, 9 FT IN 1953.

LSD 289.84 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.36 BELOW LSD, SEP. 26, 1955, OCT. 2, 1956,

LOWEST WATER LEVEL 10.70 BELOW LSD, JAN. 3, 1959.

RECORDS AVAILABLE: 1947-59, 1971.

DATE	WATER LEVEL						
MAY 12, 1947	7.37	SEP. 12, 1950	7.76	JAN. 12, 1954	9.01	JAN. 4, 1957	7.06
SEP. 15	9.23	JAN. 22, 1951	8.76	SEP. 27	6.71	SEP. 16	6.81
JAN. 16, 1948	7.86	SEP. 10	8.46	FEB. 2, 1955	7.36	JAN. 11, 1958	10.25
SEP. 2	8.45	JAN. 30, 1952	9.56	SEP. 26	6.36	SEP. 12	7.20
JAN. 3, 1949	9.62	SEP. 30	7.51	JAN. 26, 1956	8.16	JAN. 3, 1959	10.70
SEP. 7	7.23	JAN. 1, 1953	9.21	OCT. 2	6.36	AUG. 12, 1971	P
JAN. 4, 1950	8.72	SEP. 25	6.91				

SS/24E-30F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1947, 11 FT IN 1952.

LSD 288.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.83 BELOW LSD, SEP. 12, 1958,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1949, JAN. 26, 1956, JAN. 3, 1959.

RECORDS AVAILABLE: 1946-59, 1971.

DATE	WATER LEVEL						
FEB. 26, 1946	8.38	SEP. 7, 1949	10.49	JAN. 1, 1953	9.53	OCT. 2, 1956	8.25
SEP. 12	F	JAN. 4, 1950	10.44	SEP. 25	7.48	MAR. 26, 1957	8.89
MAY 12, 1947	8.83	SEP. 11	9.92	JAN. 12, 1954	8.58	SEP. 16	7.14
SEP. 15	9.92	JAN. 22, 1951	10.52	SEP. 27	7.95	JAN. 11, 1958	9.54
APR. 16, 1948	8.91	SEP. 10	9.02	FEB. 2, 1955	11.65	SEP. 12	5.83
SEP. 2	9.36	JAN. 22, 1952	10.82	SEP. 26	7.35	JAN. 3, 1959	F
JAN. 3, 1949	F	SEP. 30	8.53	JAN. 26, 1956	F	AUG. 12, 1971	P

SS/24E-30F2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16 FT IN 1947.

LSD 288.91 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.79 BELOW LSD, SEP. 10, 1952,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 15, 1947.

RECORDS AVAILABLE: 1947-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 12, 1947	10.23	SEP. 11, 1950	10.34	SEP. 25, 1953	9.20	MAR. 26, 1957	10.92
SEP. 15	F	FEB. 23, 1951	11.54	JAN. 12, 1954	11.40	SEP. 10	10.47
JAN. 2, 1948	10.70	SEP. 10	10.09	SEP. 27	9.30	JAN. 11, 1958	12.27
SEP. 2	12.26	JAN. 30, 1952	13.04	JAN. 28, 1955	11.20	SEP. 12	8.57
JAN. 3, 1949	11.64	SEP. 10	7.79	SEP. 26	8.25	JAN. 3, 1959	12.77
SEP. 7	12.29	FEB. 27, 1953	10.40	JAN. 26, 1956	12.05	AUG. 12, 1971	P
JAN. 4, 1950	10.85						

SS/24E-30G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 288.40 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.76 BELOW LSD, FEB. 28, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, MAY 8, 1946, JUNE 3, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	8.76	MAY 8, 1946	F	JUNE 3, 1946	F	AUG. 12, 1971	P
APR. 3	9.05						

SS/24E-30L1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.96 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.99 BELOW LSD, APR. 6, 1948,
 LOWEST WATER LEVEL 7.57 BELOW LSD, OCT. 31, 1947.
 RECORDS AVAILABLE: 1947-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 12, 1947	6.71	JAN. 2, 1948	7.01	APR. 6, 1948	5.99	AUG. 12, 1971	P
OCT. 31	7.57						

SS/24E-30N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1950.
 LSD 282.44 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.40 BELOW LSD, SEP. 27, 1954,
 LOWEST WATER LEVEL 8.08 BELOW LSD, FEB. 8, 1956.
 RECORDS AVAILABLE: 1950-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 13, 1950	5.30	JAN. 28, 1953	4.60	SEP. 26, 1955	5.18	JAN. 11, 1958	4.73
JAN. 22, 1951	5.95	SEP. 25	4.00	FEB. 8, 1956	8.08	SEP. 12	4.78
SEP. 10	3.90	JAN. 12, 1954	6.10	OCT. 2	4.80	JAN. 3, 1959	6.38
JAN. 30, 1952	5.35	SEP. 27	3.40	JAN. 4, 1957	5.20	AUG. 12, 1971	P
SEP. 30	3.90	JAN. 28, 1955	4.10	SEP. 17	3.55		

SS/24E-30N2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.80 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.89 BELOW LSD, FEB. 28, 1946,
 LOWEST WATER LEVEL 5.34 BELOW LSD, JAN. 3, 1947.
 RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1946	4.89	SEP. 3, 1946	5.30	JAN. 3, 1947	5.34	AUG. 12, 1971	P

SS/24E-31A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.14 BELOW LSD, FEB. 27, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947, SEP. 15, 1947, SEP. 2, 1948.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	5.14	JAN. 3, 1947	F	JAN. 23, 1948	6.94	AUG. 12, 1971	P
SEP. 12	F	SEP. 15	F	SEP. 2	F		

SS/24E-31B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 283.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.47 BELOW LSD, FEB. 27, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947, JAN. 23, 1948, SEP. 2, 1948.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	6.47	JAN. 3, 1947	8.35	JAN. 23, 1948	F	SEP. 2, 1948	F
SEP. 12	F	SEP. 15	F	APR. 6	7.18	AUG. 12, 1971	P

SS/24E-31C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 285.50 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.47 BELOW LSD, FEB. 27, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, JAN. 3, 1947, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	7.47	JAN. 3, 1947	F	SEP. 15, 1947	F	SEP. 2, 1948	16.85
SEP. 12	F	APR. 3	8.25	JAN. 23, 1948	12.77	AUG. 12, 1971	P

SS/24E-31C2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 280.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.88 BELOW LSD, FEB. 27, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	2.88	JAN. 3, 1947	3.80	SEP. 15, 1947	F	AUG. 12, 1971	P
SEP. 12	F						

SS/24E-31D1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.8 FT IN 1971.
 LSD 283.56 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.48 BELOW LSD, SEP. 4, 1965,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 10, 1962.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1959	8.78	SEP. 10, 1962	F	JAN. 6, 1966	8.88	JAN. 10, 1969	8.50
SEP. 4	4.68	JAN. 4, 1963	6.13	SEP. 10	4.23	SEP. 16	5.45
JAN. 11, 1960	9.18	AUG. 6	5.33	JAN. 6, 1967	7.63	JAN. 9, 1970	8.50
SEP. 7	4.80	JAN. 7, 1964	7.38	SEP. 9	5.85	SEP. 8	6.65
JAN. 13, 1961	8.23	SEP. 4	3.73	JAN. 8, 1968	8.35	JAN. 11, 1971	8.20
SEP. 30	5.23	JAN. 6, 1965	7.78	SEP. 10	4.40	JUNE 24	5.38
JAN. 3, 1962	7.63	SEP. 4	3.48				

SS/24E-31F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 286.60 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.11 BELOW LSD, FEB. 27, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	9.11	JAN. 3, 1947	10.90	JAN. 23, 1948	10.60	AUG. 12, 1971	P
SEP. 12	F	SEP. 15	F	SEP. 2	11.76		

SS/24E-31F2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 284.30 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.87 BELOW LSD, FEB. 27, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	6.87	JAN. 3, 1947	8.63	JAN. 23, 1948	8.28	AUG. 12, 1971	P
SEP. 12	F	SEP. 15	F	SEP. 2	9.06		

5S/24E-31G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 283.65 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.39 BELOW LSD, FEB. 27, 1946.

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947.

RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	6.39	JAN. 3, 1947	8.40	JAN. 23, 1948	8.13	AUG. 12, 1971	P
SEP. 12	F	SEP. 15	F	SEP. 2	9.13		

5S/24E-31L1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 284.21 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.96 BELOW LSD, FEB. 27, 1946.

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947, SEP. 12, 1948, JAN. 3, 1949.

RECORDS AVAILABLE: 1946-49, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	7.96	JAN. 3, 1947	9.46	JAN. 23, 1948	8.77	JAN. 3, 1949	F
SEP. 12	F	SEP. 15	F	SEP. 12	F	AUG. 12, 1971	P

5S/24E-31M1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 15.0 FT IN 1971.

LSD 285.70 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.66 BELOW LSD, JAN. 26, 1942.

DRY, WATER LEVEL NOT MEASUREABLE, FEB. 10, 1959, JAN. 6, 1966.

RECORDS AVAILABLE: 1941-45, 1959-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 29, 1941	7.16	JAN. 11, 1960	13.10	JAN. 7, 1964	10.18	JAN. 8, 1968	14.55
JAN. 26, 1942	5.66	SEP. 7	8.40	SEP. 4	9.25	SEP. 10	9.01
SEP. 9	9.76	JAN. 13, 1961	12.90	JAN. 6, 1965	12.80	JAN. 10, 1969	14.51
JAN. 11, 1943	8.06	SEP. 5	8.26	SEP. 4	11.00	SEP. 16	11.51
APR. 21	8.66	JAN. 3, 1962	13.16	JAN. 6, 1966	F	JAN. 9, 1970	14.21
NOV. 10, 1944	11.86	SEP. 22	8.66	SEP. 10	9.75	SEP. 8	12.71
FEB. 25, 1945	9.16	JAN. 4, 1963	9.66	JAN. 6, 1967	14.05	JAN. 11, 1971	14.06
FEB. 10, 1959	F	SEP. 6	6.33	SEP. 9	10.50	JUNE 24	9.05
SEP. 8	9.30						

5S/24E-31M2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 282.60 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.06 BELOW LSD, MAR. 1, 1946.

DRY, WATER LEVEL NOT MEASUREABLE, JUNE 3, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	6.13	APR. 3, 1946	6.54	JUNE 3, 1946	F	AUG. 12, 1971	P
MAR. 1	6.08	MAY 8	7.03				

5S/24E-31P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 283.51 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.80 BELOW LSD, FEB. 26, 1946.

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946, SEP. 15, 1947.

RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	7.80	JAN. 3, 1947	10.17	JAN. 23, 1948	9.55	AUG. 12, 1971	P
SEP. 12	F	SEP. 15	F	SEP. 2	11.08		

5S/24E-31P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 280.95 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.91 BELOW LSD, FEB. 26, 1946,
 LOWEST WATER LEVEL 12.30 BELOW LSD, SEP. 2, 1948.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	7.91	JAN. 3, 1947	10.65	JAN. 23, 1948	8.32	AUG. 12, 1971	P
SEP. 3	11.05	SEP. 15	12.18	SEP. 2	12.30		

6S/21E-1R1 S. DEPTH 12 FT IN 1971.
 LSD 448 FT ABOVE MSL.
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 4, 1971.
 RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 4, 1971	F						

6S/21E-2SA1 S. PERFORATED 170-192, 240-260 FT.
 LSD 398 FT ABOVE MSL.
 HIGHEST WATER LEVEL 145.00 BELOW LSD, , 1942,
 DRY, WATER LEVEL NOT MEASUREABLE, JULY 15, 1971.
 RECORDS AVAILABLE: 1942, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
, 1942	145. G	JULY 15, 1971	F				

6S/21E-3581 S. DEPTH 92.7 FT IN 1971.
 LSD 409 FT ABOVE MSL.
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 17, 1971.
 RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 17, 1971	F						

6S/21E-3582 S. WELL FILLED TO SURFACE.
 LSD 409 FT ABOVE MSL.
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 17, 1971.
 RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 17, 1971	F						

6S/21E-36R1 S. PERFORATED 520-555, 564-620 FT.
 LSD 389 FT ABOVE MSL.
 HIGHEST WATER LEVEL 138.00 BELOW LSD, APR. , 1946,
 LOWEST WATER LEVEL 145.00 BELOW LSD, JULY 15, 1954.
 RECORDS AVAILABLE: 1946, 1954.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. , 1946	138. G	JULY 15, 1954	145. G				

6S/22E-1F1 S. PERFORATED 150-350 FT; DEPTH 347.0 FT IN 1971.

LSD 405 FT ABOVE MSL.

HIGHEST WATER LEVEL 142.00 BELOW LSD, JUNE 2, 1966,

LOWEST WATER LEVEL 156.91 BELOW LSD, JULY 22, 1971.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 2, 1966	142. G	OCT. 6, 1966	145. G	JULY 22, 1971	156.91		

6S/22E-1H1 S. PERFORATED 180-320 FT.

LSD 400 FT ABOVE MSL.

HIGHEST WATER LEVEL 141.66 BELOW LSD, MAR. 25, 1959,

LOWEST WATER LEVEL 142.43 BELOW LSD, FEB. 13, 1962.

RECORDS AVAILABLE: 1959, 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1959	141.66 G	FEB. 13, 1962	142.43	JULY 22, 1971	N		

6S/22E-1N1 S. PERFORATED 410-426 FT.

LSD 405 FT ABOVE MSL.

HIGHEST WATER LEVEL 143.00 BELOW LSD, FEB. 15, 1962,

LOWEST WATER LEVEL 143.00 BELOW LSD, FEB. 15, 1962.

RECORDS AVAILABLE: 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1962	143.00	AUG. 19, 1971	N				

6S/22E-1N2 S.

LSD 405 FT ABOVE MSL.

HIGHEST WATER LEVEL 143.30 BELOW LSD, FEB. 15, 1962,

LOWEST WATER LEVEL 143.30 BELOW LSD, FEB. 15, 1962.

RECORDS AVAILABLE: 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1962	143.30 G	AUG. 19, 1971	P				

6S/22E-1R1 S. RECORDS PRIOR TO 6/30/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.2 FT IN 1971.

LSD 269.27 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.17 BELOW LSD, SEP. 15, 1939,

LOWEST WATER LEVEL 9.80 BELOW LSD, JAN. 11, 1971.

RECORDS AVAILABLE: 1937-43, 1945-46, 1950-61, 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 10, 1937	6.17	JULY 2, 1945	5.97	JAN. 28, 1955	6.10	SEP. 5, 1964	7.55
JAN. 4, 1938	7.57	MAR. 26, 1946	5.58	SEP. 26	6.30	JAN. 6, 1965	7.70
AUG. 17	7.67	JUNE 7	5.96	JAN. 26, 1956	6.20	OCT. 9	7.15
SEP. 15	7.67	JULY 3	5.64	SEP. 25	6.15	JAN. 7, 1966	8.00
JAN. 4, 1939	7.37	JAN. 4, 1950	8.10	JAN. 4, 1957	6.40	SEP. 12	7.70
SEP. 15	4.17	APR. 10	7.59	SEP. 7	7.12	JAN. 7, 1967	7.25
FEB. 2, 1940	5.47	SEP. 11	8.14	JAN. 10, 1958	7.47	SEP. 11	8.20
SEP. 26	5.77	JAN. 22, 1951	8.04	SEP. 12	7.72	JAN. 8, 1968	8.90
JAN. 10, 1941	5.87	SEP. 11	8.04	JAN. 6, 1959	8.12	SEP. 11	8.50
SEP. 26	5.87	JAN. 22, 1952	7.84	SEP. 8	7.82	JAN. 11, 1969	9.00
JAN. 26, 1942	6.57	SEP. 30	7.64	JAN. 13, 1960	7.82	SEP. 17	8.65
SEP. 9	6.27	JAN. 1, 1953	7.84	SEP. 8	7.52	JAN. 13, 1970	9.00
JAN. 11, 1943	6.07	SEP. 25	8.00	FEB. 7, 1961	7.52	SEP. 9	9.55
APR. 21	6.47	JAN. 12, 1954	7.50	MAY 3	8.12	JAN. 11, 1971	9.80
JAN. 5, 1945	6.17	SEP. 27	6.90	JAN. 7, 1964	8.35	JUNE 30	9.53

6S/22E-2F1 S. PERFORATED 220-320 FT.

LSD 402 FT ABOVE MSL.

HIGHEST WATER LEVEL 140.00 BELOW LSD, AUG. 3, 1967,

LOWEST WATER LEVEL 148.73 BELOW LSD, AUG. 19, 1971.

RECORDS AVAILABLE: 1967, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 3, 1967	140. G	AUG. 19, 1971	148.73B				

6S/22E-2J1 S. PERFORATED 410-426 FT.

LSD 403 FT ABOVE MSL.

HIGHEST WATER LEVEL 142.22 BELOW LSD, FEB. 10, 1966,

LOWEST WATER LEVEL 147.13 BELOW LSD, JULY 21, 1971.

RECORDS AVAILABLE: 1951, 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 14, 1951	144.5 G	FEB. 10, 1966	142.22	OCT. 19, 1966	143.35	JULY 21, 1971	147.13

6S/22E-2P1 S. PERFORATED 150-250 FT; DEPTH 249.0 FT IN 1971.

LSD 402 FT ABOVE MSL.

HIGHEST WATER LEVEL 137.50 BELOW LSD, FEB. 6, 1964,

LOWEST WATER LEVEL 148.40 BELOW LSD, MAY 13, 1964.

RECORDS AVAILABLE: 1964, 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 6, 1964	137.5	MAY 13, 1964	148.4 G	FEB. 10, 1966	141.25	AUG. 19, 1971	146.20

6S/22E-2P2 S. PERFORATED 220-350 FT.

LSD 404 FT ABOVE MSL.

HIGHEST WATER LEVEL 149.00 BELOW LSD, AUG. 20, 1968,

LOWEST WATER LEVEL 149.59 BELOW LSD, AUG. 19, 1971.

RECORDS AVAILABLE: 1968, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 20, 1968	149. G	AUG. 19, 1971	149.59				

6S/22E-2R1 S. PERFORATED 406-422, 494-514 FT.

LSD 403 FT ABOVE MSL.

HIGHEST WATER LEVEL 141.45 BELOW LSD, , 1965,

LOWEST WATER LEVEL 145.51 BELOW LSD, AUG. 19, 1971.

RECORDS AVAILABLE: 1965-66, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
1965	141.45G	FEB. 10, 1966	142.45	AUG. 19, 1971	145.51		

6S/22E-3B1 S. PERFORATED 275-414 FT; DEPTH 369.5 FT IN 1971.

LSD 421 FT ABOVE MSL.

HIGHEST WATER LEVEL 161.00 BELOW LSD, JAN. 20, 1964,

LOWEST WATER LEVEL 165.14 BELOW LSD, AUG. 18, 1971.

RECORDS AVAILABLE: 1964, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1964	161. G	AUG. 18, 1971	165.14				

6S/22E-3J1 S. DEPTH 83.0 FT IN 1971.

LSD 406 FT ABOVE MSL.

HIGHEST WATER LEVEL 68.10 BELOW LSD, JULY 22, 1971,
DRY, WATER LEVEL NOT MEASUREABLE, JULY 12, 1966.
RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 12, 1966	F	JULY 22, 1971	68.10				

6S/22E-3R1 S. PERFORATED 180-355 FT.

LSD 403 FT ABOVE MSL.

HIGHEST WATER LEVEL 142.00 BELOW LSD, APR. 12, 1966,
LOWEST WATER LEVEL 146.80 BELOW LSD, OCT. 6, 1966.
RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 12, 1966	142. G	OCT. 6, 1966	146.8 G	AUG. 18, 1971	178.57A		

6S/22E-3R2 S. PERFORATED 170-350 FT.

LSD 406 FT ABOVE MSL.

HIGHEST WATER LEVEL 143.00 BELOW LSD, MAY 17, 1966,
LOWEST WATER LEVEL 146.90 BELOW LSD, OCT. 6, 1966.
RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 17, 1966	143. G	OCT. 6, 1966	146.9 G	AUG. 18, 1971	171.56A		

6S/22E-8J1 S. PERFORATED 172-302 FT.

LSD 408 FT ABOVE MSL.

HIGHEST WATER LEVEL 155.00 BELOW LSD, JUNE 25, 1966, JULY 30, 1966,
LOWEST WATER LEVEL 164.00 BELOW LSD, AUG. 24, 1966.
RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 25, 1966	155. G	JULY 30, 1966	155. G	AUG. 24, 1966	164.0 G	JULY 28, 1971	A

6S/22E-8L1 S. PERFORATED 180-300 FT.

LSD 408 FT ABOVE MSL.

HIGHEST WATER LEVEL 151.00 BELOW LSD, AUG. 3, 1966,
LOWEST WATER LEVEL 159.80 BELOW LSD, JULY 28, 1971.
RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 3, 1966	151. G	AUG. 24, 1966	202.0 A	JULY 28, 1971	159.80		

6S/22E-9L1 S. PERFORATED 172-332 FT.

LSD 402 FT ABOVE MSL.

HIGHEST WATER LEVEL 143.00 BELOW LSD, MAY 15, 1966,
LOWEST WATER LEVEL 158.70 BELOW LSD, AUG. 24, 1966.
RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 15, 1966	143. G	AUG. 24, 1966	158.7 G	AUG. 18, 1971	176.17A		

6S/22E-9M1 S. PERFORATED 162-292 FT.

LSD 404 FT ABOVE MSL.

HIGHEST WATER LEVEL 151.00 BELOW LSD, JUNE 20, 1966, JULY 30, 1966.

LOWEST WATER LEVEL 161.30 BELOW LSD, AUG. 24, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 20, 1966	151. G	JULY 30, 1966	151. G	AUG. 24, 1966	161.3	AUG. 18, 1971	181.4 A

6S/22E-9P1 S. PERFORATED 230-250 FT; DEPTH 249.5 FT IN 1971.

LSD 402 FT ABOVE MSL.

HIGHEST WATER LEVEL 146.15 BELOW LSD, JUNE 12, 1968,

LOWEST WATER LEVEL 154.93 BELOW LSD, JULY 28, 1971.

RECORDS AVAILABLE: 1968, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 12, 1968	146.15	JULY 28, 1971	154.93				

6S/22E-9Q1 S. PERFORATED 172-302 FT.

LSD 403 FT ABOVE MSL.

HIGHEST WATER LEVEL 155.00 BELOW LSD, JULY 8, 1966,

LOWEST WATER LEVEL 155.00 BELOW LSD, JULY 8, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 8, 1966	155. G	JULY 28, 1971	196.96A				

6S/22E-10H1 S. PERFORATED 174-304 FT.

LSD 403 FT ABOVE MSL.

HIGHEST WATER LEVEL 149.95 BELOW LSD, AUG. 18, 1971,

LOWEST WATER LEVEL 156.00 BELOW LSD, AUG. 23, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 23, 1966	156. G	AUG. 18, 1971	149.95				

6S/22E-11H1 S. PERFORATED 170-235 FT.

LSD 405 FT ABOVE MSL.

HIGHEST WATER LEVEL 147.00 BELOW LSD, SEP. 30, 1955,

LOWEST WATER LEVEL 148.00 BELOW LSD, FEB. 16, 1962.

RECORDS AVAILABLE: 1955, 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1955	147. G	FEB. 16, 1962	148.0 G	AUG. 19, 1971	A		

6S/22E-11H2 S. DEPTH 290.5 FT IN 1971.

LSD 405 FT ABOVE MSL.

HIGHEST WATER LEVEL 150.93 BELOW LSD, AUG. 19, 1971,

LOWEST WATER LEVEL 150.93 BELOW LSD, AUG. 19, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 19, 1971	150.93						

6S/22E-11N1 S. PERFORATED 220-480 FT.

LSD 402 FT ABOVE MSL.

HIGHEST WATER LEVEL 145.00 BELOW LSD, JULY 10, 1968.

LOWEST WATER LEVEL 149.50 BELOW LSD, AUG. 18, 1971.

RECORDS AVAILABLE: 1968, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 10, 1968	145.	G	AUG. 18, 1971	149.50			

6S/22E-11R1 S. WELL POINT 75-77 FT; DEPTH 57.7 FT IN 1971.

LSD 276 FT ABOVE MSL.

HIGHEST WATER LEVEL 16.63 BELOW LSD, JUNE 1, 1967,

LOWEST WATER LEVEL 18.94 BELOW LSD, JULY 7, 1971.

RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1967	18.26	JUNE 1, 1967	16.63	JUNE 10, 1968	17.00	JULY 7, 1971	18.94

6S/22E-11R2 S. WELL POINT 18-21 FT; DEPTH 21.4 FT IN 1971.

LSD 276 FT ABOVE MSL.

HIGHEST WATER LEVEL 16.40 BELOW LSD, MAR. 21, 1967,

LOWEST WATER LEVEL 18.76 BELOW LSD, JULY 7, 1971.

RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	16.40	JUNE 10, 1968	16.75	JULY 7, 1971	18.76		

6S/22E-12A1 S. RECORDS PRIOR TO 6/30/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.2 FT IN 1971.

LSD 269.39 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.90 BELOW LSD, JAN. 8, 1968,

LOWEST WATER LEVEL 10.05 BELOW LSD, JAN. 11, 1971.

RECORDS AVAILABLE: 1968-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1968	8.90	JAN. 11, 1969	9.25	JAN. 13, 1970	9.40	JAN. 11, 1971	10.05
SEP. 11	9.10	SEP. 17	9.05	SEP. 9	9.65	JUNE 30	9.83

6S/22E-12A2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 269.69 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.45 BELOW LSD, OCT. 9, 1965,

LOWEST WATER LEVEL 8.70 BELOW LSD, SEP. 11, 1967.

RECORDS AVAILABLE: 1965-67, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 9, 1965	7.45	SEP. 12, 1966	8.10	SEP. 11, 1967	8.70	SEP. 14, 1971	P
JAN. 7, 1966	6.25	JAN. 7, 1967	7.65				

6S/22E-12A3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 268 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.87 BELOW LSD, JULY 20, 1926,
 LOWEST WATER LEVEL 6.77 BELOW LSD, FEB. 16, 1925.
 RECORDS AVAILABLE: 1923-27, 1936-37, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 26, 1923	5.77	FEB. 16, 1925	6.77	APR. 25, 1927	5.27	JAN. 29, 1937	6.4
NOV. 14	6.37	APR. 15	5.57	MAY 26	5.67	SEP. 18	5.9
JAN. 19, 1924	6.67	JULY 20, 1926	4.87	NOV. 18, 1936	6.0	SEP. 16, 1971	P
SEP. 19	5.47	OCT. 15	5.97	DEC. 22	5.7		

6S/22E-12C1 S. PERFORATED 436-471 FT.
 LSD 406 FT ABOVE MSL.
 HIGHEST WATER LEVEL 145.00 BELOW LSD, MAY 29, 1969,
 LOWEST WATER LEVEL 149.64 BELOW LSD, AUG. 19, 1971.
 RECORDS AVAILABLE: 1969, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 29, 1969	145.	G	AUG. 19, 1971	149.648			

6S/22E-12E1 S. PERFORATED 160-220 FT.
 LSD 405 FT ABOVE MSL.
 HIGHEST WATER LEVEL 136.00 BELOW LSD, FEB. 9, 1962,
 LOWEST WATER LEVEL 153.20 BELOW LSD, NOV. 4, 1970.
 RECORDS AVAILABLE: 1962, 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 9, 1962	136.0	NOV. 4, 1970	153.2	G	AUG. 3, 1971	A	AUG. 19, 1971 170.30A

6S/22E-12F1 S. DEPTH 252 FT IN 1962, 200 FT IN 1971.
 LSD 400 FT ABOVE MSL.
 HIGHEST WATER LEVEL 136.00 BELOW LSD, FEB. 9, 1962,
 LOWEST WATER LEVEL 136.00 BELOW LSD, FEB. 9, 1962.
 RECORDS AVAILABLE: 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 9, 1962	136.0	G	SEP. 8, 1971	A			

6S/22E-12L1 S. RECORDS PRIOR TO 7/7/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.8 FT IN 1971.
 LSD 270.25 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.85 BELOW LSD, OCT. 9, 1965,
 LOWEST WATER LEVEL 12.60 BELOW LSD, JAN. 11, 1971.
 RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 9, 1965	8.85	JAN. 7, 1967	10.20	JAN. 11, 1969	11.60	SEP. 9, 1970	11.40
DEC. 4	9.50	SEP. 11	10.05	SEP. 17	10.75	JAN. 11, 1971	12.60
JAN. 7, 1966	9.95	JAN. 9, 1968	11.05	JAN. 13, 1970	11.05	JULY 7	12.09
SEP. 12	9.10	SEP. 11	11.15				

6S/22E-12L2 S. DEPTH 552 FT IN 1962.

LSD 275 FT ABOVE MSL.

HIGHEST WATER LEVEL 18.00 BELOW LSD, MAY 22, 1964,

LOWEST WATER LEVEL 18.00 BELOW LSD, MAY 22, 1964.

RECORDS AVAILABLE: 1964, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 22, 1964	18. G	SEP. 9, 1971	N				

6S/22E-12M1 S. RECORDS PRIOR TO 7/7/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 17.35 FT IN 1971.

LSD 268.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.49 BELOW LSD, SEP. 12, 1966,

LOWEST WATER LEVEL 11.45 BELOW LSD, JAN. 11, 1971.

RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 9, 1965	7.54	APR. 7, 1967	8.54	OCT. 8, 1968	10.20	MAR. 30, 1970	10.45
NOV. 4	7.79	MAY 6	8.59	NOV. 8	10.50	APR. 7	10.55
DEC. 4	7.89	JUNE 8	8.64	DEC. 13	10.50	MAY 16	10.45
JAN. 7, 1966	8.29	JULY 10	8.59	JAN. 11, 1969	10.60	JUNE 8	10.25
FEB. 8	8.64	AUG. 8	8.64	FEB. 8	10.70	JULY 7	10.25
MAR. 5	8.54	SEP. 11	8.74	MAR. 8	10.45	AUG. 10	10.60
APR. 7	8.44	OCT. 7	8.79	APR. 8	10.05	SEP. 9	10.60
MAY 7	8.34	NOV. 8	8.84	MAY 7	10.15	OCT. 12	11.20
JUNE 7	8.09	DEC. 8	8.79	JUNE 9	10.25	NOV. 6	11.15
JULY 7	7.89	JAN. 9, 1968	8.84	JULY 14	10.35	DEC. 9	11.25
AUG. 4	7.59	FEB. 9	8.79	AUG. 6	10.55	JAN. 11, 1971	11.45
SEP. 12	7.49	MAR. 8	8.89	SEP. 17	10.70	FEB. 8	11.30
OCT. 10	7.69	APR. 8	8.89	OCT. 10	11.05	MAR. 8	11.25
NOV. 11	8.14	MAY 8	8.84	NOV. 8	11.10	APR. 9	11.15
DEC. 5	8.44	JUNE 8	8.94	DEC. 9	10.95	MAY 10	11.00
JAN. 7, 1967	8.64	JULY 10	8.94	JAN. 13, 1970	11.10	JUNE 9	10.65
FEB. 7	8.74	AUG. 12	8.89	FEB. 13	10.75	JULY 7	11.08
MAR. 6	8.69						

6S/22E-12N1 S. RECORDS PRIOR TO 7/7/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 18.7 FT IN 1971.

LSD 274.55 FT ABOVE MSL.

HIGHEST WATER LEVEL 15.26 BELOW LSD, JAN. 9, 1968.

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 11, 1968.

RECORDS AVAILABLE: 1968-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1968	15.26	AUG. 12, 1968	15.41	JUNE 8, 1970	15.80	JAN. 11, 1971	18.00
FEB. 9	15.36	SEP. 11	F	JULY 7	15.80	FEB. 8	17.85
MAR. 8	15.31	OCT. 8	16.20	AUG. 10	16.55	MAR. 8	17.70
APR. 8	15.41	NOV. 8	16.60	SEP. 9	16.25	APR. 9	17.45
MAY 8	15.36	DEC. 13	16.95	OCT. 12	16.95	MAY 10	17.30
JUNE 8	15.46	JAN. 11, 1969	17.20	NOV. 9	17.45	JUNE 9	18.75
JULY 10	15.46	FEB. 8	17.45	DEC. 9	17.80	JULY 7	16.82

6S/22E-12R1 S. DEPTH 160 FT IN 1950.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, JAN. 8, 1950,

LOWEST WATER LEVEL 8.00 BELOW LSD, JAN. 8, 1950.

RECORDS AVAILABLE: 1950, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1950	8. G	SEP. 9, 1971	N				

6S/22E-12R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 266.10 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.59 BELOW LSD, SEP. 19, 1924,
 LOWEST WATER LEVEL 6.49 BELOW LSD, OCT. 15, 1925.
 RECORDS AVAILABLE: 1923-74, 1971.

DATE	WATER LEVEL						
NOV. 26, 1923	5.79	SEP. 19, 1924	5.59	OCT. 15, 1925	6.49	MAR. 19, 1926	6.09
JAN. 21, 1924	5.89	FEB. 14, 1925	5.89	JAN. 2, 1926	5.89	SEP. 16, 1971	P

6S/22E-1301 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 275 FT ABOVE MSL.
 HIGHEST WATER LEVEL 14.56 BELOW LSD, OCT. 9, 1965,
 LOWEST WATER LEVEL 15.86 BELOW LSD, JAN. 7, 1967.
 RECORDS AVAILABLE: 1965-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 9, 1965	14.56	SEP. 12, 1966	14.66	JAN. 7, 1967	15.86	SEP. 11, 1967	15.66
JAN. 7, 1966	15.66						

6S/22E-13G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 266 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.82 BELOW LSD, JULY 23, 1923,
 LOWEST WATER LEVEL 6.52 BELOW LSD, JAN. 21, 1924.
 RECORDS AVAILABLE: 1922-26, 1971.

DATE	WATER LEVEL						
Sep. 5, 1922	6.42	JAN. 21, 1924	6.52	OCT. 16, 1925	5.62	MAR. 20, 1926	6.02
JULY 23, 1923	4.82	SEP. 19	5.92	JAN. 4, 1926	6.12	SEP. 16, 1971	P
NOV. 16	9.02	FEB. 16, 1925	5.12				

6S/22E-13H1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 265.30 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.90 BELOW LSD, OCT. 16, 1925,
 LOWEST WATER LEVEL 5.30 BELOW LSD, NOV. 26, 1923, FEB. 17, 1925.
 RECORDS AVAILABLE: 1923-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 26, 1923	5.30	SEP. 19, 1924	4.90	OCT. 16, 1925	3.90	SEP. 2, 1971	P
JAN. 21, 1924	5.20	FEB. 17, 1925	5.30	JAN. 4, 1926	4.50		

6S/22E-13N1 S. RECORDS PRIOR TO 7/7/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 26 FT IN 1966, 22.5 FT IN 1971.
 LSD 276 FT ABOVE MSL.
 HIGHEST WATER LEVEL 15.30 BELOW LSD, SEP. 12, 1966,
 LOWEST WATER LEVEL 19.85 BELOW LSD, JAN. 12, 1971.
 RECORDS AVAILABLE: 1966-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 9, 1966	18.30	SEP. 12, 1967	16.95	JAN. 13, 1969	19.15	SEP. 10, 1970	17.75
SEP. 12	15.30	JAN. 9, 1968	18.55	SEP. 17	18.05	JAN. 12, 1971	19.85
JAN. 9, 1967	17.95	SEP. 11	17.45	JAN. 14, 1970	19.60	JULY 7	18.90

6S/22E-13P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 267.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.89 BELOW LSD, MAY 31, 1927,

LOWEST WATER LEVEL 9.59 BELOW LSD, NOV. 26, 1923.

RECORDS AVAILABLE: 1923-27, 1971.

DATE	WATER LEVEL						
NOV. 26, 1923	9.59	FEB. 16, 1925	5.19	MAR. 22, 1926	4.79	MAY 31, 1927	2.89
JAN. 2, 1924	8.29	OCT. 16	5.09	APR. 28, 1927	6.99	SEP. 16, 1971	P
SEP. 19	5.29	JAN. 4, 1926	6.79				

6S/22E-13Q1 S. WELL POINT 114-116 FT; DEPTH 116.3 FT IN 1971.

LSD 268 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.20 BELOW LSD, JUNE 12, 1968,

LOWEST WATER LEVEL 8.44 BELOW LSD, JULY 7, 1971.

RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	7.96	JUNE 1, 1967	7.61	JUNE 12, 1968	7.20	JULY 7, 1971	8.44

6S/22E-13Q2 S. WELL POINT 20-22 FT; DEPTH 21.9 FT IN 1971.

LSD 268 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.41 BELOW LSD, JUNE 1, 1967,

LOWEST WATER LEVEL 8.20 BELOW LSD, JULY 7, 1971.

RECORDS AVAILABLE: 1967, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	7.72	JUNE 1, 1967	7.41	JULY 7, 1971	8.20		

6S/22E-13Q3 S. RECORDS PRIOR TO 7/7/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10 FT IN 1957, 9.6 FT IN 1971.

LSD 266.08 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.25 BELOW LSD, SEP. 12, 1966,

LOWEST WATER LEVEL 9.40 BELOW LSD, JAN. 12, 1971.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1957	7.50	FEB. 9, 1961	8.00	JAN. 7, 1965	7.70	SEP. 11, 1968	5.85
SEP. 7	6.00	SEP. 20	6.00	SEP. 9	6.70	JAN. 13, 1969	8.75
JAN. 10, 1958	6.05	JAN. 8, 1962	7.70	JAN. 8, 1966	7.90	SEP. 17	7.50
SEP. 16	6.55	SEP. 12	7.30	SEP. 12	5.25	JAN. 14, 1970	9.05
JAN. 13, 1959	7.60	JAN. 14, 1963	7.80	JAN. 9, 1967	7.50	SEP. 10	7.45
SEP. 8	5.70	SEP. 14	6.70	SEP. 12	7.25	JAN. 12, 1971	9.40
JAN. 13, 1960	7.50	JAN. 8, 1964	7.95	JAN. 9, 1968	8.15	JULY 7	7.93
SEP. 8	7.00	SEP. 5	5.65				

6S/22E-13R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 263.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.31 BELOW LSD, JUNE 27, 1923, OCT. 15, 1925,

LOWEST WATER LEVEL 5.71 BELOW LSD, JAN. 4, 1926.

RECORDS AVAILABLE: 1918-20, 1922-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 28, 1918	3.83	MAR. 4, 1920	5.10	JAN. 21, 1924	3.91	OCT. 15, 1925	3.31
SEP. 1	3.53	SEP. 5, 1922	3.81	SEP. 19	3.61	JAN. 4, 1926	5.71
MAR. 1, 1919	5.20	JUNE 27, 1923	3.31	FEB. 17, 1925	4.21	SEP. 2, 1971	P
MAY 1	4.31	NOV. 14	3.51				

6S/22E-14L1 S. WELL POINT 90-94 FT; DEPTH 94.5 FT IN 1971.
 LSD 395 FT ABOVE MSL.
 HIGHEST WATER LEVEL 32.85 BELOW LSD, JUNE 1, 1967,
 LOWEST WATER LEVEL 35.00 BELOW LSD, AUG. 4, 1971.
 RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 31, 1967	32.92	JUNE 1, 1967	32.85	JUN 10, 1968	33.18	AUG. 4, 1971	35.00

6S/22E-14L2 S. WELL POINT 30-34 FT; DEPTH 33.1 FT IN 1971.
 LSD 295 FT ABOVE MSL.
 HIGHEST WATER LEVEL 32.21 BELOW LSD, JUNE 1, 1967,
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 4, 1971.
 RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 31, 1967	32.24	JUNE 1, 1967	32.21	JUNE 10, 1968	32.55	AUG. 4, 1971	F

6S/22E-15M1 S. PERFORATED 171-315 FT.
 LSD 397 FT ABOVE MSL.
 HIGHEST WATER LEVEL 136.00 BELOW LSD, FEB. 15, 1955.
 LOWEST WATER LEVEL 139.13 BELOW LSD, FEB. 6, 1962.
 RECORDS AVAILABLE: 1955, 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1955	136.	G FEB. 6, 1962	139.13	AUG. 17, 1971	N		

6S/22E-15Q1 S. PERFORATED 346-356, 530-548, 558-572 FT.
 LSD 375 FT ABOVE MSL.
 HIGHEST WATER LEVEL 115.25 BELOW LSD, SEP. 17, 1963,
 LOWEST WATER LEVEL 141.46 BELOW LSD, JULY 23, 1971.
 RECORDS AVAILABLE: 1963, 1967, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 17, 1963	115.25G	JUNE 28, 1967	132.	G JULY 23, 1971	141.46		

6S/22E-16A1 S. PERFORATED 170-359 FT.
 LSD 368 FT ABOVE MSL.
 HIGHEST WATER LEVEL 124.00 BELOW LSD, MAR. 29, 1966, APR. 4, 1967,
 LOWEST WATER LEVEL 124.00 BELOW LSD, MAR. 29, 1966, APR. 4, 1967.
 RECORDS AVAILABLE: 1966-67, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	124. G	APR. 4, 1967	124. G	JULY 22, 1971	180.96A		

6S/22E-16D1 S. PERFORATED 235-280, 350-380, 386-420 FT.
 LSD 398 FT ABOVE MSL.
 HIGHEST WATER LEVEL 148.00 BELOW LSD, APR. 12, 1966,
 LOWEST WATER LEVEL 148.00 BELOW LSD, APR. 12, 1966.
 RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 12, 1966	148. G	JULY 28, 1971	209.63A				

6S/22E-16E1 S. PERFORATED 185-345 FT.

LSD 396 FT ABOVE MSL.

HIGHEST WATER LEVEL 145.00 BELOW LSD, OCT. 11, 1968,

LOWEST WATER LEVEL 145.00 BELOW LSD, OCT. 11, 1968.

RECORDS AVAILABLE: 1968, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 11, 1968	145. G	JULY 28, 1971	184.4 A				

6S/22E-16E1 S. DEPTH 373.5 FT IN 1971.

LSL 400 FT ABOVE MSL.

HIGHEST WATER LEVEL 155.84 BELOW LSL, JULY 28, 1971,

LOWEST WATER LEVEL 155.84 BELOW LSL, JULY 28, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 28, 1971	155.84						

6S/22E-16P1 S. PERFORATED 161-306 FT.

LSD 386 FT ABOVE MSL.

HIGHEST WATER LEVEL 131.00 BELOW LSD, OCT. 11, 1968,

LOWEST WATER LEVEL 131.00 BELOW LSD, OCT. 11, 1968.

RECORDS AVAILABLE: 1968, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 11, 1968	131. G	JULY 23, 1971	160.14 A				

6S/22E-17b1 S. PERFORATED 181-302 FT.

LSL 399 FT ABOVE MSL.

HIGHEST WATER LEVEL 149.00 BELOW LSL, MAY 26, 1966, AUG. 22, 1966.

LOWEST WATER LEVEL 149.00 BELOW LSL, MAY 26, 1966, AUG. 22, 1966.

RECORUS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 26, 1966	149. G	AUG. 22, 1966	149. G	JULY 28, 1971	A		

6S/22E-17L1 S. PERFORATED 180-445 FT.

LSD 400 FT ABOVE MSL.

HIGHEST WATER LEVEL 144.00 BELOW LSD, APR. 1, 1966,

LOWEST WATER LEVEL 159.20 BELOW LSD, AUG. 23, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	144. G	AUG. 23, 1966	159.2 G	JULY 28, 1971	184.52 A		

6S/22E-17L2 S. PERFORATED 171-323 FT.

LSD 397 FT ABOVE MSL.

HIGHEST WATER LEVEL 149.00 BELOW LSD, APR. 25, 1966,

LOWEST WATER LEVEL 156.00 BELOW LSD, AUG. 23, 1966.

RECORUS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 25, 1966	149. G	AUG. 23, 1966	156.0 G	JULY 28, 1971	155.55		

6S/22E-18A1 S. PERFORATED 168-298 FT.

LSD 408 FT ABOVE MSL.

HIGHEST WATER LEVEL 155.00 BELOW LSD, JUNE 22, 1966,

LOWEST WATER LEVEL 162.78 BELOW LSD, JULY 28, 1971.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 22, 1966	155. G	JUNE 27, 1966	156. G	JULY 28, 1971	162.78		

6S/22E-18J1 S. PERFORATED 172-302 FT.

LSD 408 FT ABOVE MSL.

HIGHEST WATER LEVEL 156.00 BELOW LSD, JUNE 14, 1966, JUNE 27, 1966,

LOWEST WATER LEVEL 156.00 BELOW LSD, JUNE 14, 1966, JUNE 27, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 14, 1966	156. G	JUNE 27, 1966	156. G	JULY 28, 1971	N		

6S/22E-19N1 S.

LSD 398 FT ABOVE MSL.

ORY, WATER LEVEL NOT MEASUREABLE, JULY 15, 1971.

RECORDS AVAILABLE: 1962, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 9, 1962	M	JULY 15, 1971	F				

6S/22E-20A1 S. PERFORATED 230-250 FT. DEPTH 240.5 FT IN 1971.

LSD 395 FT ABOVE MSL.

HIGHEST WATER LEVEL 141.95 BELOW LSD, JUNE 12, 1968,

LOWEST WATER LEVEL 147.61 BELOW LSD, JULY 28, 1971.

RECORDS AVAILABLE: 1968, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 12, 1968	141.95	JULY 28, 1971	147.61				

6S/22E-21B1 S. PERFORATED 178-378 FT.

LSD 360 FT ABOVE MSL.

HIGHEST WATER LEVEL 117.00 BELOW LSD, APR. 28, 1966,

LOWEST WATER LEVEL 120.70 BELOW LSD, AUG. 23, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 28, 1966	117. G	AUG. 23, 1966	120.7 G	JULY 23, 1971	A		

6S/22E-21K1 S. PERFORATED 182-323 FT.

LSD 375 FT ABOVE MSL.

HIGHEST WATER LEVEL 121.30 BELOW LSD, AUG. 24, 1966,

LOWEST WATER LEVEL 126.00 BELOW LSD, MAY 11, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 11, 1966	126. G	AUG. 24, 1966	121.3 G	JULY 28, 1971	159.64A		

6S/22E-22B1 S. PERFORATED 192.5-372 FT.

LSD 367 FT ABOVE MSL.

HIGHEST WATER LEVEL 115.00 BELOW LSD, AUG. 24, 1966,

LOWEST WATER LEVEL 120.00 BELOW LSD, APR. 18, 1966, MAY 7, 1966.

RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 18, 1966	120. G	MAY 7, 1966	120. G	AUG. 24, 1966	115.0 G	JULY 22, 1971	147.11A

6S/22E-23J1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 262.97 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.06 BELOW LSD, APR. 22, 1959,

LOWEST WATER LEVEL .7.87 BELOW LSD, JAN. 10, 1962.

RECORDS AVAILABLE: 1959-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 22, 1959	6.06	SEP. 10, 1960	6.66	JAN. 10, 1962	7.87	JAN. 16, 1963	7.60
SEP. 9	6.71	FEB. 11, 1961	7.36	SEP. 13	7.10	SEP. 16, 1971	P
JAN. 14, 1960	7.71	SEP. 11	6.16				

6S/22E-23L1 S. RECORDS PRIOR TO 7/8/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 21 FT IN 1966, 16.6 FT IN 1971.

LSD 268.18 FT ABOVE MSL.

HIGHEST WATER LEVEL 10.55 BELOW LSD, SEP. 13, 1966,

LOWEST WATER LEVEL 15.35 BELOW LSD, JAN. 12, 1971.

RECORDS AVAILABLE: 1966-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 10, 1966	12.90	SEP. 12, 1967	11.85	JAN. 13, 1969	13.65	SEP. 10, 1970	14.70
SEP. 13	10.55	JAN. 9, 1968	13.45	SEP. 17	13.50	JAN. 12, 1971	15.35
JAN. 10, 1967	13.10	SEP. 13	12.70	JAN. 14, 1970	14.15	JULY 8	14.63

6S/22E-23Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13 FT IN 1957.

LSD 261.58 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.65 BELOW LSD, SEP. 7, 1957,

LOWEST WATER LEVEL 5.80 BELOW LSD, JAN. 18, 1957.

RECORDS AVAILABLE: 1957-59.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1957	5.80	JAN. 10, 1958	4.10	JAN. 6, 1959	4.60	FEB. 3, 1959	4.55
SEP. 7	3.65	SEP. 16	4.30				

6S/22E-23R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 264.08 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.25 BELOW LSD, SEP. 19, 1924,

LOWEST WATER LEVEL 9.31 BELOW LSD, JAN. 4, 1950.

RECORDS AVAILABLE: 1924-26, 1949-51, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1924	6.45	OCT. 16, 1925	6.75	SEP. 7, 1949	9.24	FEB. 23, 1951	9.20
SEP. 19	5.25	JAN. 5, 1926	9.05	JAN. 4, 1950	9.31	SEP. 11	8.20
DEC. 27	7.85	MAR. 21	8.25	SEP. 11	8.92	SEP. 16, 1971	P
FEB. 18, 1925	7.25	JULY 19, 1949	6.99				

6S/22E-24J1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 264.10 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.46 BELOW LSD, OCT. 16, 1925,
 LOWEST WATER LEVEL 7.66 BELOW LSD, APR. 28, 1927, MAY 31, 1927.
 RECORDS AVAILABLE: 1923-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 30, 1923	4.96	FEB. 18, 1925	5.36	MAR. 22, 1926	6.76	APR. 23, 1929	6.73
JAN. 22, 1924	5.26	OCT. 16	4.46	APR. 28, 1927	7.66	JULY 15	6.53
SEP. 19	4.96	JAN. 5, 1926	6.76	MAY 31	7.66	SEP. 28, 1971	P

6S/22E-24J2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 263.60 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.79 BELOW LSD, JULY 23, 1923,
 LOWEST WATER LEVEL 9.49 BELOW LSD, JUNE 18, 1929.
 RECORDS AVAILABLE: 1922-26, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 5, 1922	5.39	MAY 20, 1924	4.79	FEB. 16, 1925	6.09	MAR. 22, 1926	6.39
JULY 23, 1923	2.79	JUNE 17	4.99	APR. 16	5.19	APR. 23, 1929	7.99
NOV. 16	4.69	JULY 15	4.79	JUNE 10	6.59	JUNE 18	9.49
JAN. 22, 1924	5.19	SEP. 19	6.89	JULY 21	6.69	JULY 15	8.69
MAR. 18	5.19	OCT. 12	6.79	OCT. 16	4.59	SEP. 28, 1971	P
APR. 17	4.99	DEC. 27	6.29	JAN. 5, 1926	6.99		

6S/22E-24N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 264.01 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.05 BELOW LSD, SEP. 15, 1939,
 DRY, WATER LEVEL NOT MEASUREABLE, MAR. 12, 1941, SEP. 17, 1947.
 RECORDS AVAILABLE: 1922-74, 1936-48, 1952-57, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 24, 1922	7.71	JAN. 4, 1939	7.55	JAN. 5, 1945	6.95	SEP. 26, 1953	8.88
NOV. 30, 1923	6.38	SEP. 15	4.05	JULY 3	6.45	JAN. 29, 1954	9.30
FEB. 16, 1924	7.38	FEB. 2, 1940	5.95	MAR. 29, 1946	6.35	SEP. 27	8.30
JUNE 17	6.18	SEP. 26	6.05	SEP. 4	7.07	JAN. 28, 1955	8.70
JULY 30, 1936	7.80	MAR. 12, 1941	F	JAN. 8, 1947	7.83	SEP. 26	7.50
DEC. 22	7.55	OCT. 1	7.65	SEP. 17	F	JAN. 26, 1956	8.20
JAN. 29, 1937	7.50	JAN. 26, 1942	7.75	JAN. 9, 1948	9.15	SEP. 25	7.87
SEP. 16	6.80	SEP. 9	6.85	JAN. 30, 1952	8.53	JAN. 5, 1957	8.37
JAN. 4, 1938	7.55	JAN. 11, 1943	7.55	SEP. 30	8.58	SEP. 16, 1971	P
OCT. 15	7.25	OCT. 18, 1944	6.85	FEB. 26, 1953	9.18		

6S/22E-24P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 263.80 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.44 BELOW LSD, APR. 16, 1925, JULY 21, 1925, OCT. 16, 1925,
 DRY, WATER LEVEL NOT MEASUREABLE, JUNE 18, 1929.
 RECORDS AVAILABLE: 1922-25, 1927, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 6, 1922	5.94	MAY 20, 1924	5.74	OCT. 16, 1924	6.34	JULY 21, 1925	5.44
JUNE 27, 1923	5.84	JUNE 17	6.04	DEC. 27	7.24	OCT. 16	5.44
NOV. 16	5.74	JULY 15	5.54	FEB. 16, 1925	6.24	MAY 3, 1927	8.64
JAN. 22, 1924	6.24	AUG. 16	6.04	APR. 16	5.44	JUNE 18, 1929	F
MAR. 18	6.24	SEP. 19	5.94	JUNE 11	5.64	SEP. 21, 1971	P
APR. 17	5.54						

6S/22E-24RI S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 265.22 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.80 BELOW LSD, AUG. 9, 1918, SEP. 1, 1918,

LOWEST WATER LEVEL 6.30 BELOW LSD, MAY 28, 1918.

RECORDS AVAILABLE: 1918, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 28, 1918	6.3	JULY 6, 1918	6.0	SEP. 1, 1918	5.8	SEP. 28, 1971	P
JUNE 5	6.1	AUG. 9	5.8	OCT. 18	5.9		

6S/22E-25A2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 264.07 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.12 BELOW LSD, AUG. 3, 1923,

LOWEST WATER LEVEL 8.42 BELOW LSD, JAN. 5, 1926.

RECORDS AVAILABLE: 1918-19, 1922-26, 1929, 1936-37.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	6.08	NOV. 30, 1923	5.22	JAN. 5, 1926	8.42	DEC. 22, 1936	4.3
MAR. 1, 1919	6.87	JAN. 22, 1924	5.82	MAR. 22	7.02	JAN. 29, 1937	5.5
JUNE 16	5.67	SEP. 19	5.32	APR. 23, 1929	7.97	JULY 3	5.65
SEP. 5, 1922	5.87	APR. 16, 1925	4.92	JUNE 18	8.37	AUG. 3	P
AUG. 3, 1923	4.12	OCT. 16	5.12	NOV. 18, 1936	5.05		

6S/22E-25F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 263 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.86 BELOW LSD, JULY 28, 1923,

LOWEST WATER LEVEL 6.86 BELOW LSD, SEP. 6, 1922.

RECORDS AVAILAHLE: 1921-23.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 28, 1921	6.16	SEP. 6, 1922	6.86	JULY 28, 1923	5.86	NOV. 20, 1923	P

6S/22E-25H1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 263.60 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.37 BELOW LSD, NOV. 30, 1923,

LOWEST WATER LEVEL 6.07 BELOW LSD, JAN. 12, 1924, FEB. 28, 1925.

RECORDS AVAILABLE: 1923-25, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 30, 1923	5.37	SEP. 20, 1924	5.47	OCT. 16, 1925	5.47	SEP. 28, 1971	P
JAN. 12, 1924	6.07	FEB. 28, 1925	6.07				

6S/22E-25N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 261.70 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.07 BELOW LSD, JAN. 6, 1959,

LOWEST WATER LEVEL 10.41 BELOW LSD, SEP. 30, 1916.

RECORDS AVAILABLE: 1916, 1957-60, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1916	10.41	JAN. 10, 1958	5.73	JAN. 6, 1959	4.07	JAN. 2, 1960	8.00
JAN. 29, 1957	6.93	SEP. 17	7.17	SEP. 9	7.57	OCT. 5, 1971	P
SEP. 7	5.58						

6S/22E-25N2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 261.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.49 BELOW LSD, MAY 1, 1919,

LOWEST WATER LEVEL 4.54 BELOW LSD, MAY 3, 1927.

RECORDS AVAILABLE: 1918-20, 1922-25, 1927, 1950-57, 1971.

DATE	WATER LEVEL						
NOV. 14, 1918	4.59	FEB. 5, 1924	6.82	JAN. 23, 1951	9.20	SEP. 28, 1954	7.40
APR. 1, 1919	3.59	SEP. 20	6.02	SEP. 11	8.10	JAN. 29, 1955	8.40
MAY 1	3.49	FEB. 23, 1925	6.82	JAN. 23, 1952	8.30	SEP. 27	7.40
MAR. 4, 1920	7.90	OCT. 17	6.02	SEP. 30	7.80	JAN. 27, 1956	8.10
SEP. 6, 1922	8.52	MAY 3, 1927	9.54	JAN. 28, 1953	8.90	SEP. 25	7.55
JULY 6, 1923	5.92	JAN. 4, 1950	8.59	SEP. 26	8.10	JAN. 5, 1957	7.95
NOV. 16	6.22	SEP. 12	7.31	JAN. 14, 1954	8.90	OCT. 5, 1971	P

6S/22E-2501 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 262.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.05 BELOW LSD, SEP. 20, 1924, OCT. 17, 1925,

LOWEST WATER LEVEL 9.02 BELOW LSD, JULY 16, 1929.

RECORDS AVAILABLE: 1921-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 28, 1921	6.40	SEP. 20, 1924	6.05	JAN. 6, 1926	8.35	APR. 30, 1929	8.92
SEP. 6, 1922	6.75	FEB. 23, 1925	6.65	MAR. 22	7.85	JULY 16	9.02
NOV. 16, 1923	6.25	APR. 16	6.35	MAY 3, 1927	8.55	OCT. 5, 1971	P
JAN. 23, 1924	7.05	OCT. 17	6.05				

6S/22E-26A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 265.39 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.68 BELOW LSD, SEP. 4, 1948,

LOWEST WATER LEVEL 10.65 BELOW LSD, JAN. 3, 1949.

RECORDS AVAILABLE: 1948-49, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1948	10.53	SEP. 4, 1948	9.68	JAN. 3, 1949	10.65	SEP. 21, 1971	P

6S/22E-26B1 S. RECORDS PRIOR TO 7/8/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.7 FT IN 1971.

LSD 262.44 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.30 BELOW LSD, SEP. 14, 1963,

LOWEST WATER LEVEL 10.60 BELOW LSD, JAN. 12, 1971.

RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
JAN. 6, 1959	5.46	SEP. 13, 1962	7.80	JAN. 8, 1966	8.05	JAN. 13, 1969	8.75
SEP. 9	7.70	JAN. 15, 1963	8.00	SEP. 13	7.00	SEP. 17	8.80
JAN. 14, 1960	8.30	SEP. 14	5.30	JAN. 10, 1967	8.85	JAN. 14, 1970	9.50
SEP. 9	7.90	JAN. 8, 1964	8.05	SEP. 12	8.25	SEP. 10	10.20
FEB. 9, 1961	8.60	SEP. 5	7.10	JAN. 9, 1968	9.00	JAN. 12, 1971	10.60
SEP. 30	7.00	JAN. 7, 1965	8.35	SEP. 13	7.85	JULY 8	9.78
JAN. 10, 1962	6.30	SEP. 9	6.95				

6S/22E-26B2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1961. 11.0 FT IN 1971.
 LSD 262.55 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.59 BELOW LSD, SEP. 9, 1965,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 14, 1960.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 22, 1959	7.70	JAN. 10, 1962	8.84	JAN. 7, 1965	8.24	JAN. 9, 1968	9.89
SEP. 9	8.30	SEP. 13	8.84	SEP. 9	5.59	SEP. 13	8.09
JAN. 14, 1960	F	JAN. 16, 1963	8.84	JAN. 8, 1966	8.89	JAN. 13, 1969	9.49
SEP. 10	8.10	SEP. 14	6.44	SEP. 13	7.79	SEP. 10	8.24
APR. 19, 1961	8.84	JAN. 8, 1964	7.14	JAN. 10, 1967	9.64	JAN. 14, 1970	10.14
SEP. 11	7.64	SEP. 5	7.19	SEP. 12	8.69	JULY 8, 1971	7.99

6S/22E-26C1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.0 FT IN 1971.
 LSD 263.21 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.82 BELOW LSD, SEP. 5, 1964,
 LOWEST WATER LEVEL 11.02 BELOW LSD, MAY 18, 1970.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 2, 1960	10.50	JAN. 16, 1963	10.62	JAN. 8, 1966	9.67	JAN. 13, 1969	10.22
SEP. 10	9.65	SEP. 14	9.32	SEP. 13	8.97	SEP. 10	10.72
APR. 22, 1961	10.32	JAN. 8, 1964	9.82	JAN. 10, 1967	9.97	JAN. 14, 1970	10.97
SEP. 11	9.82	SEP. 5	8.82	SEP. 12	9.37	MAY 18	11.02
JAN. 10, 1962	10.22	JAN. 7, 1965	9.97	JAN. 9, 1968	10.32	JULY 8, 1971	10.77
SEP. 13	10.32	SEP. 9	8.87	SEP. 13	9.52		

6S/22E-26C2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 263.21 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.27 BELOW LSD, APR. 22, 1959,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 14, 1960.
 RECORDS AVAILABLE: 1959-60, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 22, 1959	8.27	JULY 1, 1959	9.07	NOV. 16, 1959	9.95	JAN. 14, 1960	F
MAY 20	9.37	AUG. 11	9.37	DEC. 11	10.30	SEP. 21, 1971	P
JUNE 11	9.47	SEP. 9	9.47				

6S/22E-26E1 S. WELL POINT 62-64 FT; DEPTH 76.8 FT IN 1971; NO RECORD OF DEEPENING.
 LSD 270 FT ABOVE MSL.
 HIGHEST WATER LEVEL 15.47 BELOW LSD, JUNE 10, 1968,
 LOWEST WATER LEVEL 17.50 BELOW LSD, JULY 30, 1971.
 RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 28, 1967	15.58	JUNE 1, 1967	15.48	JUNE 10, 1968	15.47	JULY 30, 1971	17.50

6S/22E-26E2 S. WELL POINT 19-21 FT; DEPTH 36.9 FT IN 1971; NO RECORD OF DEEPENING.
 LSD 270 FT ABOVE MSL.
 HIGHEST WATER LEVEL 15.12 BELOW LSD, JUNE 1, 1967, JUNE 10, 1968,
 LOWEST WATER LEVEL 17.20 BELOW LSD, JULY 30, 1971.
 RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 28, 1967	15.20	JUNE 1, 1967	15.12	JUNE 10, 1968	15.12	JULY 30, 1971	17.20

6S/22E-26E3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.0 FT IN 1971.
 LSD 262.07 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.60 BELOW LSD, SEP. 14, 1963,
 DRY, WATER LEVEL NOT MEASUREABLE, MAY 20, 1970.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
APR. 22, 1959	8.00	SEP. 13, 1962	9.70	SEP. 9, 1965	8.40	SEP. 13, 1968	8.20
SEP. 9	8.40	JAN. 16, 1963	9.60	JAN. 8, 1966	9.10	JAN. 13, 1969	9.60
JAN. 14, 1960	9.40	SEP. 14	7.60	SEP. 13	7.85	SEP. 10	10.30
SEP. 10	8.85	JAN. 8, 1964	9.10	JAN. 10, 1967	9.30	JAN. 14, 1970	10.90
FEB. 11, 1961	9.50	SEP. 5	7.95	SEP. 12	8.25	MAY 20	F
SEP. 11	8.30	JAN. 7, 1965	9.30	JAN. 9, 1968	9.55	JULY 8, 1971	10.38
JAN. 10, 1962	9.60						

6S/22E-26G1 S. WELL POINT 77-79 FT; DEPTH 69.25 FT IN 1971.
 LSD 260 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.55 BELOW LSD, JUNE 10, 1968,
 LOWEST WATER LEVEL 9.03 BELOW LSD, MAR. 28, 1967.
 RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 28, 1967	9.03	JUNE 1, 1967	8.95	JUNE 10, 1968	8.55	JULY 8, 1971	8.84

6S/22E-26G2 S. WELL POINT 19-21 FT; DEPTH 21.0 FT IN 1971.
 LSU 260 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.44 BELOW LSD, JUNE 10, 1968,
 LOWEST WATER LEVEL 8.85 BELOW LSU, JUNE 1, 1967.
 RECORDS AVAILABLE: 1967-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 28, 1967	8.50	JUNE 1, 1967	8.85	JUNE 10, 1968	8.44	JULY 8, 1971	8.75

6S/22E-26G3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1965, 12.2 FT IN 1971.
 LSD 262.69 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.30 BELOW LSD, SEP. 9, 1965,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 14, 1960.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
APR. 22, 1959	8.50	SEP. 13, 1962	9.15	SEP. 9, 1965	6.30	SEP. 13, 1968	8.25
SEP. 9	8.90	JAN. 16, 1963	9.05	JAN. 8, 1966	9.50	JAN. 13, 1969	8.30
JAN. 14, 1960	F	SEP. 14	7.65	SEP. 13	7.80	SEP. 10	8.30
SEP. 10	8.25	JAN. 8, 1964	7.50	JAN. 10, 1967	10.00	JAN. 14, 1970	8.15
FEB. 11, 1961	8.55	SEP. 5	7.50	SEP. 12	8.70	MAY 20	8.10
SEP. 11	8.25	JAN. 7, 1965	9.50	JAN. 9, 1968	9.15	JULY 8, 1971	10.14
JAN. 10, 1962	9.05						

6S/22E-26Q1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.1 FT IN 1971.

LSD 261.36 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.34 BELOW LSD, SEP. 11, 1961, SEP. 9, 1965.

LOWEST WATER LEVEL 10.00 BELOW LSD, JAN. 14, 1970.

RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
APR. 22, 1959	6.94	SEP. 13, 1962	7.94	SEP. 9, 1965	6.34	SEP. 13, 1968	6.80
SEP. 9	7.44	JAN. 16, 1963	8.14	JAN. 8, 1966	6.79	JAN. 13, 1969	9.35
JAN. 14, 1960	8.94	SEP. 14	6.74	SEP. 13	6.79	SEP. 10	8.60
SEP. 10	7.14	JAN. 8, 1964	6.84	JAN. 10, 1967	7.29	JAN. 14, 1970	10.00
FEB. 11, 1961	8.74	SEP. 5	6.89	SEP. 12	7.54	MAY 20	9.65
SEP. 11	6.34	JAN. 7, 1965	7.49	JAN. 10, 1968	9.49	JULY 30, 1971	8.42
JAN. 10, 1962	7.64						

6S/22E-26R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 260.60 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.87 BELOW LSD, MAY 4, 1918,

LOWEST WATER LEVEL 10.37 BELOW LSD, SEP. 30, 1916.

RECORDS AVAILABLE: 1916-18, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1916	10.37	FEB. 21, 1918	8.47	MAY 4, 1918	7.87	OCT. 26, 1971	P
AUG. 30, 1917	8.57						

6S/22E-27H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14.0 FT IN 1971.

LSD 263.57 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.40 BELOW LSD, SEP. 5, 1964,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 14, 1960.

RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
APR. 22, 1959	10.22	SEP. 13, 1962	11.12	SEP. 9, 1965	10.20	SEP. 13, 1968	10.40
SEP. 9	10.32	JAN. 16, 1963	11.52	JAN. 8, 1966	10.65	JAN. 13, 1969	11.00
JAN. 14, 1960	F	SEP. 14	9.72	SEP. 13	9.75	SEP. 10	11.80
SEP. 10	10.42	MAR. 7, 1964	10.70	JAN. 10, 1967	10.65	JAN. 14, 1970	12.30
FEB. 11, 1961	11.62	SEP. 5	9.50	SEP. 12	9.80	MAY 20	12.60
SEP. 11	10.82	JAN. 7, 1965	10.90	JAN. 9, 1968	10.95	JULY 30, 1971	12.21
JAN. 10, 1962	10.97						

6S/22E-27R1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.4 FT IN 1971.

LSD 257.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.70 BELOW LSD, AUG. 3, 1923,

LOWEST WATER LEVEL 7.75 BELOW LSD, JAN. 12, 1971.

RECORDS AVAILABLE: 1919-20, 1922-26, 1957-71.

DATE	WATER LEVEL						
APR. 5, 1919	6.10	MAR. 22, 1926	5.50	JAN. 10, 1962	6.05	JAN. 10, 1967	5.40
MAY 7	5.37	JAN. 14, 1957	3.82	SEP. 13	5.75	SEP. 12	5.15
MAR. 20, 1920	6.00	SEP. 7	3.90	JAN. 15, 1963	5.95	JAN. 10, 1968	6.00
JULY 5, 1922	4.40	JAN. 10, 1958	3.90	SEP. 17	4.85	SEP. 13	4.65
AUG. 3, 1923	3.70	SEP. 17	4.30	JAN. 8, 1964	5.70	JAN. 13, 1969	6.15
NOV. 16	4.10	JAN. 6, 1959	5.25	SEP. 5	4.90	SEP. 17	6.45
JAN. 23, 1924	4.60	SEP. 9	5.70	JAN. 7, 1965	5.70	JAN. 14, 1970	7.10
SEP. 20	4.90	JAN. 14, 1960	6.35	SEP. 9	4.90	SEP. 14	7.05
JAN. 8, 1925	5.40	SEP. 10	6.35	JAN. 8, 1966	5.60	JAN. 12, 1971	7.75
OCT. 17	4.10	FEB. 15, 1961	6.95	SEP. 13	4.50	JULY 13	7.40
JAN. 6, 1926	5.50	SEP. 20	5.65				

6S/22E-27R2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.5 FT IN 1971.

LSD 258.53 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, SEP. 13, 1966,

LOWEST WATER LEVEL 8.97 BELOW LSD, JULY 13, 1971.

RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
APR. 22, 1959	7.50	SEP. 13, 1962	7.40	SEP. 9, 1965	6.60	SEP. 13, 1968	6.75
SEP. 9	7.50	JAN. 16, 1963	7.50	JAN. 8, 1966	6.75	JAN. 13, 1969	7.25
JAN. 14, 1960	8.00	SEP. 14	7.10	SEP. 13	6.00	SEP. 10	7.80
SEP. 10	7.40	JAN. 8, 1964	7.00	JAN. 10, 1967	6.05	JAN. 14, 1970	8.40
FEB. 15, 1961	8.00	SEP. 5	6.40	SEP. 12	6.55	MAY 20	8.90
SEP. 6	7.50	JAN. 7, 1965	7.10	JAN. 10, 1968	7.10	JULY 13, 1971	8.97
JAN. 10, 1962	7.50						

6S/22E-27R3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8 FT IN 1948, 9 FT IN 1951.

LSD 259.08 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.09 BELOW LSD, SEP. 4, 1948,

LOWEST WATER LEVEL 6.78 BELOW LSD, JAN. 14, 1954.

RECORDS AVAILABLE: 1948-57, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1948	5.36	SEP. 12, 1950	5.22	JAN. 28, 1953	6.68	SEP. 27, 1955	5.58
SEP. 4	5.09	FEB. 24, 1951	5.98	SEP. 26	6.18	JAN. 27, 1956	5.58
JAN. 3, 1949	6.28	SEP. 11	5.43	JAN. 14, 1954	6.78	SEP. 25	5.58
SEP. 7	6.26	JAN. 24, 1952	6.53	SEP. 28	5.68	JAN. 5, 1957	5.68
JAN. 4, 1950	5.61	SEP. 30	5.38	JAN. 28, 1955	5.68	JULY 18, 1971	P

6S/22E-28G1 S. PERFORATED 282-535 FT.

LSD 362 FT ABOVE MSL.

HIGHEST WATER LEVEL 110.00 BELOW LSD, FEB. 9, 1966,

LOWEST WATER LEVEL 112.00 BELOW LSD, FEB. 19, 1965.

RECORDS AVAILABLE: 1965-66, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1965	112. G	FEB. 9, 1966	110. E	JULY 28, 1971	N		

6S/22E-28H1 S. PERFORATED 220-300 FT.

LSD 355 FT ABOVE MSL.

HIGHEST WATER LEVEL 107.06 BELOW LSD, SEP. 8, 1971,

LOWEST WATER LEVEL 107.06 BELOW LSD, SEP. 8, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 8, 1971	107.06						

6S/22E-29D1 S. PERFORATED 173-193 FT.

LSD 395 FT ABOVE MSL.

HIGHEST WATER LEVEL 141.48 BELOW LSD, APR. 5, 1961,

LOWEST WATER LEVEL 145.18 BELOW LSD, JULY 15, 1971.

RECORDS AVAILABLE: 1942, 1961, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY , 1942	142. G	APR. 5, 1961	141.48	JULY 15, 1971	145.18		

6S/22E-29G1 S. PERFORATED 202-270, 342-350 FT. DEPTH 272.5 FT IN 1971.

LSD 395 FT ABOVE MSL.

HIGHEST WATER LEVEL 138.68 BELOW LSD, JUNE 9, 1961,

LOWEST WATER LEVEL 141.74 BELOW LSD, JULY 14, 1971.

RECORDS AVAILABLE: 1943, 1961, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. , 1943	140.	G APR. 4, 1961	138.78	JUNE 9, 1961	138.68	JULY 14, 1971	141.78

6S/22E-29J1 S. PERFORATED 190-243 FT.

LSD 389 FT ABOVE MSL.

HIGHEST WATER LEVEL 134.96 BELOW LSD, JUNE 9, 1961,

LOWEST WATER LEVEL 137.82 BELOW LSD, JULY 14, 1971.

RECORDS AVAILABLE: 1943, 1961, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. , 1943	137.5	G JUNE 9, 1961	134.96	JULY 14, 1971	137.82		

6S/22E-31K1 S.

LSD 387 FT ABOVE MSL.

HIGHEST WATER LEVEL 139.59 BELOW LSD, JULY 15, 1971,

LOWEST WATER LEVEL 139.59 BELOW LSD, JULY 15, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1971	139.59						

6S/22E-32F1 S. PERFORATED 195-230 FT; DEPTH 190.5 FT IN 1971.

LSD 388 FT ABOVE MSL.

HIGHEST WATER LEVEL 135.54 BELOW LSD, NOV. 21, 1961,

LOWEST WATER LEVEL 139.15 BELOW LSD, JULY 14, 1971.

RECORDS AVAILABLE: 1943, 1961-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. , 1943	137.	G SEP. 25, 1961	135.62	MAR. 26, 1962	135.72	SEP. 13, 1962	135.86
MAR. 7, 1961	135.90	OCT. 18	136.02	APR. 23	136.08	OCT. 11	135.84
APR. :	135.98	NOV. 21	135.54	MAY 24	136.04	NOV. 8	135.86
MAY 23	136.04	DEC. 20	135.70	JUNE 20	136.11	DEC. 13	135.80
JULY 6	136.20	JAN. 22, 1962	135.92	JULY 19	135.94	JAN. 9, 1963	135.95
AUG. 24	135.75	FEB. 19	135.96	AUG. 16	135.91	JULY 14, 1971	139.15

6S/22E-32K1 S. PERFORATED 112-117, 268-274, 332-338, 426-442, 450-452, 462-464 FT.

LSD 360 FT ABOVE MSL.

HIGHEST WATER LEVEL 112.00 BELOW LSD, OCT. 27, 1953,

LOWEST WATER LEVEL 117.00 BELOW LSD, MAY 23, 1961.

RECORDS AVAILABLE: 1953-54, 1961, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 27, 1953	112.	G JULY 15, 1954	114.	G MAY 23, 1961	117.	G AUG. 1, 1972	N

6S/22E-32K2 S. DEPTH 173.3 FT IN 1972.

LSD 370 FT ABOVE MSL.

HIGHEST WATER LEVEL 125.40 BELOW LSD, AUG. 1, 1972,

LOWEST WATER LEVEL 125.40 BELOW LSD, AUG. 1, 1972.

RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 1, 1972	125.8						

6S/22E-32K1 S. PERFORATED 120-123, 402-408, 479-488 FT.

LSD 332 FT ABOVE MSL.

HIGHEST WATER LEVEL 82.17 BELOW LSD, AUG. 24, 1961,

LOWEST WATER LEVEL 85.55 BELOW LSD, JULY 15, 1971.

RECORDS AVAILABLE: 1947, 1961, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 23, 1961	84. G	AUG. 24, 1961	82.17	SEP. 19, 1961	82.30	JULY 15, 1971	85.55
	82.70						

6S/22E-34B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 257.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.20 BELOW LSD, MAY 4, 1916,

LOWEST WATER LEVEL 9.30 BELOW LSD, SEP. 30, 1916.

RECORDS AVAILABLE: 1916-18, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
Sep. 30, 1916	9.30	FEB. 21, 1918	7.50	MAY 4, 1918	7.20	OCT. 7, 1971	P
AUG. 30, 1917	8.50						

6S/22E-34G1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1965, 10.6 FT IN 1971.

LSD 258.15 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.20 BELOW LSD, SEP. 13, 1966,

LOWEST WATER LEVEL 9.90 BELOW LSD, JULY 13, 1971.

RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1965	6.80	JAN. 11, 1967	7.15	JAN. 13, 1969	8.10	SEP. 14, 1970	9.80
DEC. 24	7.20	SEP. 12	6.85	SEP. 17	8.10	JAN. 12, 1971	9.70
JAN. 8, 1966	7.40	JAN. 10, 1968	7.45	JAN. 14, 1970	8.60	JULY 13	9.90
SEP. 13	6.20	SEP. 13	8.25				

6S/22E-34J1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 258.26 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.33 BELOW LSD, AUG. 3, 1923,

LOWEST WATER LEVEL 10.00 BELOW LSD, AUG. 30, 1917.

RECORDS AVAILABLE: 1917-20, 1923-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 30, 1917	10.00	MAR. 20, 1920	7.67	FEB. 25, 1925	6.23	MAY 2, 1927	8.03
FEB. 20, 1918	9.10	AUG. 3, 1923	5.33	OCT. 17	5.83	MAY 8, 1929	8.51
AUG. 17	8.00	DEC. 1	7.23	JAN. 7, 1926	8.03	JULY 15	9.01
FEB. 28, 1919	7.93	JAN. 23, 1924	6.33	MAR. 23	7.73	OCT. 5, 1971	P
MAY 1	7.33	OCT. 16	5.63				

65/22E-34K1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 258.82 FT ABOVE MSL.

HIGHEST WATER LEVEL 12.22 BELOW LSD, SEP. 4, 1916,

LOWEST WATER LEVEL 12.22 BELOW LSD, SEP. 4, 1916.

RECORDS AVAILABLE: 1916, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 4, 1916	12.22	OCT. 7, 1971	P				

65/22E-34L1 S. PERFORATED 350-360 FT; DEPTH 353.8 FT IN 1972.

LSD 330 FT ABOVE MSL.

HIGHEST WATER LEVEL 81.00 BELOW LSD, NOV. , 1959,

LOWEST WATER LEVEL 100.00 BELOW LSD, , 1960.

RECORDS AVAILABLE: 1959-60, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. , 1959	81. 6	, 1960	100. E	AUG. 2, 1972	93.0		

65/22E-34L2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 255.92 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.42 BELOW LSD, JAN. 8, 1947,

LOWEST WATER LEVEL 4.42 BELOW LSD, DEC. 4, 1947.

RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 31, 1946	4.02	OCT. 13, 1947	4.15	DEC. 4, 1947	4.42	JULY 8, 1948	4.11
JAN. 8, 1947	3.92	NOV. 1	4.20	JAN. 13, 1948	4.13	OCT. 5, 1971	P

65/22E-34L3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT IN 1946.

LSD 256.29 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.08 BELOW LSD, JAN. 8, 1947,

LOWEST WATER LEVEL 8.41 BELOW LSD, JAN. 14, 1954.

RECORDS AVAILABLE: 1946-61, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 31, 1946	5.79	SEP. 14, 1950	7.02	OCT. 4, 1954	7.91	SEP. 17, 1958	7.71
JAN. 8, 1947	4.08	JAN. 26, 1951	6.85	JAN. 29, 1955	7.41	JAN. 7, 1959	8.11
OCT. 13	5.08	SEP. 11	7.26	SEP. 27	7.11	SEP. 9	7.16
JAN. 13, 1948	5.16	JAN. 30, 1952	7.71	FEB. 1, 1956	7.21	JAN. 14, 1960	7.41
SEP. 10	6.57	NOV. 15	8.01	SEP. 25	6.36	SEP. 10	7.41
JAN. 6, 1949	6.88	JAN. 29, 1953	7.91	JAN. 17, 1957	6.61	FEB. 15, 1961	7.51
SEP. 10	7.40	SEP. 27	7.61	SEP. 9	6.51	SEP. 6	7.31
JAN. 7, 1950	7.35	JAN. 14, 1954	8.41	JAN. 11, 1958	6.36	OCT. 5, 1971	P

65/22E-34N1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 9.0 FT IN 1971.

LSD 255.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.35 BELOW LSD, SEP. 13, 1966,

LOWEST WATER LEVEL 8.20 BELOW LSD, JAN. 13, 1971.

RECORDS AVAILABLE: 1919, 1924-26, 1946-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 9, 1919	6.65	DEC. 31, 1946	4.62	SEP. 14, 1950	6.20	SEP. 28, 1954	6.63
MAY 6	6.55	JAN. 8, 1947	4.62	JAN. 26, 1951	6.12	JAN. 29, 1955	6.43
JULY 16, 1924	4.66	OCT. 13	4.71	SEP. 11	6.68	SEP. 27	6.03
DEC. 29	4.86	JAN. 13, 1948	4.72	JAN. 30, 1952	7.33	JAN. 27, 1956	6.23
FEB. 25, 1925	4.91	SEP. 10	5.32	OCT. 1	6.83	SEP. 25	5.18
OCT. 17	5.36	JAN. 6, 1949	6.44	JAN. 24, 1953	7.23	JAN. 17, 1957	5.37
JAN. 7, 1926	5.96	SEP. 10	6.72	SEP. 26	6.63	SEP. 18,	5.07
MAR. 23	5.56	JAN. 7, 1950	6.93	JAN. 14, 1954	7.63	JAN. 11, 1958	5.27

DATE	WATER LEVEL						
SEP. 17, 1958	6.32	JAN. 11, 1962	5.70	SEP. 9, 1965	4.25	JAN. 17, 1969	6.95
JAN. 7, 1959	6.67	SEP. 14	5.40	JAN. 8, 1966	4.85	SEP. 17	5.90
SEP. 22	5.57	JAN. 16, 1963	5.90	SEP. 13	3.35	JAN. 19, 1970	7.20
JAN. 14, 1960	6.07	SEP. 27	4.30	JAN. 11, 1967	3.40	SEP. 14	8.00
SEP. 10	5.77	JAN. 9, 1964	5.20	SEP. 13	4.60	JAN. 13, 1971	8.20
APR. 4, 1961	5.97	SEP. 8	3.55	JAN. 12, 1968	6.20	JULY 21	7.31
SEP. 1	5.00	JAN. 8, 1965	5.05	SEP. 14	6.80		

6S/22E-34P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 253.80 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.40 BELOW LSD, APR. 16, 1924,
LOWEST WATER LEVEL 6.25 BELOW LSD, MAY 6, 1929, JULY 15, 1929.
RECORDS AVAILABLE: 1922-24, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 9, 1922	4.1	MAR. 19, 1924	3.6	MAY 6, 1929	6.25	JULY 15, 1929	6.25
NOV. 11, 1923	3.9	APR. 18	3.4	JUNE 19	6.15	OCT. 5, 1971	P
JAN. 22, 1924	3.8						

6S/22E-34R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 7.7 FT IN 1925.
LSD 256.80 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.06 BELOW LSD, OCT. 14, 1925,
LOWEST WATER LEVEL 7.56 BELOW LSD, JULY 15, 1925.
RECORDS AVAILABLE: 1925-26, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 14, 1925	6.06	JAN. 7, 1926	7.46	MAY 8, 1929	7.36	JULY 15, 1929	7.56
NOV. 13	6.66	FEB. 23	7.46	JUNE 19	7.36	OCT. 5, 1971	P

6S/22E-34R2 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.1 FT IN 1971.

LSD 256.70 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.53 BELOW LSD, JAN. 30, 1947.
LOWEST WATER LEVEL 9.49 BELOW LSD, JAN. 13, 1971.
RECORDS AVAILABLE: 1947-71.

DATE	WATER LEVEL						
JAN. 30, 1947	4.53	SEP. 26, 1953	6.33	JAN. 14, 1960	7.09	JAN. 8, 1966	6.95
SEP. 18	5.29	JAN. 14, 1954	7.31	SEP. 10	6.39	SEP. 13	5.65
JAN. 9, 1948	5.71	SEP. 28	5.81	FEB. 15, 1961	7.00	JAN. 11, 1967	6.40
SEP. 17	5.20	JAN. 29, 1955	6.81	SEP. 1	5.70	SEP. 13	7.05
JAN. 3, 1949	6.28	SEP. 27	5.41	JAN. 11, 1962	6.50	JAN. 12, 1968	9.15
SEP. 8	7.15	JAN. 27, 1956	6.21	SEP. 13	6.60	SEP. 14	8.45
JAN. 5, 1950	6.59	SEP. 25	5.41	JAN. 15, 1963	6.50	JAN. 17, 1969	9.30
SEP. 12	5.58	JAN. 7, 1957	6.11	SEP. 17	5.80	SEP. 17	5.85
JAN. 23, 1951	6.13	SEP. 7	5.19	JAN. 9, 1964	5.90	JAN. 19, 1970	6.75
SEP. 11	5.83	JAN. 11, 1958	5.59	SEP. 8	6.00	SEP. 14	8.74
JAN. 30, 1952	7.23	SEP. 13	5.69	JAN. 8, 1965	6.85	JAN. 13, 1971	9.49
SEP. 30	6.13	JAN. 7, 1959	5.89	SEP. 9	6.00	JULY 21	9.26
JAN. 29, 1953	7.53	SEP. 9	6.59				

6S/22E-35A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 261.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.05 BELOW LSD, OCT. 18, 1944,

DRY, WATER LEVEL NOT MEASUREABLE, JUNE 18, 1929. DEC. 22, 1936, JAN. 29, 1937.

RECORDS AVAILABLE: 1929, 1936-44, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 18, 1929	F	JAN. 4, 1938	7.89	OCT. 26, 1941	4.25	JAN. 11, 1943	4.25
NOV. 18, 1936	7.92	SEP. 15	7.79	DEC. 23	6.65	MAR. 1	3.65
DEC. 22	F	JAN. 4, 1939	7.79	JAN. 26, 1942	3.95	OCT. 18, 1944	3.05
JAN. 29, 1937	F	OCT. 23	5.36	SEP. 9	3.75	OCT. 14, 1971	P
SEP. 18	7.99	FEB. 2, 1940	5.86				

6S/22E-35C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 259.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 10.60 BELOW LSD, SEP. 30, 1961,

LOWEST WATER LEVEL 10.60 BELOW LSD, SEP. 30, 1961.

RECORDS AVAILABLE: 1916, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1961	10.60	OCT. 14, 1971	P				

6S/22E-35D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 258.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.09 BELOW LSD, SEP. 4, 1946,

LOWEST WATER LEVEL 6.20 BELOW LSD, NOV. 18, 1936.

RECORDS AVAILABLE: 1936-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 18, 1936	6.20	SEP. 15, 1939	4.40	SEP. 9, 1942	5.00	MAR. 29, 1946	4.25
DEC. 22	5.90	FEB. 2, 1940	5.30	JAN. 11, 1943	5.90	SEP. 4	4.09
JAN. 29, 1937	5.90	SEP. 26	5.10	MAR. 1	5.80	JAN. 9, 1947	4.63
SEP. 18	5.25	JAN. , 1941	5.20	OCT. 18, 1944	5.10	SEP. 18	4.54
JAN. 4, 1938	5.50	SEP. 26	6.00	JAN. 5, 1945	5.40	JAN. 9, 1948	4.78
SEP. 15	5.90	JAN. 26, 1942	5.00	JULY 3	5.40	OCT. 14, 1971	P
JAN. 4, 1939	5.20						

6S/22E-35E1 S.

LSD 260.28 FT ABOVE MSL.

HIGHEST WATER LEVEL 13.00 BELOW LSD, SEP. 2, 1916,

LOWEST WATER LEVEL 13.00 BELOW LSD, SEP. 2, 1916.

RECORDS AVAILABLE: 1916, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 2, 1916	13.0	G	OCT. 12, 1971	P			

6S/22E-35G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 258.49 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.32 BELOW LSD, JULY 16, 1924,

LOWEST WATER LEVEL 10.83 BELOW LSD, SEP. 2, 1916.

RECORDS AVAILABLE: 1916, 1919-20, 1924-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 2, 1916	10.83	MAR. 4, 1920	6.99	FEB. 25, 1925	5.32	MAR. 23, 1926	6.02
FEB. 28, 1919	6.39	JULY 16, 1924	4.32	OCT. 17	5.02	OCT. 12, 1971	P
JUNE 24	7.29	DEC. 27	6.12	JAN. 7, 1926	7.02		

6S/22E-35H1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 259.49 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.39 BELOW LSD, FEB. 28, 1919,
 LOWEST WATER LEVEL 10.30 BELOW LSD, AUG. 29, 1917.
 RECORDS AVAILABLE: 1916-17, 1919, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 4, 1916	10.13	AUG. 29, 1917	10.30	FEB. 28, 1919	7.39	OCT. 12, 1971	P

6S/22E-35J1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 258.58 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.77 BELOW LSD, NOV. 16, 1923,
 LOWEST WATER LEVEL 7.49 BELOW LSD, AUG. 30, 1917.
 RECORDS AVAILABLE: 1917-20, 1922-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 30, 1917	7.99	MAY 9, 1919	5.93	NOV. 16, 1923	2.77	OCT. 17, 1925	2.87
FEB. 20, 1918	7.43	MAR. 4, 1920	6.0	JAN. 23, 1924	3.57	JAN. 7, 1926	5.67
NOV. 14	6.13	JULY 5, 1922	3.77	SEP. 20	3.47	FEB. 23	5.57
APR. 1, 1919	6.13	JULY 6, 1923	2.97	FEB. 25, 1925	3.87	OCT. 12, 1971	P

6S/22E-35M1 S. PERFORATED 295-310 FT.
 LSD 260 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.00 BELOW LSD, JUNE 13, 1953, FEB. 7, 1962,
 LOWEST WATER LEVEL 7.00 BELOW LSD, JUNE 13, 1953, FEB. 7, 1962.
 RECORDS AVAILABLE: 1953, 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 13, 1953	7. G	FEB. 7, 1962	7.0 G	AUG. 2, 1972	N		

6S/22E-35N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 254.92 FT ABOVE MSL.
 HIGHEST WATER LEVEL 0.15 ABOVE LSD, AUG. 2, 1946,
 LOWEST WATER LEVEL 6.68 BELOW LSD, NOV. 8, 1936.
 RECORDS AVAILABLE: 1936-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 8, 1936	6.68	SEP. 15, 1939	4.9	SEP. 9, 1942	6.13	APR. 20, 1946	1.79
JAN. 5, 1937	5.8	FEB. 28, 1940	4.9	JAN. 12, 1943	5.03	AUG. 2	.15
SEP. 18	4.75	SEP. 26	4.7	JULY 25	3.93	SEP. 4	3.46
JAN. 4, 1938	5.0	JAN. , 1941	4.7	OCT. 18, 1944	5.03	JAN. 9, 1947	3.49
OCT. 15	5.0	SEP. 26	4.6	JAN. 30, 1945	4.63	OCT. 12, 1971	P
JAN. 4, 1939	5.0	FEB. 20, 1942	4.7	JULY 3	3.33		

6S/22E-35P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 257.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.79 BELOW LSD, OCT. 14, 1925,
 LOWEST WATER LEVEL 8.09 BELOW LSD, JAN. 7, 1926.
 RECORDS AVAILABLE: 1925-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 14, 1925	6.79	JAN. 7, 1926	8.09	MAR. 25, 1926	7.39	OCT. 7, 1971	P
NOV. 13	7.49						

6S/22E-3501 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 258.83 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.60 BELOW LSD, SEP. 27, 1955.

LOWEST WATER LEVEL 8.90 BELOW LSD, JAN. 29, 1953.

RECORDS AVAILABLE: 1952-55, 1971.

DATE	WATER LEVEL						
JAN. 23, 1952	8.40	SEP. 26, 1953	7.70	SEP. 28, 1954	7.20	SEP. 27, 1955	6.60
SEP. 30	7.30	JAN. 14, 1954	8.50	JAN. 29, 1955	8.10	OCT. 7, 1971	P
JAN. 29, 1953	8.90						

6S/22E-3502 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.4 FT IN 1925.

LSD 257.70 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.56 BELOW LSD, OCT. 14, 1925,

LOWEST WATER LEVEL 5.86 BELOW LSD, MAR. 23, 1926.

RECORDS AVAILABLE: 1925-26, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 14, 1925	4.56	MAR. 23, 1926	9.86	MAY 8, 1929	9.33	JULY 15, 1929	9.73
NOV. 13	8.56	MAY 13	9.56	JUNE 14	9.53	OCT. 7, 1971	P
JAN. 7, 1926	9.46						

6S/22E-3503 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 259.68 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.73 BELOW LSD, SEP. 12, 1950,

LOWEST WATER LEVEL 9.70 BELOW LSD, JAN. 29, 1953.

RECORDS AVAILABLE: 1949-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 8, 1949	8.30	JAN. 24, 1951	9.10	JAN. 29, 1953	9.70	JAN. 29, 1955	8.30
SEP. 8	8.24	SEP. 11	7.90	OCT. 2	7.90	SEP. 27	7.90
JAN. 5, 1950	8.78	JAN. 23, 1952	9.10	JAN. 14, 1954	8.40	OCT. 12, 1971	P
SEP. 12	7.73	SEP. 30	8.00	SEP. 28	7.80		

6S/22E-3504 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 259 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.95 BELOW LSD, SEP. 11, 1951,

LOWEST WATER LEVEL 9.50 BELOW LSD, JAN. 29, 1953.

RECORDS AVAILABLE: 1949-55, 1971.

DATE	WATER LEVEL						
MAR. 22, 1949	7.62	JAN. 24, 1951	8.15	JAN. 29, 1953	9.50	JAN. 29, 1955	8.00
SEP. 8	7.62	SEP. 11	6.95	SEP. 26	7.70	SEP. 27	7.00
JAN. 5, 1950	8.00	JAN. 23, 1952	8.30	JAN. 14, 1954	8.30	OCT. 12, 1971	P
SEP. 12	7.00	SEP. 30	7.00	SEP. 28	7.30		

6S/22E-35P1 S. PERFORATED 302-326 FT.

LSD 257 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, OCT. 31, 1947,

LOWEST WATER LEVEL 9.70 BELOW LSD, AUG. 2, 1972.

RECORDS AVAILABLE: 1947, 1957, 1961-63, 1972.

DATE	WATER LEVEL						
OCT. 31, 1947	6.6	SEP. 25, 1961	7.16	MAR. 26, 1962	6.81	SEP. 20, 1962	6.66
FEB. 8, 1957	7.33G	OCT. 8	7.30	APR. 23	7.85	OCT. 11	6.80
MAY 25, 1961	6.96	NOV. 21	7.24	MAY 24	6.62	NOV. 8	6.97
JULY 6	6.19	DEC. 20	7.42	JUNE 21	6.50	DEC. 13	6.93
JULY 28	6.30	JAN. 22, 1962	7.96	JULY 19	7.90	JAN. 11, 1963	7.82
AUG. 24	7.27	FEB. 15	17.86A	AUG. 16	7.37	AUG. 2, 1972	9.28

6S/22E-35R2 S. PERFORATED 304-328 FT.
LSD 256 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.91 BELOW LSD, SEP. 20, 1962,
LOWEST WATER LEVEL 8.10 BELOW LSD, AUG. 2, 1972.
RECORDS AVAILABLE: 1947, 1957, 1961-63, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 18, 1947	6. G	OCT. 18, 1961	8.07	APR. 23, 1962	9.98A	OCT. 11, 1962	6.02
FEB. 8, 1957	7.42G	NOV. 21	6.38	MAY 25	5.94	NOV. 8	6.26
MAY 25, 1961	6.25	DEC. 20	6.65	JUNE 21	12.89A	DEC. 13	6.23
JULY 6	5.98	JAN. 22, 1962	7.25	JULY 19	6.76	JAN. 11, 1963	7.20
AUG. 24	7.24	FEB. 19	7.66	AUG. 16	21.00A	AUG. 2, 1972	8.1
SEP. 25	20.46A	MAR. 26	13.94A	SEP. 20	5.91		

6S/22E-35R3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 259.22 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.45 BELOW LSD, OCT. 14, 1925,
LOWEST WATER LEVEL 9.45 BELOW LSD, JAN. 7, 1926.
RECORDS AVAILABLE: 1925-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 14, 1925	7.45	NOV. 13, 1925	8.75	JAN. 7, 1926	9.45	OCT. 7, 1971	P

6S/22E-35R4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 261.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.16 BELOW LSD, MAY 3, 1946,
LOWEST WATER LEVEL 8.00 BELOW LSD, FEB. 26, 1945.
RECORDS AVAILABLE: 1945-46, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1945	8.0	MAR. 30, 1946	6.32	MAY 3, 1946	6.16	JULY 3, 1946	7.14
APR. 10	7.1	APR. 12	6.37	JUNE 8	6.45	OCT. 7, 1971	P
JULY 3	7.4						

6S/22E-36D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 260.64 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.78 BELOW LSD, SEP. 4, 1948,
LOWEST WATER LEVEL 8.72 BELOW LSD, JAN. 9, 1947.
RECORDS AVAILABLE: 1946-49, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 29, 1946	8.24	JAN. 9, 1947	8.72	SEP. 4, 1948	6.78	SEP. 7, 1949	8.07
SEP. 4	8.45	OCT. 8	7.16	JAN. 17, 1949	7.14	OCT. 12, 1971	P
OCT. 1	8.05	JAN. 9, 1948	7.52				

6S/22E-36D2 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
11.4 FT IN 1971.

LSD 261.51 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.86 BELOW LSD, SEP. 13, 1966,
LOWEST WATER LEVEL 9.30 BELOW LSD, JAN. 12, 1971.
RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 14, 1960	7.81	JAN. 15, 1963	6.31	JAN. 8, 1966	7.61	JAN. 13, 1969	8.11
SEP. 10	7.31	SEP. 17	6.11	SEP. 13	4.86	SEP. 17	7.61
FEB. 15, 1961	7.01	JAN. 8, 1964	6.91	JAN. 10, 1967	7.46	JAN. 14, 1970	8.11
SEP. 6	6.01	SEP. 5	6.11	SEP. 12	6.91	SEP. 14	7.01
JAN. 10, 1962	6.61	JAN. 7, 1965	6.21	JAN. 10, 1968	8.01	JAN. 12, 1971	9.30
SEP. 13	6.21	SEP. 9	5.36	SEP. 13	6.81	JULY 13	8.38

6S/22E-36H1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 263.71 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.10 BELOW LSD, AUG. 17, 1918,

LOWEST WATER LEVEL 11.40 BELOW LSD, SEP. 4, 1916.

RECORDS AVAILABLE: 1916-18, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 4, 1916	11.40	FEB. 20, 1918	10.20	JULY 18, 1918	8.30	OCT. 14, 1971	P
AUG. 29, 1917	9.60	MAY 4	9.00	AUG. 17	8.10		

6S/22E-36K1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 262.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.78 BELOW LSD, OCT. 17, 1925,

LOWEST WATER LEVEL 8.25 BELOW LSD, APR. 1, 1919.

RECORDS AVAILABLE: 1919, 1922-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1919	8.25	DEC. 1, 1923	7.98	FEB. 25, 1925	8.18	JAN. 7, 1926	8.18
MAY 15	7.85	JAN. 23, 1924	7.98	OCT. 17	6.78	OCT. 14, 1971	P
JULY 5, 1922	7.70	SEP. 20	7.38				

6S/22E-36N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 262.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.27 BELOW LSD, SEP. 30, 1952,

DRY, WATER LEVEL NOT MEASUREABLE, MAR. 1, 1943.

RECORDS AVAILABLE: 1918-19, 1922, 1924-27, 1929, 1936-43, 1948-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	10.04	MAY 7, 1929	12.28	JAN. , 1941	9.55	JAN. 23, 1951	9.57
APR. 4, 1919	10.14	JULY 15	12.18	SEP. 26	9.45	SEP. 11	8.67
MAY 6	9.74	JUNE 12, 1936	10.55	FEB. 20, 1942	8.75	JAN. 23, 1952	10.07
SEP. 9, 1922	9.35	SEP. 9	9.55	SEP. 11	8.85	SEP. 30	7.27
DEC. 3	9.75	JAN. 5, 1937	10.65	JAN. 12, 1943	8.85	JAN. 1, 1953	9.90
JAN. 23, 1924	9.35	SEP. 19	8.90	MAR. 1	F	SEP. 26	7.87
SEP. 22	9.05	JAN. 4, 1938	10.05	JAN. 9, 1948	8.94	JAN. 14, 1954	8.57
FEB. 25, 1925	9.55	SEP. 15	10.15	SEP. 4	9.04	SEP. 28	7.47
OCT. 17	9.35	JAN. 4, 1939	10.15	JAN. 3, 1949	9.71	JAN. 29, 1955	8.57
JAN. 7, 1926	11.25	SEP. 15	9.45	SEP. 8	9.41	MAR. 29	7.37
MAR. 23	11.05	FEB. 2, 1940	9.75	JAN. 5, 1950	9.83	OCT. 14, 1971	P
MAY 13, 1927	11.65	SEP. 26	9.25	SEP. 12	8.87		

6S/22E-36R1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9

FT IN 1947, 7.3 FT IN 1971.

LSD 260.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.79 BELOW LSD, SEP. 30, 1952,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 13, 1971.

RECORDS AVAILABLE: 1948-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1948	4.73	JAN. 14, 1954	5.09	JAN. 14, 1960	5.29	JAN. 8, 1966	5.10
SEP. 4	4.75	SEP. 28	4.39	SEP. 10	5.20	SEP. 13	2.90
JAN. 3, 1949	5.72	JAN. 29, 1955	5.19	FEB. 15, 1961	5.20	JAN. 11, 1967	5.30
SEP. 8	5.82	SEP. 27	3.69	SEP. 1	4.70	SEP. 13	3.80
JAN. 5, 1950	5.89	JAN. 27, 1956	4.94	JAN. 11, 1962	4.40	JAN. 12, 1968	6.20
SEP. 12	3.31	SEP. 25	3.44	SEP. 13	4.50	SEP. 14	4.85
FEB. 24, 1951	5.09	JAN. 7, 1957	4.59	JAN. 15, 1963	4.80	JAN. 17, 1969	6.55
SEP. 11	4.29	SEP. 7	4.09	SEP. 17	3.70	SEP. 17	5.10
JAN. 23, 1952	6.09	JAN. 11, 1958	5.04	JAN. 9, 1964	5.65	JAN. 19, 1970	6.80
SEP. 30	1.79	SEP. 17	4.74	SEP. 8	3.95	SEP. 14	3.45
JAN. 29, 1953	5.59	JAN. 7, 1959	5.29	JAN. 8, 1965	5.25	JAN. 13, 1971	F
SEP. 26	2.99	SEP. 9	4.99	SEP. 9	3.80	JULY 20	5.66

6S/23E-181 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 279.26 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.46 BELOW LSD, FEB. 27, 1946,
 LOWEST WATER LEVEL 7.57 BELOW LSD, SEP. 3, 1946.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1946	4.46	JAN. 3, 1947	5.66	JAN. 23, 1948	4.87	AUG. 30, 1971	P
SEP. 3	7.57	SEP. 15	6.67	JUNE 4	4.72		

6S/23E-182 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 279.52 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.78 BELOW LSD, JAN. 27, 1946,
 LOWEST WATER LEVEL 7.14 BELOW LSD, SEP. 3, 1946.
 RECORDS AVAILABLE: 1946-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 27, 1946	3.78	JAN. 3, 1947	5.14	JAN. 23, 1948	4.47	AUG. 30, 1971	P
SEP. 3	7.14	SEP. 15	6.21	SEP. 2	6.23		

6S/23E-1P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 280.10 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.72 BELOW LSD, MAY 20, 1919,
 LOWEST WATER LEVEL 4.62 BELOW LSD, MAY 20, 1919.
 RECORDS AVAILABLE: 1919, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 20, 1919	4.62	MAY 20, 1919	3.72	SEP. 14, 1971	P		

6S/23E-2A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 280.70 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.52 BELOW LSD, FEB. 26, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 12, 1946.
 RECORDS AVAILABLE: 1946-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	2.52	APR. 24, 1947	3.76	AUG. 6, 1947	3.72	AUG. 30, 1971	P
SEP. 12	F						

6S/23E-2E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 279.76 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.00 BELOW LSD, MAY 2, 1949,
 LOWEST WATER LEVEL 8.71 BELOW LSD, JAN. 28, 1955.
 RECORDS AVAILABLE: 1949-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1949	7.00	FEB. 6, 1951	7.22	JAN. 28, 1953	7.33	JAN. 28, 1955	8.71
MAY 2	6.00	SEP. 10	6.61	SEP. 25	6.63	APR. 25	7.45
MAR. 27, 1950	6.81	JAN. 22, 1952	7.51	JAN. 12, 1954	8.33	AUG. 30, 1971	P
AUG. 3	7.23	SEP. 10	6.83	SEP. 27	6.31		

6S/23E-2F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 280.26 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.13 BELOW LSD, OCT. 4, 1956.

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 9, 1949.

RECORDS AVAILABLE: 1949-59, 1971.

DATE	WATER LEVEL						
FEB. 21, 1949	7.55	JAN. 30, 1952	7.94	JAN. 28, 1955	8.54	SEP. 16, 1957	6.53
SEP. 9	F	SEP. 30	7.24	SEP. 26	7.75	JAN. 11, 1958	8.43
MAR. 27, 1950	6.91	JAN. 28, 1953	7.74	FEB. 8, 1956	8.77	SEP. 12	6.78
AUG. 3	7.88	SEP. 25	7.14	OCT. 4	6.13	JAN. 3, 1959	9.33
FEB. 6, 1951	7.44	JAN. 12, 1954	9.34	JAN. 11, 1957	9.23	AUG. 30, 1971	P
SEP. 10	6.79	SEP. 27	9.04				

6S/23E-2G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 280.06 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.06 BELOW LSD, SEP. 27, 1954.

LOWEST WATER LEVEL 8.96 BELOW LSD, JAN. 12, 1954.

RECORDS AVAILABLE: 1949-55, 1971.

DATE	WATER LEVEL						
FEB. 21, 1949	7.10	FEB. 1, 1951	7.15	JAN. 28, 1953	7.09	JAN. 28, 1955	7.89
SEP. 7	7.15	SEP. 10	6.15	SEP. 25	5.99	APR. 25	8.43
MAR. 27, 1950	6.85	JAN. 30, 1952	7.25	JAN. 12, 1954	8.96	AUG. 30, 1971	P
NOV. 27	7.15	NOV. 7	6.39	SEP. 27	5.06		

6S/23E-2H1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 281 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.17 BELOW LSD, FEB. 26, 1946.

LOWEST WATER LEVEL 5.26 BELOW LSD, MAR. 2, 1946.

RECORDS AVAILABLE: 1946, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 26, 1946	4.17	MAR. 2, 1946	5.26	AUG. 30, 1971	P		

6S/23E-2P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 277.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.13 BELOW LSD, JUNE 18, 1923,

LOWEST WATER LEVEL 8.45 BELOW LSD, JULY 15, 1929.

RECORDS AVAILABLE: 1919, 1922-26, 1929, 1971.

DATE	WATER LEVEL						
MAR. 31, 1919	4.34	NOV. 13, 1923	6.23	OCT. 15, 1925	4.43	APR. 23, 1929	8.05
MAY 1	4.24	JAN. 19, 1924	6.53	JAN. 2, 1926	5.33	JULY 15	8.45
SEP. 4, 1922	6.83	SEP. 19	7.03	MAR. 18	4.73	AUG. 30, 1971	P
JUNE 18, 1923	3.13	FEB. 17, 1925	7.53				

6S/23E-201 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 277.08 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.03 BELOW LSD, MAY 19, 1952.

LOWEST WATER LEVEL 9.22 BELOW LSD, JAN. 3, 1959.

RECORDS AVAILABLE: 1949-59, 1971.

DATE	WATER LEVEL						
FEB. 21, 1949	6.15	MAY 19, 1952	5.03	JAN. 28, 1955	7.63	SEP. 16, 1957	6.75
SEP. 7	6.10	SEP. 30	5.18	SEP. 26	7.73	JAN. 11, 1958	7.57
JAN. 4, 1950	6.13	JAN. 28, 1953	6.23	JAN. 26, 1956	7.63	SEP. 12	8.12
SEP. 11	7.29	SEP. 25	6.03	OCT. 2	7.53	JAN. 3, 1959	9.22
JAN. 22, 1951	7.28	JAN. 12, 1954	8.33	JAN. 4, 1957	7.63	AUG. 31, 1971	P
SEP. 10	6.07	SEP. 27	7.83				

6S/23E-2R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 278.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.70 BELOW LSD, MAY 20, 1919,
 LOWEST WATER LEVEL 10.62 BELOW LSD, JAN. 4, 1957.
 RECORDS AVAILABLE: 1919, 1946-57, 1971.

	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL
DATE		DATE		DATE		DATE	
MAY 20, 1919	4.70	JAN. 3, 1949	7.00	JAN. 30, 1952	8.43	JAN. 28, 1955	10.02
OCT. 10, 1946	7.62	SEP. 7	7.00	SEP. 30	6.88	SEP. 6	8.62
DEC. 3	7.88	JAN. 4, 1950	6.99	FEB. 27, 1953	7.78	JAN. 26, 1956	10.47
JAN. 3, 1947	7.66	SEP. 11	9.27	OCT. 3	9.37	SEP. 25	8.12
OCT. 7	8.66	JAN. 22, 1951	9.48	JAN. 12, 1954	10.42	JAN. 4, 1957	10.62
JAN. 2, 1948	7.28	SEP. 10	8.63	SEP. 27	8.72	AUG. 30, 1971	P
NOV. 6	6.75						

6S/23E-2R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 274.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 0.81 ABOVE LSD, SEP. 12, 1958,
 LOWEST WATER LEVEL 9.80 BELOW LSD, JAN. 12, 1954.
 RECORDS AVAILABLE: 1949-58, 1971.

	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL
DATE		DATE		DATE		DATE	
FEB. 21, 1949	5.91	MAY 19, 1952	7.40	SEP. 27, 1954	4.20	JAN. 4, 1957	8.20
SEP. 7	6.48	SEP. 30	5.60	JAN. 28, 1955	9.10	SEP. 16	2.14
JAN. 4, 1950	6.36	JAN. 28, 1953	8.10	SEP. 26	8.90	JAN. 11, 1958	2.19
SEP. 11	6.78	SEP. 25	7.00	JAN. 26, 1956	8.40	SEP. 12	+ .81
FEB. 23, 1951	6.52	JAN. 12, 1954	9.80	OCT. 2	5.10	AUG. 31, 1971	P
SEP. 10	5.67						

6S/23E-3R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 276.42 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.90 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 8.02 BELOW LSD, JAN. 17, 1958.
 RECORDS AVAILABLE: 1956-59, 1971.

	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL
DATE		DATE		DATE		DATE	
OCT. 24, 1956	6.30	SEP. 3, 1957	4.90	SEP. 23, 1958	5.32	MAR. 13, 1959	6.17
NOV. 24	7.30	JAN. 17, 1958	8.02	JAN. 3, 1959	6.97	AUG. 31, 1971	P
JAN. 9, 1957	7.40						

6S/23E-3R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 280.01 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.58 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 8.90 BELOW LSD, JAN. 9, 1957.
 RECORDS AVAILABLE: 1956-59, 1971.

	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL
DATE		DATE		DATE		DATE	
OCT. 24, 1956	7.40	SEP. 3, 1957	5.58	SEP. 23, 1958	5.94	MAR. 13, 1959	7.49
NOV. 24	8.20	JAN. 16, 1958	8.24	JAN. 3, 1959	8.49	AUG. 31, 1971	P
JAN. 9, 1957	8.90						

6S/23E-3R3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 279.93 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.05 BELOW LSD, SEP. 23, 1958,
 LOWEST WATER LEVEL 8.82 BELOW LSD, JAN. 9, 1957.
 RECORDS AVAILABLE: 1956-59, 1971.

	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL
DATE		DATE		DATE		DATE	
OCT. 24, 1956	7.82	SEP. 3, 1957	6.60	SEP. 23, 1958	6.05	MAR. 13, 1959	7.90
DEC. 13	8.02	JAN. 16, 1958	8.65	JAN. 3, 1959	8.80	AUG. 31, 1971	P
JAN. 9, 1957	8.82						

65/23E-3E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 275 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.27 BELOW LSD, MAR. 18, 1926,

LOWEST WATER LEVEL 7.17 BELOW LSD, JAN. 19, 1924.

RECORDS AVAILABLE: 1923-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 27, 1923	5.87	SEP. 19, 1924	5.57	OCT. 15, 1925	5.57	MAR. 18, 1926	5.27
JAN. 19, 1924	7.17	FEB. 13, 1925	6.57	JAN. 2, 1926	6.07	AUG. 31, 1971	P

65/23E-3G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 276.38 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.30 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 8.15 BELOW LSD, JAN. 16, 1958.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 24, 1956	6.90	SEP. 3, 1957	5.30	SEP. 23, 1958	5.80	MAR. 13, 1959	6.80
DEC. 13	7.10	JAN. 16, 1958	8.15	JAN. 3, 1959	7.70	AUG. 31, 1971	P
JAN. 9, 1957	8.05						

65/23E-3J1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 278.88 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.79 BELOW LSD, SEP. 27, 1954,

LOWEST WATER LEVEL 8.29 BELOW LSD, JAN. 12, 1954.

RECORDS AVAILABLE: 1949-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1949	6.70	FEB. 11, 1952	6.96	JAN. 28, 1955	7.19	SEP. 16, 1957	5.29
SEP. 7	7.25	SEP. 30	6.26	SEP. 26	6.29	JAN. 11, 1958	7.34
JAN. 4, 1950	6.66	JAN. 28, 1953	6.36	JAN. 26, 1956	6.99	SEP. 12	6.24
SEP. 11	8.18	SEP. 25	5.99	OCT. 2	5.79	JAN. 3, 1959	7.79
FEB. 6, 1951	7.95	JAN. 12, 1954	8.29	JAN. 4, 1957	7.29	AUG. 31, 1971	P
SEP. 10	5.30	SEP. 27	4.79				

65/23E-3K1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 276.71 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.14 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 9.66 BELOW LSD, JAN. 17, 1958.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 24, 1956	7.60	SEP. 3, 1957	6.14	SEP. 23, 1958	6.71	MAR. 13, 1959	8.16
DEC. 13	8.20	JAN. 17, 1958	9.66	JAN. 3, 1959	9.26	AUG. 31, 1971	P
JAN. 9, 1957	8.70						

65/23E-3N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 276.25 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.40 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 8.20 BELOW LSD, JAN. 2, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	5.80	SEP. 3, 1957	2.40	SEP. 23, 1958	4.65	MAR. 13, 1959	6.30
DEC. 13	6.70	JAN. 6, 1958	7.75	JAN. 2, 1959	8.20	AUG. 31, 1971	P
JAN. 9, 1957	7.35						

6S/23E-3N2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 273 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.00 BELOW LSD, SEP. 18, 1937,
LOWEST WATER LEVEL 6.27 BELOW LSD, FEB. 4, 1924.
RECORDS AVAILABLE: 1922-26, 1929, 1936-43, 1945-48, 1971.

DATE	WATER LEVEL						
SEP. 4, 1922	3.57	APR. 22, 1929	5.58	SEP. 15, 1939	3.1	FEB. 26, 1945	2.70
JULY 23, 1923	2.17	JULY 15	4.18	FEB. 2, 1940	3.0	JULY 2	3.60
NOV. 13	4.67	NOV. 18, 1936	3.35	SEP. 26	2.4	MAR. 28, 1946	2.21
FEB. 4, 1924	6.27	DEC. 22	3.70	JAN. 10, 1941	3.1	SEP. 3	2.30
SEP. 19	4.17	JAN. 29, 1937	4.70	SEP. 26	3.1	JAN. 8, 1947	2.81
FEB. 17, 1925	5.87	SEP. 18	1.00	JAN. 26, 1942	2.7	OCT. 8	2.10
OCT. 15	4.37	JAN. 4, 1938	4.2	SEP. 9	3.5	JAN. 9, 1948	2.88
JAN. 2, 1926	5.07	SEP. 15	3.0	JAN. 11, 1943	3.4	AUG. 31, 1971	P
MAR. 18	3.17	JAN. 4, 1939	2.9	APR. 21	3.2		

6S/23E-3P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 276.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.50 BELOW LSD, JULY 23, 1923,
LOWEST WATER LEVEL 10.22 BELOW LSD, APR. 22, 1929.
RECORDS AVAILABLE: 1919, 1922-27, 1929, 1956-59, 1971.

DATE	WATER LEVEL						
MAY 16, 1919	5.24	FEB. 14, 1925	9.14	APR. 22, 1929	10.22	JAN. 16, 1958	8.80
SEP. 24, 1922	7.10	OCT. 15	6.34	JULY 15	8.22	SEP. 23	8.75
JULY 23, 1923	4.50	JAN. 2, 1926	7.84	NOV. 24, 1956	7.80	JAN. 2, 1959	8.85
NOV. 13	7.00	MAR. 18	6.54	DEC. 13	8.10	MAR. 13	8.75
FEB. 4, 1924	8.64	APR. 25, 1927	8.24	JAN. 11, 1957	8.80	AUG. 31, 1971	P
SEP. 19	9.04	MAY 28	9.04	SEP. 3	5.90		

6S/23E-3Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 275.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.26 BELOW LSD, SEP. 23, 1958,
LOWEST WATER LEVEL 8.56 BELOW LSD, JAN. 2, 1959.
RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	5.83	SEP. 3, 1957	5.36	SEP. 23, 1958	5.26	MAR. 13, 1959	7.86
OCT. 13	7.13	JAN. 16, 1958	8.26	JAN. 2, 1959	8.56	AUG. 31, 1971	P
JAN. 9, 1957	7.38						

6S/23E-3R1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
DEPTH 11.08 FT IN 1971.

LSD 273.70 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.24 BELOW LSD, SEP. 27, 1954,
DRY, WATER LEVEL NOT MEASUREABLE, SEP. 17, 1947.
RECORDS AVAILABLE: 1919, 1922-27, 1936-71.

DATE	WATER LEVEL						
MAY 16, 1919	2.65	APR. 25, 1927	4.56	SEP. 26, 1941	4.04	JAN. 14, 1947	3.46
JUNE 12	3.20	NOV. 18, 1936	4.94	APR. 2, 1942	2.34	SEP. 17	F
SEP. 4, 1922	3.95	JAN. 29, 1937	4.14	SEP. 9	4.74	JAN. 9, 1948	3.81
JUNE 18, 1923	1.96	SEP. 18	3.89	JAN. 11, 1943	4.44	SEP. 4	4.30
NOV. 13	3.96	JAN. 4, 1938	4.04	APR. 23	3.74	JAN. 3, 1949	3.95
JAN. 19, 1924	5.16	SEP. 15	4.84	OCT. 17, 1944	4.04	SEP. 7	5.01
SEP. 19	4.96	JAN. 4, 1939	3.94	OEC. 21	3.71	JAN. 4, 1950	4.16
FEB. 13, 1925	5.26	SEP. 15	4.14	MAR. 24, 1945	3.01	SEP. 11	4.94
OCT. 15	2.26	FEB. 2, 1940	2.94	JULY 10	4.11	JAN. 22, 1951	4.76
JAN. 2, 1926	3.26	SEP. 26	5.14	MAR. 26, 1946	2.44	SEP. 10,	3.66
MAR. 18	2.66	JAN. 10, 1941	3.84	SEP. 3	4.94	FEB. 11, 1952	3.51

DATE	WATER LEVEL						
SEP. 29, 1952	3.12	SEP. 7, 1957	3.30	SEP. 11, 1962	4.73	SEP. 11, 1967	3.41
FEB. 28, 1953	3.95	FEB. 15, 1958	5.93	JAN. 4, 1963	5.83	JAN. 9, 1968	6.31
OCT. 8	3.84	SEP. 12	4.68	SEP. 6	4.53	SEP. 11	3.41
JAN. 12, 1954	5.24	JAN. 6, 1959	6.28	JAN. 7, 1964	6.22	JAN. 13, 1969	6.21
SEP. 27	1.24	SEP. 8	3.43	SEP. 5	3.16	SEP. 17	4.91
JAN. 28, 1955	4.64	JAN. 13, 1960	6.08	JAN. 6, 1965	5.86	JAN. 14, 1970	5.96
SEP. 26	4.14	SEP. 8	4.58	SEP. 8	3.46	SEP. 8	5.84
JAN. 26, 1956	3.94	FEB. 2, 1961	6.98	JAN. 7, 1966	6.21	JAN. 11, 1971	6.69
OCT. 4	3.54	SEP. 5	4.93	SEP. 12	2.71	JUNE 24	6.25
JAN. 4, 1957	3.49	JAN. 3, 1962	6.75	JAN. 9, 1967	5.51		

68/23E-3R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 273.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.22 BELOW LSD, APR. 12, 1919,

LOWEST WATER LEVEL 4.17 BELOW LSD, JUNE 11, 1919.

RECORDS AVAILABLE: 1919, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 31, 1919	3.62	MAY 1, 1919	3.42	JUNE 11, 1919	4.17	AUG. 31, 1971	P
APR. 12	3.22						

68/23E-4B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 272.51 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.36 BELOW LSD, JUNE 18, 1923,

LOWEST WATER LEVEL 6.16 BELOW LSD, FEB. 4, 1924.

RECORDS AVAILABLE: 1919, 1922-27, 1971.

DATE	WATER LEVEL						
MAY 7, 1919	3.2	NOV. 13, 1923	3.76	OCT. 15, 1925	3.46	APR. 25, 1927	3.96
JUNE 11	2.51	FEB. 4, 1924	6.16	JAN. 2, 1926	3.56	MAY 28	3.96
SEP. 4, 1922	3.36	SEP. 14	4.16	MAR. 18	3.26	AUG. 30, 1971	P
JUNE 18, 1923	2.36	FEB. 17, 1925	4.16				

68/23E-4D1 S. RECORDS PRIOR TO 6/30/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1971.

LSD 277.98 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.80 BELOW LSD, SEP. 6, 1963,

LOWEST WATER LEVEL 10.00 BELOW LSD, JAN. 13, 1970.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1957	9.51	JAN. 13, 1961	9.70	JAN. 6, 1965	9.05	SEP. 10, 1968	7.15
SEP. 7	7.96	SEP. 18	5.85	SEP. 6	7.45	JAN. 11, 1969	9.35
JAN. 10, 1958	9.26	JAN. 3, 1962	8.89	JAN. 7, 1966	9.80	SEP. 17	7.20
SEP. 12	6.56	SEP. 11	6.50	SEP. 10	6.90	JAN. 13, 1970	10.00
JAN. 6, 1959	9.66	JAN. 14, 1963	8.70	JAN. 7, 1967	8.55	SEP. 8	8.50
SEP. 8	8.46	SEP. 6	4.80	SEP. 9	7.45	JAN. 11, 1971	9.90
JAN. 11, 1960	9.56	JAN. 7, 1964	8.35	JAN. 8, 1968	9.15	JUNE 30	8.08
SEP. 7	7.90	SEP. 4	6.60				

65/23E-4G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 274.34 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.43 BELOW LSD, SEP. 29, 1952,
 LOWEST WATER LEVEL 6.26 BELOW LSD, JAN. 12, 1954.
 RECORDS AVAILABLE: 1949-55, 1971.

DATE	WATER LEVEL						
FEB. 22, 1949	3.42	JAN. 22, 1951	3.68	JAN. 28, 1953	3.18	JAN. 28, 1955	5.66
SEP. 8	3.25	SEP. 10	2.53	SEP. 25	6.16	SEP. 26	5.36
JAN. 7, 1950	3.95	JAN. 22, 1952	3.88	JAN. 12, 1954	6.26	AUG. 31, 1971	P
SEP. 11	3.78	SEP. 29	2.43	SEP. 27	5.66		

65/23E-4M1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 276.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.10 BELOW LSD, SEP. 19, 1924,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 28, 1955.
 RECORDS AVAILABLE: 1923-27, 1949-55, 1971.

DATE	WATER LEVEL						
NOV. 27, 1923	9.40	APR. 25, 1927	8.52	JAN. 22, 1951	7.34	JAN. 12, 1954	7.24
JAN. 19, 1924	9.40	MAY 28	8.22	SEP. 10	4.04	SEP. 27	6.24
SEP. 19	3.10	FEB. 21, 1949	7.49	JAN. 22, 1952	7.19	JAN. 28, 1955	F
FEB. 24, 1925	3.40	SEP. 7	5.94	SEP. 29	5.44	SEP. 26	4.84
OCT. 15	7.42	JAN. 4, 1950	6.72	JAN. 28, 1953	6.74	AUG. 31, 1971	P
JAN. 4, 1926	7.42	SEP. 11	6.29	SEP. 25	6.24		

65/23E-4N1 S. RECORDS PRIOR TO 6/30/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 DEPTH 12.2 FT IN 1971.
 LSD 275.97 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.45 BELOW LSD, SEP. 7, 1949,
 LOWEST WATER LEVEL 9.20 BELOW LSD, JAN. 10, 1958.
 RECORDS AVAILABLE: 1948-49, 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 4, 1948	3.85	SEP. 8, 1959	6.71	JAN. 7, 1964	7.66	JAN. 9, 1968	7.91
SEP. 4	3.96	JAN. 13, 1960	8.71	SEP. 5	5.56	SEP. 11	4.51
JAN. 3, 1949	6.23	SEP. 22	8.81	JAN. 6, 1965	7.56	JAN. 13, 1969	7.51
SEP. 7	3.45	FEB. 2, 1961	8.21	SEP. 8	5.31	SEP. 17	5.81
JAN. 10, 1957	7.83	SEP. 18	4.86	JAN. 7, 1966	7.91	JAN. 14, 1970	8.31
SEP. 7	7.33	JAN. 3, 1962	8.00	SEP. 12	5.16	SEP. 8	6.21
JAN. 10, 1958	9.20	SEP. 11	5.81	JAN. 9, 1967	7.46	JAN. 11, 1971	8.56
DEC. 19	7.00	JAN. 14, 1963	7.41	SEP. 11	4.41	JUNE 30	5.97
JAN. 6, 1959	8.31	SEP. 6	5.71				

65/23E-4Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 273 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.07 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 6.23 BELOW LSD, JAN. 9, 1924.
 RECORDS AVAILABLE: 1919, 1922-26, 1956-59, 1971.

DATE	WATER LEVEL						
MAY 17, 1919	4.34	SEP. 19, 1924	3.53	NOV. 24, 1956	4.07	SEP. 23, 1958	4.57
SEP. 4, 1922	4.30	JAN. 8, 1925	6.03	DEC. 13	5.27	JAN. 3, 1959	5.67
JULY 23, 1923	2.40	OCT. 15	4.43	JAN. 9, 1957	5.67	MAR. 13	4.47
NOV. 28	5.53	JAN. 4, 1926	5.83	SEP. 3	2.07	AUG. 31, 1971	P
JAN. 9, 1924	6.23	MAR. 18	4.03	JAN. 16, 1958	4.82		

6S/23E-4Q2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 275.94 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.45 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 7.96 BELOW LSD, JAN. 3, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	5.90	SEP. 3, 1957	2.45	SEP. 23, 1958	5.76	MAR. 13, 1959	6.26
DEC. 13	6.80	JAN. 16, 1958	7.35	JAN. 3, 1959	7.96	AUG. 31, 1971	P
JAN. 9, 1957	7.50						

6S/23E-4R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 274.53 FT ABOVE MSL.

HIGHEST WATER LEVEL 0.69 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 6.73 BELOW LSD, JAN. 9, 1967.

RECORDS AVAILABLE: 1918, 1948-59, 1964-67, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 27, 1918	3.1	SEP. 26, 1951	1.69	JAN. 26, 1956	3.54	SEP. 5, 1964	1.93
SEP. 1	2.8	JAN. 22, 1952	5.49	SEP. 25	2.44	JAN. 6, 1965	5.63
FEB. 17, 1948	4.99	SEP. 30	2.54	JAN. 4, 1957	4.79	SEP. 8	3.13
SEP. 4	2.90	JAN. 28, 1953	3.34	SEP. 3	.69	JAN. 7, 1966	6.28
JAN. 3, 1949	4.56	SEP. 25	4.44	JAN. 16, 1958	5.64	SEP. 12	3.08
SEP. 7	3.91	JAN. 12, 1954	5.54	SEP. 23	3.49	JAN. 9, 1967	6.73
JAN. 4, 1950	5.21	SEP. 27	3.44	JAN. 3, 1959	5.99	SEP. 11	4.38
SEP. 11	5.23	JAN. 28, 1955	4.34	MAR. 13	4.14	AUG. 31, 1971	P
JAN. 22, 1951	4.81	OCT. 25	2.74	JAN. 7, 1964	5.43		

6S/23E-5A1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.9 FT

IN 1971.

LSD 277.02 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.75 BELOW LSD, SEP. 11, 1968,

LOWEST WATER LEVEL 9.00 BELOW LSD, JAN. 7, 1966.

RECORDS AVAILABLE: 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1963	6.65	SEP. 8, 1965	6.50	AUG. 7, 1967	6.40	SEP. 10, 1969	6.60
DEC. 6	7.35	JAN. 7, 1966	9.00	JAN. 8, 1968	8.00	JAN. 13, 1970	8.45
JAN. 7, 1964	8.00	SEP. 10	6.20	SEP. 11	5.75	MAY 13	7.20
SEP. 4	5.85	JAN. 7, 1967	7.65	JAN. 11, 1969	7.75	JUNE 30, 1971	6.83
JAN. 6, 1965	8.30						

6S/23E-5A2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 276.96 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.90 BELOW LSD, SEP. 4, 1964,

LOWEST WATER LEVEL 8.90 BELOW LSD, JAN. 13, 1970.

RECORDS AVAILABLE: 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1963	8.20	SEP. 8, 1965	6.65	SEP. 9, 1967	6.80	SEP. 10, 1969	7.00
DEC. 6	7.35	JAN. 7, 1966	8.70	JAN. 8, 1968	8.20	JAN. 13, 1970	8.90
JAN. 7, 1964	7.90	SEP. 10	8.35	SEP. 11	6.30	MAY 13	7.60
SEP. 4	5.90	JAN. 7, 1967	7.95	JAN. 11, 1969	8.40	SEP. 1, 1971	P
JAN. 6, 1965	8.25						

6S/23E-5B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 273.40 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.89 BELOW LSD, JUNE 11, 1919,

LOWEST WATER LEVEL 8.49 BELOW LSD, SEP. 4, 1922.

RECORDS AVAILABLE: 1919, 1922-23, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 16, 1919	8.29	SEP. 4, 1922	8.49	JUNE 18, 1923	7.99	AUG. 30, 1971	P
JUNE 11	7.89						

6S/23E-5E1 S. RECORDS PRIOR TO 6/30/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 18 FT WHEN DRILLED, 17.5 FT IN 1971.

LSD 282.19 FT ABOVE MSL.

HIGHEST WATER LEVEL 14.20 BELOW LSD, JAN. 4, 1950,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 29, 1937, JAN. 14, 1939, FEB. 26, 1945, MAR. 24, 1945, JUNE 7, 1946, AUG. 21, 1946, SEP. 17, 1947, SEP. 12, 1958, JAN. 6, 1959, OCT. 6, 1959.

RECORDS AVAILABLE: 1936-39, 1945-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 1, 1936	16.8	JAN. 9, 1948	16.14	JAN. 26, 1956	15.56	JAN. 7, 1964	17.28
SEP. 9	16.90	SEP. 4,	14.55	SEP. 25	14.61	SEP. 4	16.43
DEC. 22	17.7	JAN. 3, 1949	15.17	JAN. 4, 1957	15.56	JAN. 6, 1965	16.83
JAN. 29, 1937	F	SEP. 7	15.25	SEP. 7	16.49	SEP. 8	16.33
NOV. 10	17.7	JAN. 4, 1950	14.20	JAN. 10, 1958	16.69	JAN. 7, 1966	17.23
JAN. 4, 1938	17.4	AUG. 3	16.63	SEP. 12	F	SEP. 10	16.28
SEP. 15	17.4	FEB. 6, 1951	16.38	JAN. 6, 1959	F	JAN. 7, 1967	16.83
JAN. 14, 1939	F	SEP. 11	15.78	OCT. 6	F	SEP. 9	16.88
AUG. 16	17.3	JAN. 30, 1952	16.53	JAN. 23, 1960	17.63	JAN. 8, 1968	17.03
FEB. 26, 1945	F	SEP. 30	15.73	SEP. 8	16.93	SEP. 11	16.63
MAR. 24	F	JAN. 28, 1953	16.53	FEB. 7, 1961	17.73	JAN. 11, 1969	17.13
JUNE 7, 1946	F	SEP. 25	16.86	SEP. 4	16.03	SEP. 17	16.98
AUG. 21	F	JAN. 12, 1954	16.46	JAN. 6, 1962	17.23	JAN. 13, 1970	17.33
DEC. 8	16.10	SEP. 27	16.06	SEP. 11	16.03	SEP. 9	17.63
JAN. 8, 1947	16.17	JAN. 28, 1955	16.16	JAN. 14, 1963	17.53	JAN. 11, 1971	18.23
SEP. 17	F	SEP. 26	15.16	SEP. 6	17.13	JUNE 30	16.09

6S/23E-5E2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 273 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.38 BELOW LSD, APR. 25, 1927,

DRY, WATER LEVEL NOT MEASUREABLE, MAR. 4, 1920.

RECORDS AVAILABLE: 1918-20, 1922-25, 1927, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 24, 1918	9.27	MAR. 4, 1920	F	JAN. 19, 1924	9.48	APR. 25, 1927	2.38
NOV. 14	8.80	JUNE 12, 1922	9.68	SEP. 19	8.48	MAY 28	3.08
FEB. 7, 1919	9.70	JULY 19, 1923	8.38	FEB. 13, 1925	9.68	SEP. 1, 1971	P
MAY 1	8.50	NOV. 14	8.78	OCT. 20	7.78		

6S/23E-5G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 273.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.80 BELOW LSD, SEP. 16, 1961,

LOWEST WATER LEVEL 8.26 BELOW LSD, JAN. 13, 1970.

RECORDS AVAILABLE: 1961-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 16, 1961	5.80	JAN. 7, 1964	7.86	SEP. 10, 1966	6.51	JAN. 11, 1969	7.86
DEC. 2	6.67	SEP. 4	6.91	JAN. 7, 1967	7.36	SEP. 10	6.76
JAN. 4, 1962	7.35	JAN. 6, 1965	7.61	SEP. 9	7.26	JAN. 13, 1970	8.26
SEP. 11	6.80	SEP. 8	6.96	JAN. 8, 1968	7.91	MAY 13	7.21
JAN. 15, 1963	7.00	JAN. 7, 1966	8.01	SEP. 11	7.11	AUG. 30, 1971	P
SEP. 6	6.30						

6S/23E-5H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.7 FT IN 1971.
 LSD 275.93 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.67 BELOW LSD, OCT. 7, 1963.
 LOWEST WATER LEVEL 8.95 BELOW LSD, JAN. 6, 1965.
 RECORDS AVAILABLE: 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 16, 1963	6.17	MAR. 8, 1965	6.10	JAN. 7, 1967	6.85	OCT. 7, 1968	4.20
MAY 4	5.97	APR. 9	5.75	FEB. 6	7.10	NOV. 6	5.15
JUNE 6	5.67	MAY 8	6.05	MAR. 6	6.70	DEC. 13	5.50
JULY 6	5.87	JUNE 5	5.35	APR. 7	6.75	JAN. 11, 1969	7.65
AUG. 6	4.87	JULY 9	5.75	MAY 6	6.40	FEB. 8	6.10
SEP. 6	4.97	AUG. 6	5.15	JUNE 7	5.10	MAR. 8	5.15
OCT. 7	3.67	SEP. 8	5.10	JULY 10	5.50	APR. 7	4.55
NOV. 1	5.17	OCT. 9	5.05	AUG. 7	5.00	MAY 7	5.00
DEC. 6	5.82	NOV. 4	5.30	SEP. 9	5.20	JUNE 6	5.00
JAN. 7, 1964	6.67	DEC. 4	6.15	OCT. 7	5.05	JULY 14	5.30
FEB. 6	6.92	JAN. 7, 1966	8.10	NOV. 8	5.25	AUG. 6	5.25
MAR. 6	6.87	FEB. 8	7.50	DEC. 6	5.60	SEP. 10	5.00
APR. 3	6.47	MAR. 4	7.35	JAN. 8, 1968	7.45	OCT. 8	5.95
MAY 5	5.92	APR. 7	6.85	FEB. 9	6.70	NOV. 8	5.75
JUNE 5	5.42	MAY 7	5.60	MAR. 6	5.65	DEC. 9	6.60
JULY 8	5.02	JUNE 6	5.20	APR. 6	5.40	JAN. 13, 1970	8.20
AUG. 7	4.72	JULY 7	5.15	MAY 7	5.45	FEB. 9	7.00
OCT. 10	4.35	AUG. 4	4.80	JUNE 7	5.30	MAR. 7	6.75
NOV. 6	4.85	SEP. 10	4.85	JULY 9	4.80	APR. 6	6.60
DEC. 5	5.55	OCT. 8	5.00	AUG. 12	4.50	MAY 13	5.70
JAN. 6, 1965	8.95	NOV. 11	5.50	SEP. 11	5.00	JUNE 30, 1971	5.28
FEB. 6	6.35	DEC. 5	6.00				

6S/23E-5H2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.1 FT IN 1971.
 LSD 274.37 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.12 BELOW LSD, SEP. 16, 1961,
 LOWEST WATER LEVEL 7.39 BELOW LSD, JAN. 11, 1969.
 RECORDS AVAILABLE: 1961-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 16, 1961	4.12	JAN. 7, 1964	6.62	SEP. 10, 1966	5.62	JAN. 11, 1969	7.39
DEC. 2	6.17	SEP. 4	5.52	JAN. 7, 1967	5.82	SEP. 10	5.89
JAN. 17, 1962	7.02	JAN. 6, 1965	5.42	SEP. 9	6.52	FEB. 9, 1970	7.25
SEP. 11	5.42	SEP. 8	5.77	JAN. 8, 1968	6.42	MAY 13	6.60
JAN. 15, 1963	6.92	JAN. 7, 1966	6.37	SEP. 11	6.19	JUNE 30, 1971	7.13
SEP. 6	5.72						

6S/23E-5K1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 7.5 FT IN 1971.
 LSD 273.86 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.30 BELOW LSD, SEP. 13, 1961,
 LOWEST WATER LEVEL 7.80 BELOW LSD, JAN. 13, 1960.
 RECORDS AVAILABLE: 1958-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1958	7.65	SEP. 13, 1961	3.30	JAN. 6, 1965	7.05	SEP. 11, 1968	5.70
SEP. 5	6.55	JAN. 4, 1962	6.79	SEP. 8	5.95	JAN. 11, 1969	7.10
JAN. 13, 1959	7.60	SEP. 11	4.60	JAN. 7, 1966	7.45	SEP. 10	5.40
SEP. 8	6.40	JAN. 15, 1963	7.50	SEP. 10	5.45	JAN. 13, 1970	7.45
JAN. 13, 1960	7.80	SEP. 6	5.70	JAN. 7, 1967	6.55	MAY 13	6.15
SEP. 8	6.80	JAN. 7, 1964	7.00	SEP. 9	5.90	JUNE 30, 1971	6.90
FEB. 7, 1961	7.50	SEP. 4	5.80	JAN. 8, 1968	6.95		

6S/23E-5M1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.9 FT IN 1971.
 LSD 272.49 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.10 BELOW LSD, SEP. 11, 1962,
 LOWEST WATER LEVEL 10.10 BELOW LSD, MAR. 21, 1958.
 RECORDS AVAILABLE: 1958-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1958	10.10	SEP. 13, 1961	6.20	JAN. 6, 1965	6.95	SEP. 11, 1968	6.80
SEP. 5	8.30	JAN. 4, 1962	7.39	SEP. 8	6.30	JAN. 11, 1969	7.25
JAN. 13, 1959	8.10	SEP. 11	6.10	JAN. 7, 1966	7.25	SEP. 10	6.90
SEP. 8	7.50	JAN. 15, 1963	7.80	SEP. 10	6.15	JAN. 13, 1970	6.70
JAN. 13, 1960	7.30	SEP. 6	7.20	JAN. 7, 1967	6.80	MAY 13	6.65
SEP. 8	7.20	JAN. 7, 1964	7.30	SEP. 9	6.80	JUNE 30, 1971	7.65
FEB. 7, 1961	8.00	SEP. 4	6.50	JAN. 8, 1968	7.45		

6S/23E-5N1 S. RECORDS PRIOR TO 6/30/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 7.75 FT IN 1971.
 LSD 269.57 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.87 BELOW LSD, SEP. 25, 1956,
 LOWEST WATER LEVEL 7.15 BELOW LSD, FEB. 7, 1961.
 RECORDS AVAILABLE: 1942-71.

DATE	WATER LEVEL						
JUNE 9, 1942	3.58	JAN. 4, 1950	4.89	SEP. 7, 1957	5.04	JAN. 6, 1965	5.75
SEP. 9	4.08	SEP. 11	5.19	JAN. 10, 1958	6.19	SEP. 8	4.70
JAN. 11, 1943	4.58	JAN. 22, 1951	3.59	SEP. 12	5.99	JAN. 7, 1966	5.95
APR. 21	3.48	SEP. 11	4.37	JAN. 6, 1959	6.19	SEP. 10	4.00
OCT. 17, 1944	4.08	JAN. 22, 1952	4.92	SEP. 8	6.29	JAN. 7, 1967	5.15
JAN. 5, 1945	4.08	SEP. 30	4.02	JAN. 13, 1960	5.89	SEP. 9	5.60
JULY 2	3.88	JAN. 28, 1953	5.22	SEP. 8	4.89	JAN. 8, 1968	6.35
MAR. 14, 1946	3.18	SEP. 25	4.92	FEB. 7, 1961	7.15	SEP. 11	5.60
SEP. 3	4.72	JAN. 12, 1954	4.52	SEP. 18	5.60	JAN. 11, 1969	5.85
JAN. 8, 1947	3.87	SEP. 27	4.02	JAN. 4, 1962	6.50	SEP. 17	5.10
SEP. 17	4.38	JAN. 28, 1955	4.82	SEP. 11	5.60	JAN. 13, 1970	6.00
JAN. 9, 1948	4.45	SEP. 26	2.32	JAN. 19, 1963	6.30	SEP. 9	6.25
SEP. 4	3.77	JAN. 26, 1956	3.92	SEP. 6	6.10	JAN. 11, 1971	7.00
JAN. 3, 1949	4.64	SEP. 25	1.87	JAN. 7, 1964	5.95	JUNE 30	6.20
SEP. 7	4.97	JAN. 4, 1957	3.72	SEP. 5	4.50		

6S/23E-5P1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.2 FT IN 1971.
 LSD 271.24 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.80 BELOW LSD, SEP. 5, 1964,
 LOWEST WATER LEVEL 8.00 BELOW LSD, FEB. 7, 1961.
 RECORDS AVAILABLE: 1958-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1958	7.40	SEP. 13, 1961	6.80	JAN. 6, 1965	6.45	SEP. 11, 1968	6.20
SEP. 5	7.10	JAN. 4, 1962	7.60	SEP. 8	5.50	JAN. 13, 1969	6.50
JAN. 13, 1959	7.70	SEP. 11	6.90	JAN. 7, 1966	6.60	SEP. 10	6.00
SEP. 8	6.80	JAN. 15, 1963	7.10	SEP. 12	5.00	JAN. 14, 1970	6.75
JAN. 13, 1960	7.90	SEP. 6	7.30	JAN. 9, 1967	5.40	MAY 16	5.70
SEP. 8	7.00	JAN. 7, 1964	6.80	SEP. 11	5.80	JULY 1, 1971	7.83
FEB. 7, 1961	8.00	SEP. 5	4.80	JAN. 9, 1968	6.85		

65/23E-5R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12 FT. IN 1949.

LSD 275.42 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.70 BELOW LSD, SEP. 25, 1956,

LOWEST WATER LEVEL 7.63 BELOW LSD, JAN. 22, 1951.

RECORDS AVAILABLE: 1949-57, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 19, 1949	7.03	FEB. 11, 1952	7.24	JAN. 12, 1954	6.80	JAN. 26, 1956	5.80
JAN. 4, 1950	7.45	SEP. 30	5.40	SEP. 27	5.40	SEP. 25	3.70
SEP. 11	7.09	JAN. 28, 1953	7.50	JAN. 28, 1955	7.50	JAN. 4, 1957	7.10
JAN. 22, 1951	7.63	SEP. 25	7.20	SEP. 26	5.00	JUNE 19, 1971	P
SEP. 10	5.73						

65/23E-6M1 S. RECORDS PRIDR TO 6/30/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.4 FT IN 1971.

LSD 269.31 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.40 BELOW LSD, OCT. 9, 1965,

LOWEST WATER LEVEL 9.10 BELOW LSD, JAN. 11, 1971.

RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 9, 1965	6.40	JAN. 7, 1967	6.95	JAN. 11, 1969	8.20	SEP. 9, 1970	8.75
DEC. 4	6.85	SEP. 11	7.50	SEP. 17	8.10	JAN. 11, 1971	9.10
JAN. 7, 1966	7.10	JAN. 8, 1968	7.90	JAN. 13, 1970	8.30	JUNE 30	8.88
SEP. 12	6.95	SEP. 11	7.75				

65/23E-6N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 267.67 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.93 BELOW LSD, AUG. 29, 1946,

LOWEST WATER LEVEL 7.15 BELOW LSD, JULY 5, 1961.

RECORDS AVAILABLE: 1946-49, 1961-64, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1946	3.93	JULY 2, 1948	5.50	SEP. 18, 1961	6.85	JAN. 14, 1963	6.65
DEC. 3	4.22	JAN. 3, 1949	5.56	NOV. 4	6.55	SEP. 6	6.65
JAN. 8, 1947	4.15	SEP. 7	6.52	JAN. 4, 1962	5.85	JAN. 7, 1964	6.75
SEP. 17	5.39	JULY 5, 1961	7.15	SEP. 11	5.85	JULY 13, 1971	P
JAN. 9, 1948	5.17						

65/23E-6P1 S.

LSD 268 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.06 BELOW LSD, JULY 17, 1963,

LOWEST WATER LEVEL 8.06 BELOW LSD, JULY 17, 1963.

RECORDS AVAILABLE: 1963, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 17, 1963	8.06G	SEP. 2, 1971	P				

65/23E-6Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 268.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.38 BELOW LSD, SEP. 19, 1924,

DRY, WATER LEVEL NOT MEASUREABLE, APR. 12, 1919.

RECORDS AVAILABLE: 1919, 1922-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 12, 1919	F	NOV. 26, 1923	7.28	OCT. 15, 1925	5.63	APR. 22, 1929	6.66
MAY 7	5.74	JAN. 19, 1924	5.88	JAN. 2, 1926	6.73	JUNE 18	6.56
SEP. 4, 1922	5.58	SEP. 19	4.38	APR. 25, 1927	6.73	JULY 15	6.16
JULY 19, 1923	4.58	FEB. 13, 1925	5.88	MAY 28	6.63	SEP. 1, 1971	P

65/23E-6R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 268.80 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.30 BELOW LSD, SEP. 4, 1937,

LOWEST WATER LEVEL 4.25 BELOW LSD, NOV. 18, 1936.

RECORDS AVAILABLE: 1936-41, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 18, 1936	4.25	JAN. 4, 1938	3.1	SEP. 15, 1939	3.1	JAN. 10, 1941	3.2
DEC. 22	2.9	SEP. 15	4.0	FEB. 2, 1940	3.3	SEP. 26	2.6
JAN. 29, 1937	3.3	JAN. 4, 1939	3.5	SEP. 26	3.8	AUG. 31, 1971	P
SEP. 4	2.3						

65/23E-6Z1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 266.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.79 BELOW LSD, APR. 1, 1919, MAY 1, 1919,

DRY, WATER LEVEL NOT MEASUREABLE, MAR. 4, 1920.

RECORDS AVAILABLE: 1918-20, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	6.19	APR. 1, 1919	5.79	MAR. 4, 1920	F	JULY 13, 1971	P
MAR. 1, 1919	6.60	MAY 1	5.79				

65/23E-7A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 268.22 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.52 BELOW LSD, MAY 18, 1919,

LOWEST WATER LEVEL 5.72 BELOW LSD, MAR. 4, 1920.

RECORDS AVAILABLE: 1918-20, 1922-26.

DATE	WATER LEVEL						
NOV. 14, 1918	4.9	MAR. 4, 1920	5.72	NOV. 14, 1923	4.65	FEB. 13, 1925	4.85
FEB. 7, 1919	4.32	SEP. 21, 1922	4.45	JAN. 19, 1924	4.95	OCT. 15	4.15
MAY 16	3.52	JUNE 27, 1923	4.15	SEP. 19	3.85	MAR. 18, 1926	P

65/23E-7A2 S.

LSD 271.29 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, AUG. 14, 1918,

LOWEST WATER LEVEL 8.00 BELOW LSD, APR. 24, 1918.

RECORDS AVAILABLE: 1918, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 24, 1918	8.00G	AUG. 14, 1918	7.00G	SEP. 1, 1971	P		

65/23E-7B1 S. PERFORATED 370-382 FT.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, MAY 18, 1953,

LOWEST WATER LEVEL 8.00 BELOW LSD, MAY 18, 1953.

RECORDS AVAILABLE: 1953, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 16, 1953	8. G	JULY 27, 1971	N				

6S/23E-7F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 267.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.84 BELOW LSD, DEC. 13, 1956,

LOWEST WATER LEVEL 7.86 BELOW LSD, APR. 25, 1927.

RECORDS AVAILABLE: 1919, 1922-27, 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 7, 1919	5.47	FEB. 18, 1925	5.26	MAY 31, 1927	7.26	JAN. 18, 1958	6.06
JUNE 10	5.17	OCT. 15	4.96	NOV. 24, 1956	3.94	SEP. 23	6.16
SEP. 4, 1922	5.06	JAN. 2, 1926	6.06	DEC. 13	3.84	JAN. 2, 1959	6.26
NOV. 14, 1923	5.26	MAR. 19	6.46	JAN. 9, 1957	4.04	MAR. 13	6.01
JAN. 21, 1924	5.56	APR. 25, 1927	7.86	SEP. 3	5.74	SEP. 1, 1971	P
SEP. 19	4.86						

6S/23E-7M1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 269.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.06 BELOW LSD, SEP. 19, 1924,

LOWEST WATER LEVEL 11.76 BELOW LSD, APR. 22, 1929.

RECORDS AVAILABLE: 1923-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 28, 1923	8.16	FEB. 17, 1925	8.06	MAR. 19, 1926	7.16	APR. 22, 1929	11.76
JAN. 21, 1924	8.16	OCT. 15	8.46	APR. 25, 1927	9.66	JULY 15	9.16
SEP. 19	7.06	JAN. 2, 1926	8.16	MAY 28	9.86	SEP. 1, 1971	P

6S/23E-8A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 272.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.53 BELOW LSD, JAN. 10, 1941,

LOWEST WATER LEVEL 7.64 BELOW LSD, APR. 22, 1929.

RECORDS AVAILABLE: 1918-19, 1922-27, 1929, 1936-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	6.74	JAN. 2, 1926	6.98	JAN. 4, 1938	5.13	APR. 21, 1943	3.43
MAR. 31, 1919	5.30	MAR. 18	6.08	APR. 28, 1939	4.83	OCT. 17, 1944	5.03
AUG. 4	4.50	APR. 25, 1927	6.98	SEP. 15	4.83	JAN. 5, 1945	5.13
SEP. 4, 1922	6.10	MAY 28	6.18	FEB. 2, 1940	4.93	MAR. 24	3.83
JULY 23, 1923	4.58	APR. 22, 1929	7.64	SEP. 26	4.33	AUG. 2, 1946	4.63
NOV. 14	6.98	JULY 15	7.54	JAN. 10, 1941	2.53	SEP. 6	4.03
JAN. 19, 1924	7.58	NOV. 18, 1936	4.88	SEP. 26	4.83	DEC. 3	3.66
SEP. 19	5.78	DEC. 22	4.03	JAN. 26, 1942	4.33	JAN. 8, 1947	3.84
FEB. 13, 1925	7.48	JAN. 29, 1937	6.83	SEP. 9	3.73	SEP. 17	2.86
OCT. 15	6.28	SEP. 18	4.23	JAN. 11, 1943	4.43	JULY 19, 1971	P

6S/23E-8B1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.3 FT IN 1971.

LSD 273.46 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.85 BELOW LSD, SEP. 27, 1954,

LOWEST WATER LEVEL 9.69 BELOW LSD, SEP. 11, 1962.

RECORDS AVAILABLE: 1949-55, 1958-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1949	6.65	SEP. 27, 1954	1.85	SEP. 13, 1961	9.59	SEP. 12, 1966	5.94
SEP. 7	6.46	FEB. 2, 1955	6.45	JAN. 4, 1962	9.49	JAN. 9, 1967	6.84
MAR. 27, 1950	6.99	SEP. 26	4.05	SEP. 11	9.69	SEP. 11	5.24
SEP. 11	7.24	MAR. 11, 1958	8.90	JAN. 15, 1963	8.64	JAN. 9, 1968	7.89
JAN. 22, 1951	8.65	SEP. 5	7.00	SEP. 6	7.04	SEP. 11	6.29
SEP. 10	6.85	JAN. 13, 1959	6.80	JAN. 7, 1964	7.94	JAN. 13, 1969	7.39
JAN. 22, 1952	8.05	SEP. 8	7.10	SEP. 5	6.54	SEP. 10	7.04
SEP. 29	3.85	JAN. 13, 1960	7.20	JAN. 6, 1965	7.79	JAN. 14, 1970	7.04
JAN. 28, 1953	6.25	SEP. 8	6.80	SEP. 8	6.24	MAY 16	6.94
OCT. 6	5.25	FEB. 7, 1961	7.59	JAN. 7, 1966	7.94	JULY 1, 1971	7.78
JAN. 12, 1954	4.35						

6S/23E-8E2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 270.40 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.27 BELOW LSD, JULY 19, 1923,
 LOWEST WATER LEVEL 6.50 BELOW LSD, APR. 22, 1929.
 RECORDS AVAILABLE: 1919, 1922-27, 1929, 1971.

DATE	WATER LEVEL						
MAY 7, 1919	5.35	NOV. 14, 1923	5.87	OCT. 15, 1925	6.27	APR. 22, 1929	6.50
JUNE 11	5.35	JAN. 19, 1924	6.37	JAN. 2, 1926	6.17	JULY 15	6.20
SEP. 21, 1922	6.27	SEP. 19	4.97	APR. 25, 1927	5.77	SEP. 1, 1971	P
JULY 19, 1923	4.27	FEB. 13, 1925	6.37	MAY 28	5.97		

6S/23E-8E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 267.60 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.16 BELOW LSD, JULY 19, 1923,
 DRY, WATER LEVEL NOT MEASUREABLE, JULY 15, 1929.
 RECORDS AVAILABLE: 1918-19, 1922-27, 1929, 1971.

DATE	WATER LEVEL						
NOV. 14, 1918	5.56	JULY 19, 1923	3.16	JAN. 6, 1925	5.36	MAY 28, 1927	7.46
APR. 1, 1919	4.76	NOV. 27	4.86	OCT. 15	4.96	JULY 15, 1929	F
MAY 7	5.66	JAN. 21, 1924	4.86	JAN. 4, 1926	4.96	SEP. 1, 1971	P
SEP. 21, 1922	4.66	SEP. 19	3.76	APR. 25, 1927	6.86		

6S/23E-8H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.0 FT IN 1971.
 LSD 275.04 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.51 BELOW LSD, SEP. 26, 1955,
 LOWEST WATER LEVEL 13.22 BELOW LSD, FEB. 23, 1951.
 RECORDS AVAILABLE: 1949-55, 1958-71.

DATE	WATER LEVEL						
FEB. 21, 1949	8.29	SEP. 27, 1954	7.11	SEP. 13, 1961	9.20	SEP. 12, 1966	8.37
SEP. 7	8.42	JAN. 28, 1955	8.51	JAN. 6, 1962	10.80	JAN. 9, 1967	9.45
JAN. 4, 1950	8.75	SEP. 26	6.51	SEP. 26	9.20	SEP. 11	8.10
NOV. 10	10.57	MAR. 12, 1958	10.41	JAN. 15, 1963	10.40	JAN. 9, 1968	10.85
FEB. 23, 1951	13.22	SEP. 5	10.26	SEP. 6	9.42	SEP. 11	8.35
SEP. 10	9.67	JAN. 13, 1959	10.91	JAN. 7, 1964	9.02	JAN. 13, 1969	9.90
JAN. 30, 1952	10.57	SEP. 8	9.81	SEP. 5	9.02	SEP. 10	8.00
SEP. 29	9.17	JAN. 13, 1960	11.21	JAN. 6, 1965	10.27	JAN. 14, 1970	10.90
JAN. 28, 1953	10.57	SEP. 23	10.03	SEP. 8	8.62	MAY 16	9.85
SEP. 25	8.71	FEB. 8, 1961	10.80	JAN. 7, 1966	10.37	JUNE 30, 1971	10.59
JAN. 12, 1954	8.11						

6S/23E-8L1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.0 FT IN 1971.
 LSD 270.81 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.09 BELOW LSD, SEP. 8, 1965,
 LOWEST WATER LEVEL 9.42 BELOW LSD, JULY 1, 1971.
 RECORDS AVAILABLE: 1958-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1958	7.55	SEP. 13, 1961	6.60	JAN. 6, 1965	7.39	SEP. 11, 1968	7.34
SEP. 5	7.85	FEB. 28, 1962	7.50	SEP. 8	5.09	JAN. 13, 1969	7.74
JAN. 13, 1959	8.15	SEP. 12	7.30	JAN. 7, 1966	7.64	SEP. 10	7.04
SEP. 8	7.35	JAN. 15, 1963	8.30	SEP. 12	6.04	JAN. 14, 1970	7.94
JAN. 13, 1960	8.45	SEP. 6	7.40	JAN. 9, 1967	6.74	MAY 16	6.94
SEP. 9	6.95	JAN. 7, 1964	7.70	SEP. 11	7.04	JULY 1, 1971	9.42
FEB. 8, 1961	8.65	SEP. 5	6.54	JAN. 9, 1968	8.24		

65/23E-8N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 267.60 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.27 BELOW LSD, MAY 1, 1919,

LOWEST WATER LEVEL 6.76 BELOW LSD, MAR. 19, 1926.

RECORDS AVAILABLE: 1918-19, 1922-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	5.45	JULY 23, 1923	3.43	SEP. 19, 1924	4.53	JAN. 2, 1926	5.46
JAN. 9, 1919	5.30	NOV. 27	6.33	FEB. 18, 1925	5.46	MAR. 19	6.76
MAY 1	3.27	JAN. 21, 1924	5.43	OCT. 15	4.66	SEP. 1, 1971	P
SEP. 4, 1922	4.90						

65/23E-8Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 269.80 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.23 BELOW LSD, AUG. 3, 1920,

LOWEST WATER LEVEL 5.83 BELOW LSD, MAY 7, 1919.

RECORDS AVAILABLE: 1919-20, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 7, 1919	5.83	JUNE 12, 1919	5.73	AUG. 3, 1920	5.23	SEP. 1, 1971	P

65/23E-8R1 S. RECORDS PRIOR TO 6/30/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1971.

LSD 271.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.43 BELOW LSD, SEP. 25, 1956,

DRY, WATER LEVEL NOT MEASUREABLE, OCT. 17, 1944, JAN. 5, 1945, APR. 27, 1946.

RECORDS AVAILABLE: 1922-27, 1936-46, 1950-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 4, 1922	5.66	FEB. 2, 1940	4.65	JAN. 28, 1953	4.08	SEP. 11, 1962	5.47
JULY 19, 1923	4.26	SEP. 26	4.05	SEP. 25	4.48	JAN. 14, 1963	6.57
NOV. 14	6.46	JAN. 19, 1941	3.95	JAN. 12, 1954	4.78	SEP. 14	5.37
JAN. 21, 1924	7.36	DEC. 23	4.05	SEP. 27	2.78	JAN. 8, 1964	6.52
SEP. 19	5.26	JAN. 26, 1942	4.05	JAN. 28, 1955	4.59	SEP. 5	4.67
FEB. 17, 1925	6.96	SEP. 9	3.75	SEP. 6	2.87	JAN. 7, 1965	6.82
OCT. 15	5.86	JAN. 11, 1943	4.05	JAN. 26, 1956	3.53	SEP. 8	5.02
JAN. 2, 1926	6.36	APR. 12	4.15	SEP. 25	2.43	JAN. 8, 1966	7.42
MAR. 19	5.46	OCT. 17, 1944	F	JAN. 5, 1957	4.43	SEP. 12	3.87
APR. 25, 1927	6.56	JAN. 5, 1945	F	SEP. 7	3.25	JAN. 9, 1967	6.52
MAY 31	6.46	MAR. 24	5.65	JAN. 10, 1958	5.20	SEP. 11	4.47
JULY 30, 1936	5.15	APR. 27, 1946	F	SEP. 12	4.95	JAN. 9, 1968	7.42
SEP. 9	4.95	JULY 3	4.66	JAN. 6, 1959	5.15	SEP. 11	4.32
JAN. 29, 1937	4.95	JAN. 4, 1950	4.60	SEP. 8	5.59	JAN. 13, 1969	7.17
AUG. 3	4.40	SEP. 11	5.03	JAN. 13, 1960	7.27	SEP. 17	4.77
JAN. 4, 1938	4.85	JAN. 22, 1951	5.08	SEP. 8	5.47	JAN. 14, 1970	7.67
OCT. 15	5.15	SEP. 10	3.33	FEB. 7, 1961	6.87	SEP. 9	5.57
JAN. 4, 1939	5.15	JAN. 30, 1952	4.48	SEP. 18	4.82	JAN. 12, 1971	7.77
SEP. 15	4.65	SEP. 30	3.08	JAN. 4, 1962	7.07	JUNE 30	8.70

65/23E-8R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 272.31 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.25 BELOW LSD, SEP. 26, 1955,

LOWEST WATER LEVEL 9.77 BELOW LSD, JAN. 23, 1960.

RECORDS AVAILABLE: 1949-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1949	7.40	JAN. 22, 1952	6.79	JAN. 28, 1955	6.45	JAN. 17, 1958	8.47
SEP. 7	6.28	OCT. 17	5.05	SEP. 26	4.25	SEP. 5	8.07
JAN. 4, 1950	6.82	JAN. 28, 1953	6.65	MAR. 27, 1956	5.00	JAN. 13, 1959	8.97
SEP. 11	6.40	SEP. 25	6.35	SEP. 25	4.37	SEP. 22	7.57
JAN. 22, 1951	6.70	JAN. 12, 1954	6.55	JAN. 5, 1957	6.47	JAN. 23, 1960	9.77
SEP. 11	5.55	SEP. 27	4.75	SEP. 3	6.57	SEP. 23,	7.97

6S/23E-8R2 S. (Continued)

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 25, 1961	8.57	JAN. 8, 1964	8.22	SEP. 12	5.87	JAN. 13, 1969	9.02
SEP. 11	6.77	SEP. 5	7.12	JAN. 9, 1967	8.17	SEP. 10	7.17
JAN. 6, 1962	8.87	JAN. 7, 1965	8.67	SEP. 11	7.02	JAN. 14, 1970	9.22
SEP. 12	7.57	SEP. 8	7.02	JAN. 9, 1968	9.32	APR. 7	8.27
JAN. 16, 1963	8.77	JAN. 8, 1966	9.17	SEP. 11	6.57	MAY 16, 1971	P
SEP. 14	7.77						

65/23E-9A1 S. RECORDS PRIOR TO 6/24/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
8.5 FT IN 1971.

LSD 277.40 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.70 BELOW LSD, SEP. 24, 1957,

LOWEST WATER LEVEL 10.22 BELOW LSD, NOV. 14, 1918.

RECORDS AVAILABLE: 1918-19, 1956-64, 1968-71.

DATE	WATER LEVEL						
NOV. 14, 1918	10.22	JAN. 16, 1958	8.70	SEP. 20, 1961	6.60	SEP. 11, 1968	6.70
MAR. 31, 1919	8.40	SEP. 23	6.50	JAN. 3, 1962	8.50	JAN. 13, 1969	9.65
MAY 1	7.42	JAN. 2, 1959	9.20	SEP. 11	6.30	SEP. 17	8.30
NOV. 24, 1956	9.40	SEP. 8	7.0	JAN. 4, 1963	6.80	JAN. 14, 1970	9.70
DEC. 13	9.50	JAN. 13, 1960	9.10	SEP. 6	5.50	SEP. 8	8.15
JAN. 9, 1957	8.40	SEP. 8	8.20	JAN. 7, 1964	8.30	JAN. 11, 1971	9.60
SEP. 24	4.70	FEB. 2, 1961	9.00	JAN. 8, 1968	9.25	JUNE 24	8.05

65/23E-9B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 272.94 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.16 BELOW LSD, SEP. 14, 1957,

LOWEST WATER LEVEL 5.70 BELOW LSD, APR. 22, 1929.

RECORDS AVAILABLE: 1929, 1956-59, 1971.

DATE	WATER LEVEL						
APR. 22, 1929	5.7	DEC. 13, 1956	5.16	JAN. 16, 1958	4.76	MAR. 13, 1959	4.41
JULY 15	4.0	JAN. 9, 1957	5.61	SEP. 23	4.31	SEP. 2, 1971	P
NOV. 24, 1956	3.96	SEP. 14	2.16	JAN. 2, 1959	5.56		

65/23E-9B2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 279.58 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.03 BELOW LSD, SEP. 14, 1957,

LOWEST WATER LEVEL 11.73 BELOW LSD, JAN. 2, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	9.50	SEP. 14, 1957	7.03	SEP. 23, 1958	9.43	MAR. 13, 1959	10.13
DEC. 13	9.90	JAN. 16, 1958	11.18	JAN. 2, 1959	11.73	SEP. 2, 1971	P
FEB. 1, 1957	11.33						

6S/23E-9G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 276.04 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.09 BELOW LSD, SEP. 3, 1957.

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 4, 1950.

RECORDS AVAILABLE: 1949-59, 1971.

DATE	WATER LEVEL						
MAR. 8, 1949	7.40	JAN. 22, 1952	8.99	JAN. 28, 1955	8.28	JAN. 16, 1958	9.44
SEP. 7	7.14	SEP. 24	6.82	SEP. 26	6.78	SEP. 23	8.69
JAN. 4, 1950	F	JAN. 28, 1953	7.62	NOV. 24, 1956	7.84	JAN. 2, 1959	9.59
SEP. 11	8.67	OCT. 5	8.62	JAN. 12, 1957	9.69	MAR. 13	8.94
JAN. 22, 1951	9.03	JAN. 12, 1954	9.28	SEP. 3	6.09	SEP. 2, 1971	P
SEP. 26	7.19	SEP. 27	6.28				

6S/23E-9G2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 279.27 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.70 BELOW LSD, SEP. 4, 1957.

LOWEST WATER LEVEL 12.90 BELOW LSD, DEC. 5, 1956.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 5, 1956	12.90	SEP. 4, 1957	8.70	SEP. 23, 1958	10.85	MAR. 13, 1959	11.60
JAN. 9, 1957	12.45	JAN. 16, 1958	11.65	JAN. 2, 1959	12.60	SEP. 2, 1971	P

6S/23E-9J1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 274.37 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.50 BELOW LSD, JULY 20, 1925,

LOWEST WATER LEVEL 8.00 BELOW LSD, JAN. 19, 1924.

RECORDS AVAILABLE: 1923-27, 1929, 1963, 1971.

DATE	WATER LEVEL						
NOV. 27, 1923	7.3	JULY 20, 1925	4.5	APR. 25, 1927	6.3	JULY 15, 1929	6.9
JAN. 19, 1924	8.0	OCT. 15	6.6	MAY 28	6.5	JULY 17, 1963	6.54
SEP. 19	7.1	JAN. 4, 1926	7.2	APR. 22, 1929	7.0	SEP. 2, 1971	P
FEB. 17, 1925	7.9	MAR. 18	5.8				

6S/23E-9M1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 274 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.43 BELOW LSD, OCT. 15, 1925,

LOWEST WATER LEVEL 8.93 BELOW LSD, JAN. 21, 1924, MAR. 19, 1926.

RECORDS AVAILABLE: 1923-27, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 28, 1923	8.53	FEB. 13, 1925	8.23	MAR. 19, 1926	8.93	MAY 28, 1927	8.53
JAN. 21, 1924	8.93	OCT. 15	6.43	APR. 25, 1927	8.13	SEP. 2, 1971	P
SEP. 19	7.13	JAN. 5, 1926	8.23				

6S/23E-9P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 273 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.20 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 8.26 BELOW LSD, JAN. 2, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	6.30	SEP. 3, 1957	5.20	SEP. 23, 1958	6.96	MAR. 13, 1959	7.36
DEC. 13	6.80	JAN. 16, 1958	7.61	JAN. 2, 1959	8.26	SEP. 2, 1971	P
JAN. 9, 1957	7.30						

6S/23E-9P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSU 274.79 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.70 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 9.15 BELOW LSD, JAN. 16, 1958.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	7.70	SEP. 3, 1957	6.70	SEP. 23, 1958	8.40	MAR. 13, 1959	9.06
DEC. 13	8.30	JAN. 16, 1958	9.15	JAN. 3, 1959	9.10	SEP. 2, 1971	P
JAN. 9, 1957	8.95						

6S/23E-9Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 273.92 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.55 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 8.25 BELOW LSD, JAN. 16, 1958.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	6.40	SEP. 3, 1957	5.55	SEP. 23, 1958	7.30	MAR. 13, 1959	7.65
DEC. 13	6.40	JAN. 16, 1958	8.25	JAN. 2, 1959	7.75	SEP. 2, 1971	P
JAN. 9, 1957	6.45						

6S/23E-9Q2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 277.23 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.60 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 12.50 BELOW LSD, JAN. 3, 1959.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	10.60	SEP. 3, 1957	9.60	SEP. 23, 1958	11.20	FEB. 7, 1959	11.60
DEC. 13	11.20	JAN. 16, 1958	12.05	JAN. 3, 1959	12.50	SEP. 2, 1971	P
JAN. 9, 1957	12.20						

6S/23E-10C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSU 277.07 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.64 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 9.04 BELOW LSD, JAN. 2, 1959.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	6.70	SEP. 3, 1957	3.64	SEP. 23, 1958	5.54	MAR. 13, 1959	7.39
DEC. 13	7.60	JAN. 16, 1958	8.84	JAN. 2, 1959	9.04	SEP. 2, 1971	P
JAN. 11, 1957	8.99						

6S/23E-10C2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSU 276.13 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.55 BELOW LSD, SEP. 3, 1957,
 DRY, WATER LEVEL NOT MEASUREABLE, FEB. 10, 1959.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	9.20	SEP. 3, 1957	6.55	SEP. 23, 1958	6.90	FEB. 10, 1959	F
DEC. 13	8.20	JAN. 16, 1958	9.25	JAN. 2, 1959	9.30	SEP. 2, 1971	P
JAN. 9, 1957	8.95						

6S/23E-10N1 S. RECORDS PRIOR TO 6/29/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 14.2 FT IN 1971.

LSD 274.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.40 BELOW LSD, AUG. 3, 1920,

LOWEST WATER LEVEL 10.20 BELOW LSD, JUNE 29, 1971.

RECORDS AVAILABLE: 1918-20, 1922-26, 1944-46, 1952-71.

DATE	WATER LEVEL						
NOV. 14, 1918	9.81	JULY 2, 1945	6.78	JAN. 10, 1958	8.43	JAN. 7, 1965	8.28
MAR. 28, 1919	7.21	MAR. 27, 1946	6.00	SEP. 16	7.48	SEP. 8	7.63
MAY 1	6.91	JULY 3	6.16	JAN. 6, 1959	8.83	JAN. 7, 1966	9.43
AUG. 3, 1920	5.40	JAN. 30, 1952	8.24	SEP. 8	7.93	SEP. 12	6.58
SEP. 4, 1922	6.65	SEP. 30	6.64	JAN. 13, 1960	9.53	JAN. 9, 1967	9.33
JUNE 18, 1923	5.85	JAN. 28, 1953	7.74	SEP. 8	7.93	SEP. 11	8.03
NOV. 14	7.95	SEP. 25	7.44	FEB. 8, 1961	9.33	JAN. 9, 1968	8.88
JAN. 21, 1924	9.15	JAN. 12, 1954	7.74	SEP. 20	7.83	SEP. 11	7.13
SEP. 19	7.35	SEP. 27	5.94	JAN. 3, 1962	9.33	JAN. 13, 1969	9.13
FEB. 17, 1925	9.05	JAN. 28, 1955	8.04	SEP. 11	7.73	SEP. 17	7.78
OCT. 15	7.75	SEP. 26	6.14	JAN. 5, 1963	8.33	JAN. 14, 1970	9.83
JAN. 2, 1926	8.65	JAN. 26, 1956	7.74	SEP. 14	7.63	SEP. 9	6.83
MAR. 19	7.05	SEP. 25	5.64	JAN. 7, 1964	8.73	JAN. 12, 1971	9.73
OCT. 17, 1944	6.58	JAN. 4, 1957	7.94	SEP. 5	6.68	JUNE 29	10.2
JAN. 5, 1945	6.98	SEP. 7	6.23				

6S/23E-11A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 278.28 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.65 BELOW LSD, APR. 8, 1957,

LOWEST WATER LEVEL 8.35 BELOW LSD, JAN. 17, 1957.

RECORDS AVAILABLE: 1957, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1957	8.35	APR. 8, 1957	5.65	AUG. 17, 1957	6.25	SEP. 2, 1971	P

6S/23E-11N1 S. RECORDS PRIOR TO 6/29/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 13.3 FT IN 1971.

LSD 277.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.60 BELOW LSD, SEP. 27, 1954,

DRY, WATER LEVEL NOT MEASUREABLE, JULY 3, 1946, JAN. 7, 1966.

RECORDS AVAILABLE: 1919, 1922-27, 1936, 1945-46, 1950-71.

DATE	WATER LEVEL						
APR. 1, 1919	8.67	MAY 3, 1946	8.26	JAN. 4, 1957	9.20	SEP. 5, 1964	6.04
JUNE 16	9.50	JULY 3	F	SEP. 18	7.55	JAN. 7, 1965	10.59
SEP. 5, 1922	8.66	JAN. 4, 1950	9.68	JAN. 10, 1958	9.05	SEP. 8	6.74
JUNE 18, 1923	4.66	SEP. 11	9.63	SEP. 16	8.70	JAN. 7, 1966	F
NOV. 13	8.66	JAN. 22, 1951	10.70	JAN. 6, 1959	9.85	SEP. 12	6.29
JAN. 21, 1924	9.06	SEP. 10	8.65	SEP. 8	8.74	JAN. 9, 1967	10.79
SEP. 15	8.26	JAN. 30, 1952	6.10	JAN. 23, 1960	11.44	SEP. 11	7.49
FEB. 17, 1925	9.26	SEP. 30	7.90	SEP. 8	9.84	JAN. 9, 1968	11.69
JULY 20	6.16	JAN. 28, 1953	9.20	FEB. 8, 1961	10.94	SEP. 11	8.24
MAR. 19, 1926	7.56	SEP. 25	8.20	SEP. 20	7.94	JAN. 13, 1969	10.99
APR. 25, 1927	7.66	JAN. 12, 1954	5.90	JAN. 3, 1962	11.34	SEP. 17	7.74
MAY 28	8.66	SEP. 27	4.60	SEP. 11	8.54	JAN. 14, 1970	11.89
JULY 1, 1936	8.93	JAN. 28, 1955	8.70	JAN. 5, 1963	9.54	SEP. 9	9.29
MAR. 24, 1945	7.86	SEP. 26	8.50	SEP. 14	8.44	JAN. 12, 1971	11.74
JULY 10	7.86	JAN. 26, 1956	9.50	JAN. 7, 1964	10.49	JUNE 29	10.25
MAR. 27, 1946	8.09	SEP. 25	8.10				

6S/23E-11P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 276.17 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.57 BELOW LSD, JUNE 18, 1923,
 LOWEST WATER LEVEL 11.10 BELOW LSD, MAY 7, 1919.
 RECORDS AVAILABLE: 1919, 1922-23, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 7, 1919	11.1	SEP. 5, 1922	7.37	JUNE 18, 1923	1.57	SEP. 2, 1971	P

6S/23E-11R1 S. RECORDS PRIOR TO 6/29/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 10.1 FT IN 1971.
 LSD 274.32 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.93 BELOW LSD, SEP. 5, 1964,
 LOWEST WATER LEVEL 9.93 BELOW LSD, JAN. 7, 1966.
 RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1964	8.48	JAN. 7, 1966	9.93	JAN. 9, 1968	9.73	JAN. 14, 1970	9.38
SEP. 5	3.93	SEP. 12	4.28	SEP. 11	5.23	SEP. 9	6.74
JAN. 7, 1965	8.48	JAN. 9, 1967	8.28	JAN. 13, 1969	8.73	FEB. 8, 1971	8.55
SEP. 8	4.98	SEP. 11	5.23	SEP. 17	5.18	JUNE 29	5.55

6S/23E-11R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 272.68 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.80 BELOW LSD, APR. 1, 1919,
 LOWEST WATER LEVEL 8.41 BELOW LSD, JAN. 3, 1962.
 RECORDS AVAILABLE: 1919, 1946-64, 1971.

DATE	WATER LEVEL						
APR. 1, 1919	2.8	JAN. 4, 1950	4.54	JAN. 28, 1955	5.96	JAN. 13, 1960	7.31
MAY 1	3.1	SEP. 11	5.23	SEP. 26	4.86	SEP. 8	4.51
OCT. 10, 1946	5.59	JAN. 22, 1951	6.63	JAN. 26, 1956	7.06	FEB. 8, 1961	7.51
DEC. 3	4.74	SEP. 10	5.08	SEP. 25	5.46	SEP. 20	5.61
JAN. 7, 1947	4.24	JAN. 22, 1952	5.63	JAN. 4, 1957	7.16	JAN. 3, 1962	8.41
SEP. 17	5.97	SEP. 30	3.53	SEP. 7	4.11	SEP. 11	4.61
JAN. 9, 1948	4.14	JAN. 28, 1953	3.73	JAN. 10, 1958	4.71	JAN. 5, 1963	5.31
SEP. 4	5.50	SEP. 29	4.63	SEP. 16	5.36	SEP. 14	4.89
JAN. 3, 1949	4.43	JAN. 29, 1954	5.93	JAN. 6, 1959	6.21	JAN. 7, 1964	6.84
SEP. 7	5.30	SEP. 27	3.66	SEP. 8	4.51	SEP. 2, 1971	P

6S/23E-12P1 S.
 LSD 276.10 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.59 BELOW LSD, MAY 20, 1919,
 LOWEST WATER LEVEL 3.59 BELOW LSD, MAY 20, 1919.
 RECORDS AVAILABLE: 1919, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 20, 1919	3.59G	SEP. 2, 1971	P				

6S/23E-13P1 S.
 LSD 274.60 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.33 BELOW LSD, MAY 17, 1919,
 LOWEST WATER LEVEL 5.33 BELOW LSD, MAY 17, 1919.
 RECORDS AVAILABLE: 1919, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 17, 1919	5.33G	SEP. 2, 1971	P				

6S/23E-14R1 S. RECORDS PRIOR TO 7/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

10.7 FT IN 1971.

LSD 272.12 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.60 BELOW LSD, JULY 9, 1963,

LOWEST WATER LEVEL 10.40 BELOW LSD, JAN. 6, 1962.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1957	10.15	MAR. 25, 1961	6.50	SEP. 5, 1964	6.15	JAN. 9, 1968	9.15
SEP. 9	5.80	SEP. 5	7.70	JAN. 7, 1965	8.75	SEP. 11	5.65
JAN. 10, 1958	7.00	JAN. 6, 1962	10.40	SEP. 8	5.70	JAN. 13, 1969	8.80
SEP. 16	7.36	SEP. 11	7.70	JAN. 7, 1966	9.90	SEP. 17	5.95
JAN. 6, 1959	7.46	JAN. 5, 1963	8.30	SEP. 12	5.85	JAN. 14, 1970	10.10
SEP. 8	6.06	JULY 9	3.60	JAN. 9, 1967	8.60	SEP. 9	6.50
JAN. 13, 1960	8.96	SEP. 14	7.00	JUNE 8	6.10	JAN. 12, 1971	8.50
SEP. 8	7.56	JAN. 7, 1964	8.35	SEP. 11	8.40	JULY 1	5.75

6S/23E-15A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 277.82 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.30 BELOW LSD, JAN. 26, 1942,

LOWEST WATER LEVEL 11.14 BELOW LSD, SEP. 13, 1946.

RECORDS AVAILABLE: 1936-43, 1946-49, 1971.

DATE	WATER LEVEL						
JULY 1, 1936	9.65	SEP. 15, 1939	8.7	SEP. 9, 1942	9.0	SEP. 17, 1947	10.64
DEC. 22	8.8	FEB. 2, 1940	8.2	JAN. 11, 1943	8.9	JAN. 9, 1948	10.38
JAN. 29, 1937	8.6	SEP. 26	8.7	APR. 23	8.0	NOV. 6	10.35
SEP. 13	9.0	MAR. 12, 1941	8.4	SEP. 13, 1946	11.14	JAN. 3, 1949	9.88
JAN. 4, 1938	7.7	SEP. 26	8.6	DEC. 3	10.42	SEP. 20	8.62
SEP. 15	9.5	JAN. 26, 1942	7.3	JAN. 8, 1947	10.08	SEP. 7, 1971	P
JAN. 4, 1939	8.8						

6S/23E-15C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 276.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.30 BELOW LSD, JUNE 18, 1923,

DRY. WATER LEVEL NOT MEASUREABLE, JUNE 12, 1919.

RECORDS AVAILABLE: 1919, 1922-26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 7, 1919	7.85	JUNE 18, 1923	7.30	SEP. 19, 1924	10.02	JAN. 3, 1926	9.52
JUNE 12	F	NOV. 28	10.52	FEB. 17, 1925	10.62	MAR. 19	8.82
Sep. 4, 1922	7.80	JAN. 21, 1924	11.22	OCT. 15	9.82	SEP. 2, 1971	P

6S/23E-15D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 274.42 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.30 BELOW LSD, AUG. 9, 1918,

LOWEST WATER LEVEL 6.10 BELOW LSD, OCT. 18, 1918.

RECORDS AVAILABLE: 1918, 1971.

DATE	WATER LEVEL						
MAY 27, 1918	6.0	JULY 6, 1918	5.7	SEP. 1, 1918	5.6	SEP. 7, 1971	P
JUNE 5	6.0	AUG. 9	5.3	OCT. 18	6.1		

6S/23E-15N1 S. RECORDS PRIOR TO 7/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 14 FT IN 1966, 12.40 FT IN 1971.

LSD 274.07 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.15 BELOW LSD, APR. 10, 1946,

DRY, WATER LEVEL NOT MEASUREABLE, DEC. 2, 1949.

RECORDS AVAILABLE: 1936-43, 1945-49, 1964-71.

DATE	WATER LEVEL						
NOV. 18, 1936	8.77	OCT. 10, 1941	8.42	SEP. 17, 1947	8.47	SEP. 12, 1966	8.30
DEC. 22	8.52	JAN. 26, 1942	7.62	JAN. 9, 1948	8.71	JAN. 9, 1967	10.25
JAN. 29, 1937	8.52	SEP. 9	7.52	SEP. 4	8.27	SEP. 11	8.70
SEP. 18	7.02	JAN. 11, 1943	7.12	JAN. 3, 1949	8.87	JAN. 9, 1968	10.55
JAN. 4, 1938	8.72	FEB. 25	8.22	SEP. 7	9.09	SEP. 11	7.30
SEP. 15	9.12	APR. 21	7.92	DEC. 2	F	JAN. 13, 1969	10.15
JAN. 4, 1939	8.22	FEB. 26, 1945	7.99	JAN. 7, 1964	11.45	SEP. 17	9.25
SEP. 15	7.32	MAR. 24	7.99	SEP. 5	9.05	JAN. 14, 1970	10.80
FEB. 2, 1940	8.02	APR. 10, 1946	6.15	JAN. 7, 1965	11.45	SEP. 10	8.70
SEP. 26	8.52	SEP. 3	8.75	SEP. 8	8.05	JAN. 12, 1971	10.45
JAN. , 1941	8.32	JAN. 8, 1947	8.71	FEB. 9, 1966	11.25	JULY 1	8.68

6S/23E-15P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 269.56 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.25 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 6.10 BELOW LSD, JAN. 2, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	4.70	SEP. 3, 1957	3.25	SEP. 23, 1958	4.90	MAR. 13, 1959	4.90
DEC. 13	5.00	JAN. 16, 1958	5.20	JAN. 2, 1959	6.10	SEP. 7, 1971	P
JAN. 9, 1957	5.40						

6S/23E-15Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 270.69 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.19 BELOW LSD, JULY 24, 1923,

LOWEST WATER LEVEL 7.90 BELOW LSD, MAY 7, 1919.

RECORDS AVAILABLE: 1917-19, 1922-26, 1956-59, 1971.

DATE	WATER LEVEL						
AUG. 30, 1917	4.93	JAN. 21, 1924	7.28	MAR. 22, 1926	5.28	JAN. 17, 1958	7.48
FEB. 21, 1918	5.91	SEP. 19	6.38	NOV. 24, 1956	6.98	SEP. 23	7.08
MAY 7, 1919	7.9	APR. 15, 1925	5.98	DEC. 13	7.08	JAN. 2, 1959	7.68
SEP. 5, 1922	4.99	OCT. 15	5.48	JAN. 9, 1957	7.23	MAR. 13	7.38
JULY 24, 1923	4.19	JAN. 4, 1926	5.98	SEP. 14	6.23	SEP. 7, 1971	P
NOV. 28	6.98						

6S/23E-16A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 278.29 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, SEP. 18, 1937,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 26, 1940, SEP. 17, 1947, SEP. 20, 1949, JAN. 22, 1951.

RECORDS AVAILABLE: 1936-43, 1946-51, 1971.

DATE	WATER LEVEL						
NOV. 18, 1936	8.6	FEB. 2, 1940	10.42	APR. 21, 1943	10.40	JAN. 3, 1949	11.54
JAN. 29, 1937	7.4	SEP. 26	F	AUG. 2, 1946	10.33	SEP. 20	P
SEP. 18	6.0	JAN. , 1941	10.00	DEC. 2	10.49	JAN. 4, 1950	12.15
JAN. 4, 1938	10.30	SEP. 26	10.70	JAN. 8, 1947	10.19	NOV. 27	10.98
SEP. 15	11.10	JAN. 26, 1942	10.60	SEP. 17	F	JAN. 22, 1951	P
JAN. 4, 1939	9.95	SEP. 9	7.50	JAN. 9, 1948	11.24	SEP. 10	10.78
OCT. 23	10.52	JAN. 11, 1943	10.60	SEP. 4	11.24	SEP. 8, 1971	P

6S/23E-16C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 271.76 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.25 BELOW LSD, JUNE 18, 1923,

LOWEST WATER LEVEL 6.58 BELOW LSD, APR. 22, 1929.

RECORDS AVAILABLE: 1919, 1922-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 7, 1919	5.3	NOV. 14, 1923	5.45	OCT. 15, 1925	6.25	MAY 28, 1927	6.15
JUNE 12	5.66	JAN. 21, 1924	6.45	JAN. 2, 1926	6.15	APR. 22, 1929	6.58
SEP. 4, 1922	5.15	SEP. 19	5.35	MAR. 19	5.05	JULY 15	6.36
JUNE 18, 1923	4.25	FEB. 15, 1925	6.45	APR. 25, 1927	5.65	SEP. 2, 1971	P

6S/23E-16C2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 273.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.24 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 7.04 BELOW LSD, JAN. 9, 1957.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	5.69	SEP. 3, 1957	5.24	SEP. 23, 1958	6.49	MAR. 13, 1959	6.59
DEC. 13	6.29	JAN. 16, 1958	6.99	FEB. 7, 1959	5.54	SEP. 8, 1971	P
JAN. 9, 1957	7.04						

6S/23E-16C3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 269.58 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.40 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 4.50 BELOW LSD, JAN. 2, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	2.60	SEP. 3, 1957	2.40	SEP. 23, 1958	4.00	MAR. 13, 1959	3.90
DEC. 13	2.90	JAN. 16, 1958	3.95	JAN. 2, 1959	4.50	SEP. 8, 1971	P
JAN. 9, 1957	3.30						

6S/23E-16C4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 270.60 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.80 BELOW LSD, SEP. 8, 1962,

LOWEST WATER LEVEL 7.25 BELOW LSD, APR. 3, 1962.

RECORDS AVAILABLE: 1962-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 3, 1962	7.25	FEB. 1, 1963	5.30	MAR. 1, 1963	5.25	SEP. 8, 1971	P
SEP. 8	4.80						

6S/23E-16C5 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 272.98 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.53 BELOW LSD, SEP. 8, 1962,

LOWEST WATER LEVEL 8.75 BELOW LSD, MAR. 1, 1963.

RECORDS AVAILABLE: 1962-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 3, 1962	6.92	FEB. 1, 1963	7.43	MAR. 1, 1963	8.75	SEP. 8, 1971	P
SEP. 8	6.53						

6S/23E-16D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 270.74 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.38 BELOW LSD, SEP. 17, 1947,
 LOWEST WATER LEVEL 5.50 BELOW LSD, NOV. 14, 1918.
 RECORDS AVAILABLE: 1918-19, 1946-49, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	5.5	SEP. 3, 1946	3.93	SEP. 17, 1947	2.38	JAN. 3, 1949	4.89
MAR. 28, 1919	4.84	DEC. 3	2.73	JAN. 9, 1948	4.01	SEP. 7	2.69
MAY 1	5.0	JAN. 8, 1947	3.67	SEP. 4	3.15	SEP. 1, 1971	P

6S/23E-16E1 S. PERFORATED 346-368 FT.
 LSD 273 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.00 BELOW LSD, JUNE 10, 1966,
 LOWEST WATER LEVEL 6.00 BELOW LSD, JUNE 10, 1966.
 RECORDS AVAILABLE: 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 10, 1966	6. G	JULY 27, 1971	N				

6S/23E-16E2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 270.72 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.73 BELOW LSD, SEP. 26, 1955,
 LOWEST WATER LEVEL 8.00 BELOW LSD, JAN. 5, 1926.
 RECORDS AVAILABLE: 1919, 1922-27, 1929, 1949-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 1, 1919	7.72	JULY 19, 1949	5.10	SEP. 26, 1955	2.73	SEP. 12, 1962	5.02
SEP. 4, 1922	5.8	SEP. 7	4.51	MAR. 27, 1956	3.93	JAN. 16, 1963	6.72
JUNE 27, 1923	4.8	DEC. 2	5.20	SEP. 25	2.78	SEP. 14	4.62
NOV. 14	6.5	JAN. 4, 1950	5.89	JAN. 5, 1957	4.53	JAN. 7, 1964	4.62
JAN. 21, 1924	7.1	SEP. 11	4.78	SEP. 3	4.41	SEP. 5	3.72
SEP. 14	5.7	JAN. 22, 1951	5.43	JAN. 17, 1958	6.46	JAN. 7, 1965	7.02
FEB. 16, 1925	6.9	SEP. 10	4.23	SEP. 5	6.41	SEP. 8	5.37
OCT. 15	6.0	JAN. 22, 1952	4.98	JAN. 13, 1959	7.16	JAN. 8, 1966	7.82
JAN. 5, 1926	8.0	SEP. 29	3.49	SEP. 8	5.91	SEP. 12	3.27
MAR. 22	6.4	JAN. 28, 1953	4.83	JAN. 13, 1960	7.01	JAN. 9, 1967	7.12
APR. 28, 1927	6.2	SEP. 25	4.73	SEP. 9	4.71	SEP. 11	4.57
MAY 31	7.0	JAN. 12, 1954	4.03	FEB. 8, 1961	6.81	JAN. 14, 1970	7.87
APR. 23, 1929	7.6	SEP. 27	3.53	SEP. 11	5.92	MAY 16	6.62
JULY 15	7.0	JAN. 28, 1955	4.53	JAN. 6, 1962	6.72	SEP. 7, 1971	P

6S/23E-16F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 274.43 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.80 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 9.50 BELOW LSD, JAN. 3, 1959.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	7.00	SEP. 3, 1957	6.80	SEP. 23, 1958	8.60	MAR. 13, 1959	9.15
DEC. 13	7.80	JAN. 16, 1958	8.80	JAN. 3, 1959	9.50	SEP. 8, 1971	P
JAN. 9, 1957	8.50						

6S/23E-16H1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSU 270.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.08 BELOW LSD, MAR. 22, 1926,

LOWEST WATER LEVEL 5.78 BELOW LSD, JAN. 21, 1924.

RECORDS AVAILABLE: 1923-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 28, 1923	5.38	FEB. 16, 1925	5.48	MAR. 22, 1926	4.08	APR. 23, 1929	5.59
JAN. 21, 1924	5.78	OCT. 15	4.38	APR. 28, 1927	4.18	JULY 15	5.19
SEP. 19	4.98	JAN. 4, 1926	5.18	MAY 21	5.18	SEP. 7, 1971	P

6S/23E-16K1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 276.17 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.27 BELOW LSD, SEP. 3, 1957,

J.V.

3V.

LOWEST WATER LEVEL 11.12 BELOW LSD, JAN. 2, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	8.80	SEP. 3, 1957	8.27	SEP. 23, 1958	10.07	MAR. 13, 1959	10.52
DEC. 13	9.50	JAN. 16, 1958	10.47	JAN. 2, 1959	11.12	SEP. 8, 1971	P
JAN. 9, 1957	10.25						

6S/23E-16N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 271.97 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.58 BELOW LSD, JULY 20, 1925,

DRY, WATER LEVEL NOT MEASUREABLE, DEC. 5, 1957.

RECORDS AVAILABLE: 1918-19, 1922-26, 1929, 1936-40, 1952-64, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	7.5	APR. 23, 1929	9.03	SEP. 30, 1952	4.50	SEP. 16, 1958	6.06
MAR. 28, 1919	8.17	JULY 15	7.93	JAN. 28, 1953	6.20	JAN. 6, 1959	8.16
MAY 16	7.5	NOV. 18, 1936	7.52	SEP. 25	5.50	SEP. 22	5.61
SEP. 5, 1922	6.88	DEC. 22	7.07	JAN. 12, 1954	5.60	JAN. 13, 1960	8.56
JULY 19, 1923	5.18	JAN. 29, 1937	8.47	SEP. 27	4.30	SEP. 8	5.26
NOV. 14	7.78	SEP. 18	5.72	JAN. 28, 1955	6.80	FEB. 8, 1961	7.96
JAN. 21, 1924	8.48	JAN. 4, 1938	7.87	SEP. 26	4.70	SEP. 18	6.66
SEP. 19	7.28	SEP. 15	7.07	JAN. 26, 1956	5.20	JAN. 6, 1962	6.96
FEB. 18, 1925	6.98	JAN. 4, 1939	7.02	SEP. 25	4.60	SEP. 12	6.86
JULY 20	3.58	SEP. 15	4.38	JAN. 5, 1957	6.65	JAN. 14, 1963	7.16
OCT. 15	6.98	FEB. 2, 1940	5.08	SEP. 7	4.20	SEP. 14	6.86
JAN. 5, 1926	8.18	JUNE 3	5.08	DEC. 5	F	JAN. 7, 1964	7.76
MAY 17	7.08	JAN. 22, 1952	6.30	JAN. 10, 1958	7.21	SEP. 7, 1971	P

6S/23E-16P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 275.62 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.30 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 10.50 BELOW LSD, JAN. 3, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 24, 1956	7.83	SEP. 3, 1957	7.30	SEP. 23, 1958	9.00	MAR. 13, 1959	10.00
DEC. 13	8.43	JAN. 16, 1958	9.60	JAN. 3, 1959	10.50	SEP. 7, 1971	P
JAN. 12, 1957	10.18						

6S/23E-16P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 275.15 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.50 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 9.00 BELOW LSD, JAN. 3, 1959.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	6.90	SEP. 3, 1957	5.50	SEP. 23, 1958	8.45	MAR. 13, 1959	8.30
DEC. 13	7.70	JAN. 16, 1958	8.55	JAN. 3, 1959	9.00	SEP. 7, 1971	P
JAN. 9, 1957	8.50						

6S/23E-1601 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 273.89 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.89 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 10.68 BELOW LSD, MAY 31, 1927.
 RECORDS AVAILABLE: 1919, 1922-25, 1927, 1956-59, 1971.

DATE	WATER LEVEL						
JUNE 16, 1919	8.49	SEP. 19, 1924	8.48	NOV. 24, 1956	5.97	SEP. 23, 1958	6.64
SEP. 5, 1922	8.08	FEB. 18, 1925	10.08	DEC. 13	6.67	JAN. 2, 1959	7.29
JUNE 27, 1923	7.68	OCT. 15	8.68	JAN. 9, 1957	7.67	MAR. 13	7.19
NOV. 14	9.48	APR. 28, 1927	10.58	SEP. 3	4.89	SEP. 7, 1971	P
JAN. 21, 1924	10.18	MAY 31	10.68	JAN. 16, 1958	7.39		

6S/23E-1602 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 275.94 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.10 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 10.59 BELOW LSD, JAN. 2, 1959.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	7.40	SEP. 3, 1957	6.10	SEP. 23, 1958	8.73	MAR. 13, 1959	9.84
DEC. 13	8.40	JAN. 16, 1958	9.48	JAN. 2, 1959	10.59	SEP. 7, 1971	P
JAN. 12, 1957	10.00						

6S/23E-16R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 272.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.89 BELOW LSD, SEP. 27, 1954,
 LOWEST WATER LEVEL 7.94 BELOW LSD, APR. 23, 1929.
 RECORDS AVAILABLE: 1918-19, 1929, 1950-57, 1971.

DATE	WATER LEVEL						
MAY 27, 1918	7.27	JAN. 4, 1950	6.73	JAN. 28, 1953	7.29	SEP. 26, 1955	5.49
OCT. 18	7.17	SEP. 11	7.08	SEP. 25	6.29	JAN. 26, 1956	6.84
MAR. 28, 1919	6.7	JAN. 22, 1951	7.79	JAN. 12, 1954	7.79	SEP. 25	5.64
MAY 1	7.0	SEP. 10	6.74	SEP. 27	4.89	JAN. 4, 1957	7.39
APR. 23, 1929	7.94	JAN. 30, 1952	7.79	JAN. 28, 1955	6.89	SEP. 7, 1971	P
JULY 15	7.34	SEP. 30	5.99				

6S/23E-16R2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 273.96 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.10 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 9.40 BELOW LSD, JAN. 2, 1959.
 RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	7.60	SEP. 3, 1957	6.10	SEP. 23, 1958	8.20	MAR. 13, 1959	9.00
DEC. 13	8.10	JAN. 16, 1958	8.50	JAN. 2, 1959	9.40	SEP. 7, 1971	P
JAN. 9, 1957	8.70						

6S/23E-17B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 267.54 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.90 BELOW LSD, JUNE 27, 1923,

LOWEST WATER LEVEL 4.54 BELOW LSD, APR. 19, 1929.

RECORDS AVAILABLE: 1922-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
Sep. 4, 1922	3.6	Sep. 19, 1924	3.2	Jan. 2, 1926	4.4	Apr. 19, 1929	4.54
JUNE 27, 1923	2.9	FEB. 18, 1925	4.1	APR. 25, 1927	3.3	JULY 15	3.94
NOV. 14	4.2	OCT. 15	3.4	MAY 31	3.6	SEP. 9, 1971	P
JAN. 21, 1924	4.5						

6S/23E-17C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 270.71 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.75 BELOW LSD, SEP. 8, 1965,

LOWEST WATER LEVEL 9.40 BELOW LSD, JAN. 13, 1960.

RECORDS AVAILABLE: 1958-71.

IVC
J3A

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1958	8.65	SEP. 19, 1961	8.60	JAN. 6, 1965	8.40	SEP. 11, 1968	8.05
SEP. 5	8.85	JAN. 4, 1962	8.60	SEP. 8	6.75	JAN. 13, 1969	9.00
JAN. 13, 1959	9.10	SEP. 12	8.50	JAN. 7, 1966	8.80	SEP. 10	7.10
SEP. 8	8.40	JAN. 16, 1963	9.00	SEP. 12	6.90	JAN. 14, 1970	8.85
JAN. 13, 1960	9.40	SEP. 14	8.50	JAN. 9, 1967	7.90	MAY 16	7.90
SEP. 9	8.40	JAN. 8, 1964	8.45	SEP. 11	8.40	SEP. 8, 1971	P
FEB. 8, 1961	8.90	SEP. 5	8.05	JAN. 9, 1968	9.35		

6S/23E-17D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 267.70 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.80 BELOW LSD, SEP. 26, 1955,

LOWEST WATER LEVEL 6.34 BELOW LSD, JAN. 13, 1960.

RECORDS AVAILABLE: 1936-67, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 18, 1936	4.9	OCT. 17, 1944	4.02	SEP. 30, 1952	4.17	SEP. 8, 1960	6.14
JAN. 29, 1937	4.7	JAN. 5, 1945	3.82	JAN. 28, 1953	5.27	SEP. 18, 1961	5.44
SEP. 18	3.7	JULY 2	3.32	SEP. 25	4.07	JAN. 4, 1962	6.14
JAN. 4, 1938	3.8	MAR. 27, 1946	3.18	JAN. 2, 1954	4.57	SEP. 11	4.84
SEP. 15	4.0	SEP. 3	3.87	SEP. 27	3.37	JAN. 14, 1963	5.54
JAN. 4, 1939	4.1	JAN. 8, 1947	3.49	JAN. 28, 1955	4.77	SEP. 14	5.64
SEP. 15	3.7	SEP. 17	4.91	SEP. 26	1.80	JAN. 7, 1964	5.14
FEB. 2, 1940	3.5	JAN. 9, 1948	4.54	JAN. 26, 1956	3.87	SEP. 5	4.99
SEP. 26	3.12	SEP. 15	4.05	SEP. 15	2.42	JAN. 6, 1965	5.74
JAN. , 1941	3.02	JAN. 3, 1949	4.48	JAN. 12, 1957	4.24	SEP. 8	4.09
SEP. 26	2.12	SEP. 7	5.18	SEP. 7	5.34	JAN. 7, 1966	6.19
JAN. 26, 1942	3.02	JAN. 4, 1950	2.61	JAN. 10, 1958	5.89	SEP. 12	4.09
SEP. 9	3.32	SEP. 11	4.86	SEP. 12	5.99	JAN. 9, 1967	5.24
JAN. 11, 1943	3.42	JAN. 22, 1951	5.01	JAN. 6, 1959	6.14	SEP. 11	5.64
FEB. 25	2.82	SEP. 11	4.47	SEP. 8	5.84	SEP. 9, 1971	P
APR. 21	3.42	JAN. 22, 1952	5.27	JAN. 13, 1960	6.34		

6S/23E-17E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 268.61 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.01 BELOW LSD, JULY 23, 1923,

LOWEST WATER LEVEL 8.27 BELOW LSD, APR. 23, 1929.

RECORDS AVAILABLE: 1918-19, 1922-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 24, 1918	5.51	JULY 23, 1923	5.01	OCT. 16, 1925	5.79	MAY 31, 1927	7.89
NOV. 14	5.3	NOV. 27	8.04	JAN. 4, 1926	6.89	APR. 23, 1929	8.27
JAN. 9, 1919	6.51	JAN. 31, 1924	6.59	MAR. 22	7.39	JULY 15	7.87
MAY 1	5.1	SEP. 19	5.69	APR. 28, 1927	7.49	SEP. 8, 1971	P
SEP. 5, 1922	5.31	FEB. 18, 1925	6.59				

65/23E-17H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
8.8 FT IN 1971.
LSD 270.66 FT ABOVE MSL.
HIGHEST WATER LEVEL 2.66 BELOW LSD, SEP. 25, 1956,
LOWEST WATER LEVEL 8.20 BELOW LSD, JAN. 9, 1968.
RECORDS AVAILABLE: 1949-71.

DATE	WATER LEVEL						
FEB. 21, 1949	5.77	JAN. 28, 1955	4.50	SEP. 9, 1960	4.70	JAN. 8, 1966	7.95
SEP. 7	3.21	SEP. 26	4.00	FEB. 8, 1961	7.30	SEP. 12	3.80
JAN. 4, 1950	5.16	MAR. 27, 1956	3.45	SEP. 11	6.00	JAN. 9, 1967	7.40
SEP. 26	4.63	SEP. 25	2.66	JAN. 6, 1962	7.60	SEP. 11	3.70
JAN. 22, 1951	4.40	JAN. 5, 1957	4.76	SEP. 26	5.40	JAN. 9, 1968	8.20
SEP. 11	3.50	SEP. 3	4.41	JAN. 15, 1963	7.00	SEP. 11	6.00
JAN. 22, 1952	4.80	JAN. 17, 1958	6.21	SEP. 14	6.10	JAN. 13, 1969	7.75
SEP. 29	3.80	SEP. 5	5.91	JAN. 8, 1964	7.65	SEP. 10	6.00
JAN. 28, 1953	4.00	JAN. 13, 1959	7.45	SEP. 5	5.70	JAN. 14, 1970	8.10
SEP. 25	4.40	SEP. 8	5.30	JAN. 7, 1965	7.85	MAY 16	6.70
JAN. 12, 1954	5.00	FEB. 2, 1960	7.70	SEP. 8	5.80	JULY 1, 1971	7.09
SEP. 27	3.50						

65/23E-17N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 268.25 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.50 BELOW LSD, AUG. 14, 1918,
LOWEST WATER LEVEL 8.25 BELOW LSD, APR. 28, 1927.
RECORDS AVAILABLE: 1918, 1922-25, 1927, 1971.

DATE	WATER LEVEL						
APR. 24, 1918	5.70	JUNE 27, 1923	6.25	SEP. 19, 1924	5.85	APR. 28, 1927	8.25
AUG. 14	4.50	NOV. 14	6.65	FEB. 18, 1925	6.85	MAY 31	5.05
SEP. 6, 1922	6.35	JAN. 21, 1924	6.85	OCT. 15	6.05	SEP. 8, 1971	P

65/23E-17Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 268.67 FT ABOVE MSL.
HIGHEST WATER LEVEL 3.87 BELOW LSD, JULY 19, 1923,
LOWEST WATER LEVEL 7.32 BELOW LSD, OCT. 17, 1961.
RECORDS AVAILABLE: 1922-27, 1961, 1971.

DATE	WATER LEVEL						
SEP. 5, 1922	7.07	SEP. 19, 1924	4.6	JAN. 5, 1926	6.3	OCT. 17, 1961	7.32
JULY 19, 1923	3.87	FEB. 16, 1925	6.0	MAR. 22	6.6	DEC. 1	6.16
NOV. 28	5.9	OCT. 15	5.0	APR. 28, 1927	6.8	SEP. 8, 1971	P
JAN. 21, 1924	6.1						

65/23E-17Q2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 270.12 FT ABOVE MSL.
HIGHEST WATER LEVEL 7.29 BELOW LSD, NOV. 10, 1961,
LOWEST WATER LEVEL 8.97 BELOW LSD, OCT. 16, 1961.
RECORDS AVAILABLE: 1961-62, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 16, 1961	8.97	DEC. 6, 1961	8.40	FEB. 2, 1962	8.72	SEP. 8, 1971	P
NOV. 10	7.29	JAN. 12, 1962	8.60				

65/23E-1703 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 270.62 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.50 BELOW LSD, SEP. 25, 1956,

LOWEST WATER LEVEL 7.75 BELOW LSD, JAN. 8, 1964.

RECORDS AVAILABLE: 1956-64, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1956	5.00	SEP. 3, 1956	6.35	FEB. 8, 1961	7.40	SEP. 14, 1963	6.80
SEP. 25	4.50	MAR. 6, 1959	7.40	SEP. 11	7.00	JAN. 8, 1964	7.75
JAN. 5, 1957	6.40	SEP. 22	6.01	JAN. 6, 1962	7.20	SEP. 5	6.20
SEP. 24	5.40	JAN. 13, 1960	7.70	SEP. 12	7.60	SEP. 8, 1971	P
JAN. 17, 1958	7.40	SEP. 23	5.65	JAN. 16, 1963	7.70		

65/23E-17R1 S. RECORDS PRIOR TO 7/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 12.0 FT IN 1971.

LSD 273.31 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.96 BELOW LSD, NOV. 27, 1950,

LOWEST WATER LEVEL 10.77 BELOW LSD, FEB. 21, 1918.

RECORDS AVAILABLE: 1917-18, 1940-51, 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 30, 1917	9.07	JAN. 5, 1945	7.85	JAN. 4, 1950	9.11	JAN. 9, 1967	9.60
FEB. 21, 1918	10.77	JULY 3	6.55	NOV. 27	5.96	SEP. 11	7.10
AUG. 1, 1940	6.61	MAR. 27, 1946	7.20	FEB. 23, 1951	8.24	JAN. 4, 1968	9.85
SEP. 26	7.01	SEP. 3	6.00	SEP. 10	6.84	SEP. 11	7.65
JAN. , 1941	7.61	JAN. 8, 1947	6.58	JAN. 7, 1964	9.10	JAN. 3, 1969	9.75
SEP. 26	7.01	SEP. 17	7.01	SEP. 5	7.95	SEP. 17	8.10
JAN. 26, 1942	7.81	JAN. 9, 1948	8.14	JAN. 7, 1965	9.20	JAN. 14, 1970	10.35
SEP. 9	7.31	SEP. 4	6.77	SEP. 8	7.75	SEP. 10	7.75
JAN. 11, 1943	7.71	JAN. 3, 1949	8.07	JAN. 8, 1966	9.60	JAN. 12, 1971	10.25
APR. 21	7.51	SEP. 7	7.99	SEP. 12	6.85	JULY 1	8.78
OCT. 18, 1944	7.65						

65/23E-18A1 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

15 FT IN 1961, 12.5 FT IN 1971.

LSD 270.98 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.92 BELOW LSD, SEP. 17, 1969,

LOWEST WATER LEVEL 10.30 BELOW LSD, FEB. 8, 1971.

RECORDS AVAILABLE: 1968-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1968	10.02	JAN. 13, 1969	9.57	JAN. 14, 1970	9.62	FEB. 8, 1971	10.30
SEP. 11	8.72	SEP. 17	7.92	SEP. 9	9.67	AUG. 18	8.75

65/23E-18D1 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 12.3 FT IN 1971.

LSD 267.21 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.33 BELOW LSD, SEP. 15, 1939,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 26, 1942, SEP. 9, 1942, JAN. 11, 1943, JAN. 5, 1945,

SEP. 17, 1947.

RECORDS AVAILABLE: 1918-19, 1922-26, 1929, 1936-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 28, 1918	6.11	JAN. 2, 1926	7.77	JAN. 4, 1939	5.63	OCT. 17, 1944	6.43
SEP. 1	5.91	MAR. 19	8.07	SEP. 15	3.33	JAN. 5, 1945	F
NOV. 14	7.00	APR. 22, 1929	6.17	FEB. 2, 1940	4.83	JULY 2	5.88
MAR. 1, 1919	8.01	JULY 15	8.27	SEP. 26	4.93	MAR. 27, 1946	5.61
MAY 1	6.55	JULY 1, 1936	6.30	JAN. , 1941	4.83	SEP. 3	6.56
SEP. 4, 1922	6.27	SEP. 9	6.03	SEP. 26	6.23	JAN. 8, 1947	5.95
JUNE 27, 1923	5.77	DEC. 22	5.73	JAN. 26, 1942	F	SEP. 17	F
NOV. 14	6.17	JAN. 29, 1937	5.53	JUNE 29	6.23	JAN. 9, 1948	7.60
JAN. 21, 1924	7.17	SEP. 18	5.73	SEP. 9	F	SEP. 4	5.65
SEP. 19	5.97	JAN. 4, 1938	6.13	JAN. 11, 1943	F	JAN. 3, 1949	7.69
FEB. 15, 1925	5.07	SEP. 15	6.03	APR. 11	5.63	SEP. 7	8.09
OCT. 15	6.67						

DATE	WATER LEVEL						
JAN. 4, 1950	8.21	SEP. 26, 1955	5.04	FEB. 8, 1961	8.28	SEP. 12, 1966	6.30
SEP. 11	8.24	JAN. 26, 1956	6.24	SEP. 18	7.48	JAN. 7, 1967	6.95
JAN. 22, 1951	7.99	SEP. 25	5.94	JAN. 4, 1962	8.08	SEP. 11	7.30
SEP. 11	7.89	JAN. 4, 1957	6.34	SEP. 11	7.88	JAN. 9, 1968	8.45
JAN. 22, 1952	8.04	SEP. 7	6.84	JAN. 14, 1963	7.98	SEP. 11	7.20
SEP. 30	7.04	JAN. 10, 1958	7.04	SEP. 6	6.18	JAN. 11, 1969	8.30
JAN. 28, 1953	7.74	SEP. 12	7.24	JAN. 7, 1964	7.73	SEP. 17	7.50
SEP. 25	7.74	JAN. 6, 1959	7.88	SEP. 5	6.65	JAN. 13, 1970	8.35
JAN. 12, 1954	7.24	SEP. 8	7.38	JAN. 6, 1965	7.45	SEP. 9	8.20
SEP. 27	6.44	JAN. 13, 1960	7.78	SEP. 8	6.40	JAN. 11, 1971	9.20
JAN. 28, 1955	6.44	SEP. 22	6.98	JAN. 7, 1966	7.70	AUG. 18	8.13

6S/23E-18L1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 268.27 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.70 BELOW LSD, NOV. 24, 1956,
LOWEST WATER LEVEL 9.86 BELOW LSD, JAN. 17, 1958.
RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	6.70	SEP. 3, 1957	7.50	AUG. 27, 1958	9.16	MAR. 13, 1959	8.06
DEC. 22	7.50	JAN. 17, 1958	9.86	JAN. 2, 1959	9.06	SEP. 9, 1971	P
JAN. 9, 1957	7.70						

6S/23E-18M1 S.

LSD 265.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.90 BELOW LSD, APR. 23, 1929,
LOWEST WATER LEVEL 7.10 BELOW LSD, JUNE 18, 1929.
RECORDS AVAILABLE: 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 23, 1929	6.90G	JUNE 18, 1929	7.10G	JULY 15, 1929	7.00G	SEP. 9, 1971	P

6S/23E-18N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 267.85 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.51 BELOW LSD, SEP. 26, 1955,
LOWEST WATER LEVEL 10.41 BELOW LSD, JAN. 22, 1951.
RECORDS AVAILABLE: 1947-57, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 6, 1947	8.55	JAN. 4, 1950	10.15	JAN. 28, 1953	9.71	SEP. 26, 1955	7.51
SEP. 17	9.72	SEP. 11	10.11	SEP. 25	9.11	JAN. 26, 1956	8.51
JAN. 9, 1948	9.71	JAN. 22, 1951	10.41	JAN. 12, 1954	9.21	SEP. 25	8.71
SEP. 4	9.48	SEP. 11	9.81	SEP. 27	8.31	JAN. 5, 1957	8.51
JAN. 3, 1949	9.95	JAN. 22, 1952	10.11	JAN. 28, 1955	9.01	SEP. 2, 1971	P
SEP. 7	10.18	SEP. 10	9.21				

6S/23E-18N2 S.

LSD 267 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.10 BELOW LSD, APR. 23, 1929,

LOWEST WATER LEVEL 7.40 BELOW LSD, JULY 15, 1929.

RECORDS AVAILABLE: 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 23, 1929	7.1 G	JULY 15, 1929	7.4 G	SEP. 28, 1971	P		

6S/23E-18Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 265.85 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.49 BELOW LSD, JUNE 27, 1923,

DRY, WATER LEVEL NOT MEASUREABLE, JUNE 18, 1929, JULY 15, 1929.

RECORDS AVAILABLE: 1919, 1922-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 7, 1919	6.3	NOV. 14, 1923	5.19	OCT. 16, 1925	5.09	MAY 31, 1927	6.99
JUNE 12	5.35	JAN. 21, 1924	5.69	JAN. 4, 1926	7.69	JUNE 18, 1929	F
SEP. 5, 1922	5.19	SEP. 19	4.89	MAR. 22	7.69	JULY 15	F
JUNE 27, 1923	4.49	FEB. 18, 1925	5.39	APR. 28, 1927	6.89	SEP. 9, 1971	P

6S/23E-19U1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 264.65 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.20 BELOW LSD, SEP. 15, 1939,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 11, 1943.

RECORDS AVAILABLE: 1936-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 18, 1936	5.65	JAN. 4, 1939	4.70	JAN. 26, 1942	6.20	JULY 3, 1945	4.88
DEC. 22	4.30	SEP. 15	2.20	JUNE 29	5.20	MAR. 27, 1946	4.80
JAN. 29, 1937	5.40	FEB. 2, 1940	4.20	JAN. 11, 1943	F	SEP. 4	4.39
SEP. 18	5.20	SEP. 26	4.40	APR. 21	5.40	JAN. 8, 1947	5.85
JAN. 4, 1938	5.30	JAN. , 1941	4.10	OCT. 17, 1944	5.18	FEB. 26	5.33
SEP. 15	5.30	SEP. 26	5.80	JAN. 30, 1945	5.18	SEP. 28, 1971	P

6S/23E-19P1 S. RECORDS PRIOR TO 7/6/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.5 FT IN 1971.

LSD 268.09 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.03 BELOW LSD, SEP. 12, 1966,

LOWEST WATER LEVEL 10.58 BELOW LSD, JAN. 14, 1970.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1957	9.78	FEB. 9, 1961	9.64	JAN. 7, 1965	9.48	SEP. 11, 1968	8.63
SEP. 7	7.73	SEP. 20	6.04	SEP. 9	7.58	JAN. 13, 1969	10.38
JAN. 10, 1958	8.58	MAR. 6, 1962	8.77	JAN. 8, 1966	9.83	SEP. 17	9.18
SEP. 23	6.48	SEP. 12	8.77	SEP. 12	6.03	JAN. 14, 1970	10.58
JAN. 13, 1959	9.38	JAN. 14, 1963	8.77	JAN. 9, 1967	9.18	SEP. 10	9.88
OCT. 20	8.54	SEP. 14	6.67	SEP. 12	8.53	JAN. 12, 1971	10.15
JAN. 13, 1960	9.44	JAN. 8, 1964	9.22	JAN. 9, 1968	10.28	JULY 6	8.29
SEP. 9	8.04	SEP. 5	8.08				

6S/23E-1901 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 265.60 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.33 BELOW LSD, JULY 25, 1923,
 LOWEST WATER LEVEL 7.10 BELOW LSD, JAN. 5, 1926.
 RECORDS AVAILABLE: 1922-27, 1971.

DATE	WATER LEVEL						
SEP. 5, 1922	5.53	JAN. 22, 1924	6.53	OCT. 16, 1925	4.70	MAY 3, 1927	6.40
JULY 25, 1923	4.33	SEP. 19	5.53	JAN. 5, 1926	7.10	MAY 31	6.40
NOV. 14	5.53	FEB. 24, 1925	6.43	MAR. 22	6.00	SEP. 28, 1971	P

6S/23E-2081 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 270.98 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.60 BELOW LSD, SEP. 12, 1966,
 LOWEST WATER LEVEL 9.15 BELOW LSD, JAN. 8, 1966, JAN. 14, 1970.
 RECORDS AVAILABLE: 1965-70.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1965	8.40	SEP. 12, 1966	5.60	JAN. 9, 1968	8.80	SEP. 10, 1969	6.80
SEP. 8	5.90	JAN. 9, 1967	8.45	SEP. 11	6.65	JAN. 14, 1970	9.15
JAN. 8, 1966	9.15	SEP. 11	6.75	JAN. 13, 1969	8.80	MAY 16	7.50

6S/23E-20C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 268.69 FT ABOVE MSL.
 DRY, WATER LEVEL NOT MEASUREABLE, JUNE 18, 1929, JULY 15, 1929.
 RECORDS AVAILABLE: 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 18, 1929	F	JULY 15, 1929	F	SEP. 9, 1971	P		

6S/23E-20D1 S. RECORDS PRIOR TO 7/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.2 FT IN 1971.
 LSD 268.35 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.59 BELOW LSD, SEP. 7, 1957,
 LOWEST WATER LEVEL 9.10 BELOW LSD, JAN. 12, 1971.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1957	7.14	FEB. 9, 1961	7.89	JAN. 7, 1965	8.30	SEP. 11, 1968	6.65
SEP. 7	5.59	SEP. 5	7.69	SEP. 9	6.60	JAN. 13, 1969	8.80
JAN. 10, 1958	7.29	JAN. 6, 1962	7.89	JAN. 8, 1966	8.50	SEP. 17	6.85
SEP. 16	6.94	SEP. 12	7.69	SEP. 12	6.45	JAN. 14, 1970	8.90
JAN. 6, 1959	7.89	JAN. 14, 1963	7.89	JAN. 9, 1967	6.65	SEP. 10	8.50
SEP. 8	7.89	SEP. 14	7.60	SEP. 11	6.05	JAN. 12, 1971	9.10
JAN. 13, 1960	7.69	JAN. 8, 1964	8.30	JAN. 9, 1968	8.90	JULY 1	7.64
SEP. 8	7.99	SEP. 5	6.85				

6S/23E-20D2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 266.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.70 BELOW LSD, JAN. 8, 1947,
 DRY, WATER LEVEL NOT MEASUREABLE, OCT. 18, 1944, JAN. 30, 1945.
 RECORDS AVAILABLE: 1918-19, 1929, 1936-42, 1944-57, 1971.

DATE	WATER LEVEL						
NOV. 14, 1918	4.5	SEP. 15, 1939	6.05	JAN. 8, 1947	1.70	SEP. 30, 1952	5.52
JAN. 9, 1919	4.80	FEB. 2, 1940	6.70	SEP. 17	4.74	JAN. 28, 1953	6.62
MAY 16	3.52	SEP. 26	6.40	JAN. 9, 1948	5.18	SEP. 25	5.63
JUNE 18, 1929	6.86	JAN. , 1941	6.30	SEP. 4	4.56	JAN. 12, 1954	6.43
JULY 15	6.86	SEP. 26	5.90	JAN. 3, 1949	5.44	SEP. 27	5.73
NOV. 18, 1936	6.65	JAN. 26, 1942	5.80	SEP. 7	3.49	JAN. 28, 1955	6.53
DEC. 22	6.40	SEP. 9	5.50	JAN. 4, 1950	6.85	SEP. 26	5.93
JAN. 29, 1937	6.70	OCT. 18, 1944	F	SEP. 11	7.03	JAN. 26, 1956	6.38
SEP. 18	6.05	JAN. 30, 1945	F	JAN. 22, 1951	6.38	SEP. 25	5.83
JAN. 4, 1938	6.70	JULY 3	5.15	SEP. 26	6.52	JAN. 5, 1957	6.03
SEP. 15	6.70	MAR. 14, 1946	5.24	JAN. 22, 1952	6.57	SEP. 8, 1971	P
JAN. 4, 1939	6.65	SEP. 4	6.05				

6S/23E-20E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 269.75 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.95 BELOW LSD, JULY 24, 1923,
 LOWEST WATER LEVEL 9.85 BELOW LSD, JAN. 5, 1926.
 RECORDS AVAILABLE: 1918, 1922-27, 1971.

DATE	WATER LEVEL						
APR. 24, 1918	8.30	NOV. 14, 1923	8.75	FEB. 16, 1925	9.15	MAR. 22, 1926	9.35
AUG. 14	7.10	JAN. 22, 1924	9.55	OCT. 10	8.05	APR. 28, 1927	9.35
SEP. 5, 1922	8.35	SEP. 19	7.85	JAN. 5, 1926	9.85	SEP. 9, 1971	P
JULY 24, 1923	6.95						

6S/23E-20F1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 271.83 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.20 BELOW LSD, SEP. 27, 1954,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 28, 1955.
 RECORDS AVAILABLE: 1949-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 3, 1949	6.76	JAN. 22, 1951	8.00	JAN. 28, 1953	6.40	JAN. 28, 1955	F
SEP. 20	8.32	SEP. 11	5.80	SEP. 25	5.67	OCT. 25	6.10
JAN. 4, 1950	9.15	JAN. 22, 1952	7.45	FEB. 22, 1954	8.07	SEP. 9, 1971	P
SEP. 12	7.30	SEP. 10	6.25	SEP. 27	5.20		

6S/23E-20J1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

14 FT IN 1966, 11.4 FT IN 1971.

LSD 272.31 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.55 BELOW LSD, SEP. 13, 1968,
 LOWEST WATER LEVEL 9.55 BELOW LSD, FEB. 1, 1966.
 RECORDS AVAILABLE: 1918-19, 1922-27, 1929, 1966-71.

DATE	WATER LEVEL						
NOV. 14, 1918	7.52	SEP. 19, 1924	6.75	APR. 24, 1929	9.47	SEP. 13, 1968	5.55
APR. 12, 1919	7.32	FEB. 16, 1925	8.25	JULY 15	8.57	JAN. 13, 1969	8.10
JULY 4	6.31	OCT. 16	6.65	FEB. 1, 1966	9.55	SEP. 10	6.55
SEP. 5, 1922	6.71	JAN. 5, 1926	8.35	SEP. 12	6.45	JAN. 17, 1970	8.25
JULY 2, 1923	5.95	MAR. 22	8.75	JAN. 10, 1967	8.15	MAY 18	6.50
NOV. 14	7.05	APR. 28, 1927	7.85	SEP. 12	6.15	JULY 6, 1971	6.82
JAN. 22, 1924	8.25	MAY 31	7.85	JAN. 10, 1968	8.45		

6S/23E-20J2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1966, 11.1 FT IN 1971.
 LSD 271.67 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.10 BELOW LSD, SEP. 12, 1966, SEP. 13, 1968,
 LOWEST WATER LEVEL 9.35 BELOW LSD, FEB. 1, 1966.
 RECORDS AVAILABLE: 1966-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1966	9.35	SEP. 12, 1967	6.80	JAN. 13, 1969	8.15	MAY 18, 1970	6.80
SEP. 12	6.10	JAN. 10, 1968	8.15	SEP. 10	7.00	JULY 6, 1971	6.86
JAN. 10, 1967	8.10	SEP. 13	6.10	JAN. 17, 1970	8.35		

6S/23E-20J3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1966, 10.2 FT IN 1971.
 LSD 268.54 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.00 BELOW LSD, SEP. 12, 1966,
 LOWEST WATER LEVEL 7.05 BELOW LSD, FEB. 1, 1966.
 RECORDS AVAILABLE: 1966-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1966	7.05	SEP. 12, 1967	5.30	JAN. 13, 1969	5.85	MAY 18, 1970	5.20
SEP. 12	4.00	JAN. 10, 1968	5.70	SEP. 10	5.20	JULY 6, 1971	5.69
JAN. 10, 1967	6.15	SEP. 13	4.90	JAN. 17, 1970	6.25		

6S/23E-20M1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 267.76 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.10 BELOW LSD, MAY 16, 1919,
 LOWEST WATER LEVEL 6.90 BELOW LSD, APR. 1, 1919.
 RECORDS AVAILABLE: 1918-19, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	6.3	APR. 1, 1919	6.9	MAY 16, 1919	6.1	SEP. 28, 1971	P

6S/23E-20N1 S. RECORDS PRIOR TO 7/6/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 9.8 FT IN 1971.
 LSD 270.83 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.17 BELOW LSD, SEP. 27, 1954,
 LOWEST WATER LEVEL 11.53 BELOW LSD, JAN. 9, 1919.
 RECORDS AVAILABLE: 1918-19, 1922-27, 1929, 1936-71.

DATE	WATER LEVEL						
APR. 24, 1918	9.79	SEP. 15, 1938	7.17	JAN. 4, 1950	9.88	FEB. 9, 1961	8.31
AUG. 14	8.49	JAN. 4, 1939	8.87	SEP. 11	8.57	SEP. 20	6.01
JAN. 9, 1919	11.53	SEP. 15	6.57	JAN. 22, 1951	8.07	JAN. 6, 1962	8.71
MAY 16	8.95	FEB. 2, 1940	7.87	SEP. 11	6.90	SEP. 26	7.31
SEP. 5, 1922	9.05	SEP. 26	5.27	JAN. 22, 1952	7.70	JAN. 14, 1963	7.81
JULY 2, 1923	7.75	JAN. , 1941	7.97	SEP. 30	5.97	SEP. 14	6.51
NOV. 28	9.85	SEP. 26	7.57	JAN. 28, 1953	6.97	JAN. 8, 1964	8.71
JAN. 22, 1924	10.65	JAN. 26, 1942	8.57	SEP. 26	7.17	SEP. 5	6.01
SEP. 14	9.05	SEP. 9	7.17	JAN. 12, 1954	6.17	JAN. 7, 1965	7.36
FEB. 23, 1925	10.15	FEB. 25, 1943	5.97	SEP. 27	5.17	SEP. 9	6.26
OCT. 16	8.75	APR. 21	8.47	JAN. 28, 1955	7.07	JAN. 8, 1966	8.11
JAN. 5, 1926	9.75	OCT. 18, 1944	6.97	SEP. 26	7.17	SEP. 12	6.16
MAR. 22	9.75	JAN. 5, 1945	7.97	JAN. 27, 1956	7.42	JAN. 9, 1967	8.16
MAY 3, 1927	9.75	JULY 3	6.97	SEP. 25	7.27	SEP. 12	7.31
MAY 31	10.25	MAR. 29, 1946	6.56	JAN. 5, 1957	7.07	JAN. 10, 1968	7.86
APR. 23, 1929	10.81	SEP. 6	8.29	SEP. 7	6.61	SEP. 11	7.81
JUNE 18	11.01	JAN. 8, 1947	8.57	JAN. 21, 1958	7.76	JAN. 13, 1969	7.86
JULY 1, 1936	6.24	SEP. 17	7.62	SEP. 16	7.11	SEP. 17	8.21
SEP. 9	8.19	JAN. 9, 1948	8.87	JAN. 6, 1959	8.01	JAN. 14, 1970	8.86
JAN. 29, 1937	8.47	SEP. 4	7.68	SEP. 8	7.71	SEP. 10	8.16
SEP. 18	7.52	JAN. 3, 1949	8.43	JAN. 13, 1960	9.01	JAN. 12, 1971	9.70
JAN. 4, 1938	7.97	SEP. 7	8.75	SEP. 9	7.61	JULY 6	7.79

6S/23E-2001 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSU 270.44 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.94 BELOW LSD, JUNE 17, 1919,

LOWEST WATER LEVEL 9.80 BELOW LSD, MAY 31, 1927.

RECORDS AVAILABLE: 1919, 1922-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 17, 1919	5.94	JAN. 22, 1924	8.9	JAN. 5, 1926	9.2	APR. 23, 1929	9.61
SEP. 21, 1922	7.54	SEP. 19	7.8	MAR. 24	9.0	JUNE 18	9.61
JULY 2, 1923	6.14	FEB. 24, 1925	9.5	MAY 3, 1927	9.5	SEP. 9, 1971	P
NOV. 14	8.4	OCT. 16	7.6	MAY 31	9.8		

6S/23E-20R1 S. RECORDS PRIOR TO 7/6/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.1 FT IN 1971.

LSD 270.68 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.56 BELOW LSD, SEP. 16, 1958,

LOWEST WATER LEVEL 8.30 BELOW LSD, MAY 3, 1927.

RECORDS AVAILABLE: 1918-19, 1922-25, 1927, 1936-37, 1950-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	5.14	SEP. 18, 1937	2.57	JAN. 5, 1957	1.81	SEP. 8, 1964	3.35
MAR. 17, 1919	3.34	JAN. 4, 1950	5.45	SEP. 7	1.81	JAN. 7, 1965	5.25
MAY 1	5.44	SEP. 11	4.26	JAN. 21, 1958	1.61	SEP. 9	3.00
SEP. 5, 1922	4.98	JAN. 22, 1951	2.46	SEP. 16	1.56	JAN. 8, 1966	7.15
JULY 2, 1923	4.60	SEP. 26	3.06	JAN. 6, 1959	4.92	SEP. 12	4.50
NOV. 12	6.00	JAN. 22, 1952	4.71	SEP. 8	3.90	JAN. 9, 1967	5.85
JAN. 22, 1924	7.30	SEP. 30	2.21	JAN. 13, 1960	5.90	SEP. 12	4.70
SEP. 19	5.90	JAN. 29, 1953	3.21	SEP. 9	4.30	JAN. 10, 1968	6.75
JAN. 7, 1925	7.30	SEP. 26	2.71	FEB. 9, 1961	5.50	SEP. 11	3.95
JULY 21	5.20	JAN. 12, 1954	3.61	SEP. 20	2.70	JAN. 13, 1969	5.40
MAY 3, 1927	8.30	SEP. 27	2.41	JAN. 8, 1962	6.30	SEP. 17	4.30
MAY 31	7.40	JAN. 28, 1955	4.11	SEP. 12	3.90	JAN. 17, 1970	6.90
NOV. 18, 1936	5.62	SEP. 26	2.51	JAN. 14, 1963	4.80	SEP. 10	3.55
DEC. 22	5.52	JAN. 27, 1956	2.56	SEP. 14	4.40	JAN. 12, 1971	6.60
JAN. 29, 1937	6.42	SEP. 25	1.66	JAN. 8, 1964	6.35	JULY 6	4.17

6S/23E-20R2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

14 FT IN 1966, 11.3 FT IN 1971.

LSD 273.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.45 BELOW LSD, SEP. 12, 1966, SEP. 13, 1968,

LOWEST WATER LEVEL 9.90 BELOW LSD, FEB. 1, 1966.

RECORDS AVAILABLE: 1966-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1966	9.90	SEP. 12, 1967	5.80	JAN. 13, 1969	8.45	MAY 18, 1970	6.60
SEP. 12	5.45	JAN. 10, 1968	9.00	SEP. 10	6.30	JULY 6, 1971	6.78
JAN. 10, 1967	7.85	SEP. 13	5.45	JAN. 17, 1970	8.95		

6S/23E-20R3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

10.3 FT IN 1971.

LSD 273.14 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.50 BELOW LSD, SEP. 12, 1966,

LOWEST WATER LEVEL 9.90 BELOW LSD, FEB. 1, 1966.

RECORDS AVAILABLE: 1966-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1966	9.90	SEP. 12, 1967	7.85	JAN. 13, 1969	9.10	FEB. 14, 1970	9.00
SEP. 12	5.50	JAN. 10, 1968	9.40	SEP. 10	7.60	JULY 6, 1971	7.78
JAN. 10, 1967	8.70	SEP. 13	7.30	JAN. 17, 1970	9.40		

6S/23E-21A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 273.26 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.10 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 8.20 BELOW LSD, JAN. 2, 1959, FEB. 7, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
NOV. 24, 1956	6.80	SEP. 3, 1957	4.10	SEP. 23, 1958	6.85	FEB. 7, 1959	8.20
DEC. 21	7.50	JAN. 16, 1958	6.85	JAN. 2, 1959	8.20	SEP. 10, 1971	P
JAN. 9, 1957	8.00						

6S/23E-21B1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 275.35 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.85 BELOW LSD, SEP. 3, 1957,

LOWEST WATER LEVEL 10.05 BELOW LSD, JAN. 2, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL						
DEC. 13, 1956	8.30	SEP. 3, 1957	6.85	SEP. 23, 1958	8.40	MAR. 13, 1959	9.50
DEC. 21	8.60	JAN. 16, 1958	9.00	JAN. 2, 1959	10.05	SEP. 10, 1971	P
JAN. 12, 1957	9.55						

6S/23E-21C1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.6 FT IN 1971.

LSD 272.48 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.30 BELOW LSD, SEP. 12, 1967,

LOWEST WATER LEVEL 8.20 BELOW LSD, JAN. 8, 1966.

RECORDS AVAILABLE: 1961-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1961	8.15	JAN. 8, 1964	8.05	SEP. 12, 1966	5.60	JAN. 13, 1969	6.95
SEP. 21	6.55	SEP. 8	5.75	JAN. 9, 1967	7.95	SEP. 10	5.90
JAN. 12, 1962	7.45	JAN. 7, 1965	7.65	SEP. 12	3.30	JAN. 17, 1970	7.75
SEP.	6.05	SEP. 9	5.50	JAN. 10, 1968	8.10	MAY 18	7.40
JAN. 4, 1963	8.05	JAN. 8, 1966	8.20	SEP. 13	5.90	JULY 6, 1971	7.03
SEP. 14	6.65						

6S/23E-21E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 270.63 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.01 BELOW LSD, SEP. 12, 1967,

LOWEST WATER LEVEL 8.20 BELOW LSD, SEP. 5, 1961.

RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1961	7.10	SEP. 14, 1963	6.10	SEP. 9, 1965	5.06	SEP. 12, 1967	4.01
SEP. 5	8.20	JAN. 8, 1964	7.35	JAN. 8, 1966	8.01	JAN. 10, 1968	7.46
JAN. 12, 1962	6.90	SEP. 8	5.46	SEP. 12	6.06	SEP. 13	4.46
SEP. 7	6.00	JAN. 7, 1965	6.86	JAN. 9, 1967	7.21	SEP. 10, 1971	P
JAN. 4, 1963	7.40						

65/23E-21G1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

9.3 FT IN 1971.

LSD 270.63 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.43 BELOW LSD, SEP. 27, 1954,

LOWEST WATER LEVEL 7.70 BELOW LSD, JAN. 17, 1970.

RECORDS AVAILABLE: 1949-55, 1957-58, 1961-71.

DATE	WATER LEVEL						
MAY 2, 1949	3.38	JAN. 29, 1954	5.73	JAN. 12, 1962	7.04	MAR. 7, 1967	6.50
SEP. 8	5.23	SEP. 27	2.43	SEP. 7	4.44	SEP. 12	4.45
JAN. 4, 1950	5.32	JAN. 28, 1955	4.63	JAN. 4, 1963	6.24	JAN. 10, 1968	7.00
SEP. 12	5.63	SEP. 26	3.33	SEP. 14	5.34	SEP. 13	4.70
JAN. 22, 1951	5.33	JAN. 29, 1957	5.60	JAN. 8, 1964	5.79	JAN. 13, 1969	6.40
SEP. 11	4.33	OCT. 21	4.65	SEP. 8	4.44	SEP. 10	4.70
FEB. 11, 1952	4.58	JAN. 11, 1958	5.50	JAN. 7, 1965	6.04	JAN. 17, 1970	7.70
SEP. 29	3.53	SEP. 22	3.05	SEP. 9	4.29	MAY 18	3.55
JAN. 28, 1953	4.43	APR. 1, 1961	6.77	JAN. 8, 1966	7.29	JULY 6, 1971	3.12
OCT. 6	5.03	SEP. 5	5.04	SEP. 12	5.49		

65/23E-21H1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 271 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.27 BELOW LSD, OCT. 16, 1925,

DRY, WATER LEVEL NOT MEASUREABLE, JUNE 18, 1929, JULY 15, 1929.

RECORDS AVAILABLE: 1923-26, 1929, 1971.

DATE	WATER LEVEL						
NOV. 14, 1923	7.07	FEB. 27, 1925	7.37	JAN. 4, 1926	7.07	JULY 15, 1929	F
JAN. 22, 1924	7.57	OCT. 16	6.27	JUNE 18, 1929	F	SEP. 10, 1971	P
SEP. 19	6.37						

65/23E-21L1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

8.9 FT IN 1971.

LSD 270.25 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.33 BELOW LSD, SEP. 8, 1964,

LOWEST WATER LEVEL 8.90 BELOW LSD, JAN. 17, 1970.

RECORDS AVAILABLE: 1961-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1961	6.26	JAN. 8, 1964	7.73	SEP. 12, 1966	7.75	JAN. 12, 1969	7.90
SEP. 5	7.62	SEP. 8	4.33	JAN. 10, 1967	7.70	SEP. 10	6.30
JAN. 12, 1962	8.32	JAN. 7, 1965	6.78	SEP. 12	6.80	JAN. 17, 1970	8.90
SEP. 7	7.18	OCT. 11	6.70	JAN. 10, 1968	7.85	MAY 18	6.40
JAN. 4, 1963	8.38	JAN. 8, 1966	8.80	SEP. 13	7.25	JULY 6, 1971	5.75
SEP. 14	6.88						

65/23E-21M1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 270.65 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.27 BELOW LSD, SEP. 13, 1968,

LOWEST WATER LEVEL 8.47 BELOW LSD, JAN. 4, 1963.

RECORDS AVAILABLE: 1961-69, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1961	6.63	SEP. 14, 1963	7.77	JAN. 8, 1966	7.97	JAN. 10, 1968	7.57
SEP. 26	6.37	JAN. 8, 1964	7.27	SEP. 12	6.37	SEP. 13	5.27
JAN. 12, 1962	7.87	SEP. 8	6.27	JAN. 9, 1967	7.17	JAN. 13, 1969	6.57
SEP. 7	6.17	JAN. 7, 1965	7.12	SEP. 12	6.47	SEP. 10, 1971	P
JAN. 4, 1963	8.47	SEP. 9	5.42				

65/23E-21Q1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 267.63 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.03 BELOW LSD, JULY 2, 1923,
 LOWEST WATER LEVEL 6.50 BELOW LSD, JUNE 18, 1929.
 RECORDS AVAILABLE: 1919, 1922-27, 1929, 1971.

	WATER DATE LEVEL		WATER DATE LEVEL		WATER DATE LEVEL		WATER DATE LEVEL
MAY 7, 1919	4.49	NOV. 14, 1923	4.43	OCT. 16, 1925	3.8	MAY 31, 1927	4.7
MAY 16	3.99	FEB. 4, 1924	5.1	JAN. 5, 1926	4.6	JUNE 18, 1929	6.5
JUNE 17	4.09	SEP. 20	3.7	MAR. 22	4.0	JULY 15	6.3
SEP. 5, 1922	3.53	FEB. 16, 1925	5.1	MAY 3, 1927	4.3	SEP. 9, 1971	P
JULY 2, 1923	3.03						

65/23E-21R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8 FT IN 1946.
 LSD 270.67 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.49 BELOW LSD, AUG. 2, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, MAY 2, 1949.
 RECORDS AVAILABLE: 1946-49, 1971.

	WATER DATE LEVEL		WATER DATE LEVEL		WATER DATE LEVEL		WATER DATE LEVEL
AUG. 2, 1946	4.49	SEP. 17, 1947	6.68	SEP. 4, 1948	6.05	MAY 2, 1949	F
SEP. 3	7.12	JAN. 9, 1948	7.16	JAN. 3, 1949	6.17	SEP. 9, 1971	P
JAN. 8, 1947	7.40						

65/23E-22A1 S. RECORDS PRIOR TO 7/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.9 FT IN 1971.
 LSD 267.79 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.49 BELOW LSD, SEP. 9, 1957,
 LOWEST WATER LEVEL 6.33 BELOW LSD, JAN. 9, 1968.
 RECORDS AVAILABLE: 1919, 1947-50, 1954-63, 1968-71.

	WATER DATE LEVEL		WATER DATE LEVEL		WATER DATE LEVEL		WATER DATE LEVEL
APR. 1, 1919	2.31	NOV. 23, 1954	2.65	JAN. 13, 1959	3.99	AUG. 7, 1963	2.59
MAY 1	2.51	JAN. 21, 1955	3.15	OCT. 19	4.19	JAN. 9, 1968	6.33
AUG. 7, 1947	4.52	SEP. 26	1.95	JAN. 13, 1960	4.89	SEP. 11	5.38
MAR. 6, 1948	2.21	JAN. 26, 1956	3.05	SEP. 23	3.39	JAN. 13, 1969	5.43
SEP. 15	4.24	OCT. 31	2.85	MAR. 25, 1961	3.39	SEP. 17	5.38
JAN. 17, 1949	2.82	JAN. 4, 1957	3.75	SEP. 5	3.49	JAN. 14, 1970	5.28
SEP. 7	4.68	SEP. 9	1.49	JAN. 6, 1962	4.79	SEP. 9	3.85
JAN. 4, 1950	3.47	JAN. 10, 1958	3.14	SEP. 12	4.09	JAN. 12, 1971	5.20
AUG. 21	3.34	SEP. 25	4.29	FEB. 8, 1963	3.89	JULY 1	3.48
APR. 22, 1954	2.75						

65/23E-22C1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 273.83 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.10 BELOW LSD, SEP. 3, 1957,
 LOWEST WATER LEVEL 10.62 BELOW LSD, JAN. 2, 1959.
 RECORDS AVAILABLE: 1956-59, 1971.

	WATER DATE LEVEL		WATER DATE LEVEL		WATER DATE LEVEL		WATER DATE LEVEL
NOV. 24, 1956	9.80	SEP. 3, 1957	8.10	SEP. 23, 1958	9.67	FEB. 9, 1959	10.57
DEC. 21	10.00	JAN. 16, 1958	9.40	JAN. 2, 1959	10.62	SEP. 10, 1971	P
JAN. 9, 1957	10.15						

65/23E-22C2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 268.02 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.60 BELOW LSD, JULY 13, 1957,

LOWEST WATER LEVEL 4.53 BELOW LSD, JAN. 2, 1959.

RECORDS AVAILABLE: 1956-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 24, 1956	3.20	JULY 13, 1957	2.60	SEP. 23, 1958	3.23	MAR. 13, 1959	3.53
DEC. 21	3.60	NOV. 12	3.03	JAN. 2, 1959	4.53	SEP. 10, 1971	P
JAN. 9, 1957	3.90	JAN. 25, 1958	3.58				

65/23E-22N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 268.29 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.68 BELOW LSD, SEP. 26, 1955,

LOWEST WATER LEVEL 7.50 BELOW LSD, NOV. 14, 1918.

RECORDS AVAILABLE: 1918-19, 1949-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 27, 1918	4.4	JAN. 4, 1950	4.71	SEP. 26, 1953	4.66	JAN. 4, 1957	5.08
SEP. 1	4.0	SEP. 11	4.65	JAN. 29, 1954	5.36	SEP. 7	4.51
NOV. 14	7.5	JAN. 22, 1951	4.78	SEP. 27	3.78	JAN. 10, 1958	5.71
MAR. 29, 1919	5.09	SEP. 10	4.58	JAN. 8, 1955	6.58	SEP. 16	4.86
MAY 1	3.8	JAN. 22, 1952	5.61	SEP. 26	3.68	JAN. 13, 1959	6.06
SEP. 8, 1949	5.03	SEP. 30	4.06	JAN. 27, 1956	4.58	MAY 19	5.56
DEC. 19	4.72	JAN. 29, 1953	4.76	OCT. 4	3.98	SEP. 9, 1971	P

65/23E-22R1 S. RECORDS PRIOR TO 7/7/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

14 FT IN 1965, 9.2 FT IN 1971.

LSD 267.86 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.05 BELOW LSD, SEP. 15, 1939,

DRY, WATER LEVEL NOT MEASUREABLE, OCT. 18, 1944, MAR. 29, 1946.

RECORDS AVAILABLE: 1919, 1922-26, 1936-41, 1943-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1919	3.29	JAN. , 1941	3.55	SEP. 30, 1952	4.95	SEP. 12, 1962	5.97
MAY 16	3.90	SEP. 26	3.15	MAR. 7, 1953	5.65	JAN. 14, 1963	6.37
SEP. 21, 1922	4.14	FEB. 26, 1943	3.45	SEP. 26	5.65	SEP. 14	4.97
JULY 24, 1923	2.84	APR. 23	2.95	JAN. 29, 1954	5.65	JAN. 8, 1964	7.07
NOV. 14	5.44	OCT. 18, 1944	F	SEP. 27	3.75	SEP. 8	5.62
JAN. 22, 1924	4.74	JAN. 30, 1945	4.45	JAN. 10, 1955	5.75	JAN. 7, 1965	6.82
SEP. 20	4.94	FEB. 25	4.15	SEP. 26	4.95	SEP. 9	5.67
FEB. 16, 1925	4.24	MAR. 29, 1946	F	JAN. 27, 1956	5.95	JAN. 8, 1966	7.87
OCT. 15	3.74	SEP. 18	5.79	SEP. 25	5.35	SEP. 12	5.37
JAN. 5, 1926	3.64	JAN. 17, 1947	5.07	JAN. 4, 1957	6.41	JAN. 10, 1967	7.02
NOV. 18, 1936	3.30	SEP. 17	6.21	SEP. 18	4.47	SEP. 12	6.57
DEC. 22	2.85	JAN. 9, 1948	5.35	JAN. 10, 1958	5.82	JAN. 10, 1968	7.57
JUNE 3, 1937	3.20	SEP. 4	4.78	SEP. 16	5.77	SEP. 11	4.77
SEP. 18	3.25	JAN. 3, 1949	4.60	JAN. 6, 1959	6.97	JAN. 17, 1969	7.47
JAN. 4, 1938	3.00	SEP. 8	4.95	SEP. 8	6.07	SEP. 17	6.37
SEP. 15	3.95	JAN. 4, 1950	4.67	JAN. 13, 1960	7.17	JAN. 17, 1970	7.97
JAN. 4, 1939	2.85	SEP. 11	7.03	SEP. 9	7.07	SEP. 10	6.22
SEP. 15	2.05	JAN. 22, 1951	6.73	FEB. 9, 1961	6.77	JAN. 12, 1971	7.12
FEB. 28, 1940	2.65	SEP. 10	5.78	SEP. 20	4.87	JULY 7	6.38
SEP. 26	2.55	JAN. 22, 1952	5.93	JAN. 8, 1962	5.17		

65/23E-23B1 S.

LSD 268.47 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.57 BELOW LSD, MAY 17, 1919,

LOWEST WATER LEVEL 3.57 BELOW LSD, MAY 17, 1919.

RECORDS AVAILABLE: 1919, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 17, 1919	3.57G	SEP. 2, 1971	P				

6S/23E-2301 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11 FT IN 1963.

LSD 268.76 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.05 BELOW LSD, SEP. 5, 1964,

LOWEST WATER LEVEL 7.20 BELOW LSD, SEP. 11, 1967.

RECORDS AVAILABLE: 1963-67, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 7, 1963	4.10	JAN. 7, 1965	4.65	SEP. 12, 1966	4.75	SEP. 11, 1967	7.20
JAN. 7, 1964	4.80	SEP. 8	4.30	JAN. 9, 1967	5.50	SEP. 7, 1971	P
SEP. 5	3.05	JAN. 8, 1966	6.55				

6S/23E-24P1 S.

LSD 276.77 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.77 BELOW LSD, MAY 15, 1919,

LOWEST WATER LEVEL 6.77 BELOW LSD, MAY 15, 1919.

RECORDS AVAILABLE: 1919, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 15, 1919	6.77G	SEP. 10, 1971	P				

6S/23E-25D1 S. RECORDS PRIOR TO 7/7/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.5 FT IN 1971.

LSD 268.55 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.54 BELOW LSD, JAN. 21, 1958,

LOWEST WATER LEVEL 11.24 BELOW LSD, JAN. 31, 1957.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 31, 1957	11.24	APR. 19, 1961	6.09	JAN. 7, 1965	9.09	SEP. 11, 1968	8.80
SEP. 26	7.59	SEP. 25	8.19	SEP. 9	6.79	JAN. 17, 1969	10.65
JAN. 21, 1958	5.54	JAN. 3, 1962	8.99	JAN. 8, 1966	9.04	SEP. 17	7.55
SEP. 25	6.14	SEP. 11	8.69	SEP. 12	6.69	JAN. 17, 1970	11.05
JAN. 6, 1959	8.04	JAN. 5, 1963	9.19	JAN. 10, 1967	7.84	SEP. 10	7.30
SEP. 22	7.34	SEP. 14	8.29	SEP. 12	9.49	FEB. 24, 1971	8.50
JAN. 13, 1960	7.44	JAN. 8, 1964	8.74	JAN. 10, 1968	10.50	JULY 7	7.10
SEP. 8	7.94	SEP. 8	7.59				

6S/23E-26R1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 18.9 FT IN 1971.

LSD 269.73 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.84 BELOW LSD, JAN. 9, 1948,

LOWEST WATER LEVEL 12.70 BELOW LSD, JAN. 8, 1966.

RECORDS AVAILABLE: 1946-48, 1952-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1946	8.88	AUG. 29, 1955	9.64	FEB. 9, 1961	12.12	SEP. 12, 1966	9.85
DEC. 4	7.41	MAR. 7, 1956	10.32	SEP. 5	12.02	JAN. 10, 1967	11.50
APR. 23, 1947	5.72	SEP. 25	10.27	JAN. 3, 1962	12.22	SEP. 12	11.00
SEP. 17	7.17	JAN. 5, 1957	11.37	SEP. 11	10.72	JAN. 10, 1968	12.10
JAN. 9, 1948	4.84	SEP. 7	9.96	JAN. 5, 1963	11.59	SEP. 13	9.20
JAN. 22, 1952	6.21	JAN. 10, 1958	8.31	SEP. 17	10.19	JAN. 17, 1969	12.25
JUNE 11	5.81	SEP. 16	10.26	JAN. 8, 1964	11.44	SEP. 17	11.60
MAR. 7, 1953	6.41	JAN. 6, 1959	10.11	SEP. 8	10.15	JAN. 17, 1970	12.45
SEP. 26	8.71	SEP. 8	10.61	JAN. 7, 1965	12.10	SEP. 10	11.40
JAN. 14, 1954	7.71	JAN. 14, 1960	11.72	AUG. 9	9.55	JAN. 12, 1971	12.25
SEP. 28	7.91	SEP. 9	11.32	JAN. 8, 1966	12.70	JULY 13	9.42
JAN. 28, 1955	9.24						

6S/23E-27C1 S. DEPTH +35.0 FT IN 1971.

LSD 272 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.08 BELOW LSD, JUNE 22, 1971,

LOWEST WATER LEVEL 9.08 BELOW LSD, JUNE 22, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 22, 1971	9.08						

6S/23E-27C2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 271 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.30 BELOW LSD, JULY 24, 1923,

LOWEST WATER LEVEL 8.60 BELOW LSD, JAN. 22, 1924.

RECORDS AVAILABLE: 1919, 1922-26, 1929.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 7, 1919	6.84	JULY 24, 1923	5.30	SEP. 20, 1924	7.60	JAN. 5, 1926	7.90
JUNE 19	6.54	NOV. 28	8.30	FEB. 23, 1925	8.10	MAR. 22	7.30
SEP. 21, 1922	7.20	JAN. 22, 1924	8.60	OCT. 16	7.30	APR. 24, 1929	P

6S/23E-27E1 S. DEPTH 114 FT IN 1953.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, NOV. 18, 1953,

LOWEST WATER LEVEL 7.00 BELOW LSD, NOV. 18, 1953.

RECORDS AVAILABLE: 1953, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 18, 1953	7.0	G JULY 27, 1971	N				

6S/23E-27E2 S.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.40 BELOW LSD, JULY 17, 1963,

LOWEST WATER LEVEL 6.40 BELOW LSD, JULY 17, 1963.

RECORDS AVAILABLE: 1963, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 17, 1963	6.4	SEP. 10, 1971	P				

6S/23E-27E3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 270.17 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.60 BELOW LSD, FEB. 22, 1926,

LOWEST WATER LEVEL 9.15 BELOW LSD, APR. 30, 1929.

RECORDS AVAILABLE: 1923-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 30, 1923	8.1	FEB. 23, 1925	8.7	FEB. 22, 1926	6.6	APR. 30, 1929	9.15
JAN. 22, 1924	8.6	OCT. 16	7.6	MAY 3, 1927	8.3	JULY 15	8.45
SEP. 20	7.7	JAN. 6, 1926	8.4	MAY 31	8.5	SEP. 10, 1971	P

6S/23E-27R1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
11.3 FT IN 1971.
LSD 266.40 FT ABOVE MSL.
HIGHEST WATER LEVEL 0.91 ABOVE LSD, SEP. 7, 1916,
DRY, WATER LEVEL NOT MEASUREABLE, JULY 3, 1945.
RECORDS AVAILABLE: 1916-18, 1922-27, 1929, 1936-51, 1960-71.

DATE	WATER LEVEL						
SEP. 7, 1916	.91	JAN. 29, 1937	4.7	SEP. 4, 1946	7.26	SEP. 17, 1963	8.03
AUG. 30, 1917	3.27	SEP. 18	5.2	JAN. 9, 1947	5.84	JAN. 8, 1964	8.50
FEB. 20, 1918	4.6	JAN. 4, 1938	5.2	SEP. 17	7.32	SEP. 8	6.55
SEP. 6, 1922	3.40	SEP. 15	5.9	JAN. 9, 1948	5.74	JAN. 8, 1965	7.95
JULY 24, 1923	3.70	JAN. 4, 1939	4.0	SEP. 4	6.92	SEP. 9	7.45
NOV. 14	5.50	SEP. 15	3.6	JAN. 3, 1949	6.26	JAN. 8, 1966	8.50
FEB. 5, 1924	5.92	FEB. 2, 1940	4.3	SEP. 8	6.66	SEP. 12	6.45
SEP. 20	6.32	SEP. 26	5.8	JAN. 5, 1950	4.01	JAN. 11, 1967	8.05
FEB. 23, 1925	5.72	JAN. 19, 1941	5.0	SEP. 17	6.47	SEP. 12	6.50
OCT. 16	5.82	SEP. 26	5.7	JAN. 23, 1951	6.72	JAN. 10, 1968	7.50
JAN. 6, 1926	5.42	JAN. 26, 1942	1.5	SEP. 26	7.45	SEP. 13	7.00
MAR. 22	4.72	SEP. 9	5.3	JAN. 14, 1960	8.53	JAN. 17, 1969	8.10
MAY 3, 1927	6.02	JAN. 12, 1943	5.0	SEP. 9	8.33	SEP. 17	7.35
MAY 31	4.22	APR. 23	5.1	MAR. 27, 1961	7.93	JAN. 19, 1970	9.05
APR. 30, 1929	5.83	DEC. 28, 1944	5.7	SEP. 1	8.13	SEP. 10	7.95
JULY 15	4.93	FEB. 25, 1945	5.7	JAN. 6, 1962	8.73	JAN. 12, 1971	8.40
NOV. 18, 1936	5.13	JULY 3	F	SEP. 13	7.93	JULY 13	7.47
DEC. 22	4.6	MAR. 29, 1946	5.30	JAN. 15, 1963	8.33		

6S/23E-28A1 S. RECORDS PRIOR TO 7/6/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.0
FT IN 1971.
LSD 268.36 FT ABOVE MSL.
HIGHEST WATER LEVEL 2.45 BELOW LSD, SEP. 12, 1967,
LOWEST WATER LEVEL 6.80 BELOW LSD, JAN. 17, 1970.
RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
JULY 1, 1959	5.30	SEP. 12, 1962	4.20	JAN. 8, 1966	6.60	JAN. 17, 1969	6.10
SEP. 8	4.60	JAN. 14, 1963	5.50	SEP. 12	3.10	SEP. 7	5.10
JAN. 13, 1960	6.30	SEP. 14	5.30	JAN. 10, 1967	6.45	JAN. 17, 1970	6.80
SEP. 9	6.30	JAN. 8, 1964	6.45	SEP. 12	2.45	SEP. 10	5.60
FEB. 4, 1961	5.90	SEP. 8	3.50	JAN. 10, 1968	6.50	JAN. 12, 1971	6.45
SEP. 20	4.40	JAN. 7, 1965	5.95	SEP. 11	4.90	JULY 6	5.12
JAN. 8, 1962	6.40	SEP. 9	4.00				

6S/23E-28A2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 268.45 FT ABOVE MSL.
HIGHEST WATER LEVEL 2.64 BELOW LSD, SEP. 9, 1937,
DRY, WATER LEVEL NOT MEASUREABLE, JAN. 4, 1938.
RECORDS AVAILABLE: 1922-26, 1936-46, 1971.

DATE	WATER LEVEL						
SEP. 5, 1922	3.7	MAR. 22, 1926	4.3	SEP. 15, 1939	3.24	APR. 21, 1943	3.94
JULY 2, 1923	2.8	JULY 30, 1936	3.52	FEB. 2, 1940	3.04	OCT. 18, 1944	4.14
NOV. 14	5.0	SEP. 9	3.34	SEP. 26	4.44	JAN. 30, 1945	4.94
JAN. 22, 1924	5.8	JAN. 29, 1937	5.04	APR. 24, 1941	3.34	JULY 3	4.14
SEP. 20	4.5	SEP. 9	2.64	SEP. 26	3.54	MAY 28, 1946	3.33
JAN. 6, 1925	5.8	JAN. 4, 1938	F	JAN. 26, 1942	3.84	JULY 3	4.06
OCT. 16	4.3	SEP. 15	4.24	SEP. 9	3.74	SEP. 9, 1971	P
JAN. 5, 1926	5.4	JAN. 4, 1939	4.34	JAN. 11, 1943	4.64		

6S/23E-28D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 273.96 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.70 BELOW LSD, SEP. 20, 1949,

LOWEST WATER LEVEL 9.27 BELOW LSD, JAN. 30, 1945.

RECORDS AVAILABLE: 1937-49, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 10, 1937	5.3	SEP. 26, 1940	5.7	OCT. 18, 1944	7.57	SEP. 17, 1947	7.24
DEC. 10	5.9	JAN. , 1941	7.1	JAN. 30, 1945	9.27	JAN. 9, 1948	8.52
JAN. 4, 1938	6.1	SEP. 26.	6.2	JULY 3	7.37	NOV. 8	7.28
SEP. 15	7.2	JAN. 26, 1942	8.4	MAR. 29, 1946	7.68	JAN. 3, 1949	8.65
JAN. 4, 1939	7.3	SEP. 9	5.7	SEP. 3	7.86	SEP. 20	3.70
SEP. 15	5.9	JAN. 11, 1943	7.4	JAN. 8, 1947	8.46	SEP. 10, 1971	P
FEB. 2, 1940	7.2	APR. 21	6.6				

T.O.

6S/23E-28E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 266.08 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.00 BELOW LSD, OCT. 16, 1925,

LOWEST WATER LEVEL 9.00 BELOW LSD, APR. 12, 1919.

RECORDS AVAILABLE: 1919, 1923-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 12, 1919	9.0	SEP. 20, 1924	3.3	JAN. 6, 1926	4.3	APR. 30, 1929	4.93
MAY 1	8.5	FEB. 23, 1925	4.6	MAY 3, 1927	4.7	JULY 15	5.13
NOV. 30, 1923	4.0	OCT. 16	3.0	MAY 31	4.7	SEP. 10, 1971	P
JAN. 22, 1924	4.8						

6S/23E-28G1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 274.66 FT ABOVE MSL.

HIGHEST WATER LEVEL 10.40 BELOW LSD, SEP. 8, 1955,

LOWEST WATER LEVEL 10.55 BELOW LSD, MAY 17, 1949.

RECORDS AVAILABLE: 1949, 1955, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 17, 1949	10.55	SEP. 8, 1955	10.40	SEP. 10, 1971	P		

6S/23E-28K1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 271.53 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.91 BELOW LSD, JAN. 28, 1953,

LOWEST WATER LEVEL 9.61 BELOW LSD, JAN. 12, 1954.

RECORDS AVAILABLE: 1950-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1950	8.63	JAN. 22, 1952	7.63	SEP. 25, 1953	8.51	JAN. 28, 1955	8.71
SEP. 12	8.41	OCT. 17	8.15	JAN. 12, 1954	9.61	SEP. 26	8.41
FEB. 22, 1951	7.88	JAN. 28, 1953	6.91	SEP. 27	7.81	SEP. 10, 1971	P
SEP. 11	8.38						

6S/23E-28N1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.8 FT IN 1971.

LSD 270.58 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.25 BELOW LSD, SEP. 12, 1966,

LOWEST WATER LEVEL 10.75 BELOW LSD, JAN. 19, 1970.

RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1964	9.41	JAN. 8, 1966	10.30	JAN. 10, 1968	10.30	JAN. 19, 1970	10.75
SEP. 8	8.55	SEP. 12	8.25	SEP. 13	8.50	SEP. 14	8.50
JAN. 8, 1965	9.80	JAN. 11, 1967	9.80	JAN. 17, 1969	10.30	JAN. 12, 1971	9.85
SEP. 9	8.60	SEP. 12	9.05	SEP. 17	9.65	JULY 13	9.28

6S/23E-29E1 S. PERFORATED 346-385 FT.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.09 BELOW LSD, JULY 27, 1971,

LOWEST WATER LEVEL 9.09 BELOW LSD, JULY 27, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1971	9.09B						

6S/23E-29E2 S. PERFORATED 112-138 FT.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, AUG. 20, 1963,

LOWEST WATER LEVEL 8.00 BELOW LSD, AUG. 20, 1963.

RECORDS AVAILABLE: 1963, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 20, 1963	8. G	JULY 27, 1971	N				

6S/23E-29N1 S. PERFORATED 252-266 FT; DEPTH 130.5 FT IN 1972.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, FEB. 7, 1962,

LOWEST WATER LEVEL 9.73 BELOW LSD, AUG. 8, 1972.

RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1962	6.0 G	AUG. 8, 1972	9.73				

6S/23E-29N2 S. PERFORATED 20-25 FT.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, OCT. 23, 1956,

LOWEST WATER LEVEL 6.00 BELOW LSD, OCT. 23, 1956.

RECORDS AVAILABLE: 1956, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1956	6. G	JULY 19, 1972	A				

6S/23E-29R1 S. PERFORATED 264-276, 354-368 FT.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 10.00 BELOW LSD, MAR. 7, 1950, OCT. 23, 1962,

LOWEST WATER LEVEL 12.00 BELOW LSD, MAY 2, 1960.

RECORDS AVAILABLE: 1950, 1960-62, 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1950	10. G	AUG. 24, 1960	10.5 G	OCT. 23, 1962	10.0	AUG. 3, 1971	37.85A
MAY 2, 1960	12.0 G	FEB. 7, 1961	11.40	OCT. 28, 1970	10.2 G		

6S/23E-30D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 265.92 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.90 BELOW LSD, FEB. 28, 1940,
DRY, WATER LEVEL NOT MEASUREABLE, JAN. 11, 1943, SEP. 7, 1949.
RECORDS AVAILABLE: 1938-56, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 30, 1938	6.0	JAN. 11, 1943	F	SEP. 4, 1948	7.96	AUG. 25, 1953	7.23
SEP. 15	7.2	APR. 21	5.8	JAN. 3, 1949	8.58	SEP. 26	4.93
JAN. 4, 1939	5.9	OCT. 18, 1944	7.11	SEP. 7	F	JAN. 12, 1954	7.83
SEP. 15	5.0	JAN. 5, 1945	7.51	JAN. 4, 1950	9.11	SEP. 27	6.53
FEB. 28, 1940	4.9	JULY 3	7.51	SEP. 11	8.94	JAN. 28, 1955	8.03
SEP. 26	5.2	MAR. 29, 1946	6.85	JAN. 22, 1951	8.73	SEP. 26	6.43
JAN. , 1941	5.3	SEP. 4	7.90	SEP. 11	7.93	JAN. 26, 1956	7.53
SEP. 26	6.5	JAN. 8, 1947	7.98	JAN. 22, 1952	8.83	SEP. 25	6.43
JAN. 26, 1942	6.5	SEP. 17	8.91	SEP. 30	7.33	SEP. 13, 1971	P
SEP. 9	6.2	JAN. 9, 1948	8.61	JAN. 28, 1953	8.53		

6S/23E-30D2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 266.71 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.00 BELOW LSD, FEB. 27, 1941,
LOWEST WATER LEVEL 9.70 BELOW LSD, JAN. 16, 1941.
RECORDS AVAILABLE: 1941, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1941	9.7	FEB. 27, 1941	9.00	SEP. 13, 1971	P		

6S/23E-30D3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 264.43 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.20 BELOW LSD, JAN. 16, 1941,
LOWEST WATER LEVEL 6.35 BELOW LSD, FEB. 27, 1941.
RECORDS AVAILABLE: 1941, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1941	5.2	FEB. 27, 1941	6.35	SEP. 13, 1971	P		

6S/23E-30D4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 265.76 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.95 BELOW LSD, JAN. 16, 1941,
LOWEST WATER LEVEL 7.50 BELOW LSD, FEB. 27, 1941.
RECORDS AVAILABLE: 1941, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1941	6.95	FEB. 27, 1941	7.50	SEP. 14, 1971	P		

6S/23E-30D5 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 267.04 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.25 BELOW LSD, JAN. 16, 1941,
LOWEST WATER LEVEL 8.70 BELOW LSD, FEB. 27, 1941.
RECORDS AVAILABLE: 1941, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1941	8.25	FEB. 27, 1941	8.70	SEP. 14, 1971	P		

6S/23E-30E1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 265.21 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.90 BELOW LSD, FEB. 27, 1941,

LOWEST WATER LEVEL 7.25 BELOW LSD, JAN. 16, 1941.

RECORDS AVAILABLE: 1941, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1941	7.25	FEB. 27, 1941	6.90	SEP. 14, 1971	P		

6S/23E-30N1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 7.10 FT IN 1971.

LSD 264 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.51 BELOW LSD, SEP. 17, 1963,

LOWEST WATER LEVEL 9.27 BELOW LSD, MAY 31, 1927.

RECORDS AVAILABLE: 1918, 1922-27, 1936-71.

DATE	WATER LEVEL						
MAY 28, 1918	6.48	SEP. 26, 1940	5.3	JAN. 30, 1952	6.71	OCT. 16, 1961	4.71
SEP. 1	5.68	JAN. , 1941	6.3	SEP. 30	4.51	JAN. 10, 1962	5.41
SEP. 6, 1922	7.17	SEP. 26	6.5	JAN. 28, 1953	6.01	SEP. 26	5.21
JULY 2, 1923	6.47	JAN. 26, 1942	6.7	SEP. 26	4.21	JAN. 15, 1963	4.41
NOV. 14	7.17	SEP. 9	6.4	OCT. 30	5.01	SEP. 17	1.51
JAN. 23, 1924	7.77	JAN. 11, 1943	7.0	JAN. 14, 1954	5.61	JAN. 8, 1964	5.91
SEP. 20	7.07	APR. 21	5.8	SEP. 28	4.41	SEP. 5	1.66
FEB. 23, 1925	7.77	OCT. 18, 1944	5.39	OCT. 27	5.21	OCT. 13	3.91
OCT. 16	6.57	JAN. 5, 1945	6.49	JAN. 29, 1955	6.21	JAN. 7, 1965	5.76
JAN. 6, 1926	8.77	JULY 3	5.59	SEP. 27	4.51	SEP. 9	4.01
MAR. 22	7.87	MAR. 29, 1946	4.59	JAN. 27, 1956	5.21	JAN. 8, 1966	6.26
MAY 3, 1927	9.17	SEP. 4	5.87	SEP. 25	3.81	SEP. 13	3.21
MAY 31	9.27	JAN. 9, 1947	6.35	JAN. 5, 1957	5.21	JAN. 10, 1967	6.11
NOV. 18, 1936	7.05	SEP. 18	6.29	SEP. 7	3.15	SEP. 12	4.76
DEC. 22	7.4	JAN. 9, 1948	6.57	JAN. 10, 1958	5.95	JAN. 10, 1968	7.06
JAN. 24, 1937	8.05	SEP. 4	6.18	SEP. 17	4.80	SEP. 13	5.71
SEP. 17	5.9	JAN. 3, 1949	6.81	JAN. 6, 1959	6.15	JAN. 13, 1969	7.26
JAN. 4, 1938	6.4	SEP. 7	7.13	SEP. 9	5.75	SEP. 17	5.46
SEP. 15	6.3	JAN. 4, 1950	7.14	JAN. 14, 1960	6.35	JAN. 14, 1970	7.21
JAN. 4, 1939	5.8	SEP. 12	6.31	SEP. 9	6.95	SEP. 14	5.96
SEP. 15	5.5	FEB. 24, 1951	5.41	FEB. 15, 1961	5.65	JAN. 12, 1971	5.66
FEB. 2, 1940	6.0	SEP. 11	5.26	SEP. 20	2.91	JULY 13	6.74

6S/23E-31A1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

DEPTH 8.2 FT IN 1971.

LSD 266.51 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.73 BELOW LSD, SEP. 28, 1954,

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 24, 1948.

RECORDS AVAILABLE: 1929, 1936-49, 1952-71.

DATE	WATER LEVEL						
APR. 30, 1929	9.18	OCT. 18, 1944	5.91	JAN. 29, 1955	6.03	SEP. 17, 1963	6.90
JULY 15	9.08	JAN. 5, 1945	6.51	SEP. 27	5.33	JAN. 8, 1964	6.25
NOV. 18, 1936	6.91	JULY 3	6.01	JAN. 27, 1956	4.98	SEP. 8	5.80
DEC. 22	6.11	MAR. 29, 1946	5.22	SEP. 25	4.98	JAN. 7, 1965	6.30
JAN. 29, 1937	6.01	SEP. 13	6.31	JAN. 5, 1957	5.08	SEP. 9	5.80
SEP. 18	6.01	JAN. 9, 1947	6.69	SEP. 7	6.10	JAN. 8, 1966	6.80
JAN. 4, 1938	5.61	OCT. 8	6.03	JAN. 10, 1958	6.00	SEP. 13	6.10
SEP. 15	6.51	JAN. 9, 1948	6.63	SEP. 16	5.40	JAN. 10, 1967	6.80
JAN. 4, 1939	6.11	SEP. 24	F	JAN. 6, 1959	5.90	SEP. 12	7.05
SEP. 15	5.41	JAN. 3, 1949	7.12	SEP. 9	7.25	JAN. 10, 1968	7.60
FEB. 2, 1940	6.41	SEP. 8	7.75	JAN. 14, 1960	7.40	SEP. 13	7.05
SEP. 26	5.61	JAN. 30, 1952	6.54	SEP. 4	7.40	JAN. 17, 1969	7.60
JAN. , 1941	5.81	SEP. 30	5.04	FEB. 15, 1961	5.80	SEP. 17	6.95
SEP. 26	5.81	JAN. 28, 1953	5.14	SEP. 25	6.60	JAN. 14, 1970	7.90
JAN. 26, 1942	6.41	SEP. 26	5.43	JAN. 10, 1962	6.70	SEP. 14	7.30
SEP. 9	6.81	JAN. 14, 1954	5.53	SEP. 13	6.50	JAN. 12, 1971	7.65
JAN. 11, 1943	7.11	SEP. 28	4.73	JAN. 15, 1963	6.70	JULY 13	7.50
APR. 21	6.21						

6S/23E-31C1 S. DEPTH*123 FT IN 1948.

LSD 266 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, AUG. 7, 1948,

LOWEST WATER LEVEL 6.00 BELOW LSD, AUG. 7, 1948.

RECORDS AVAILABLE: 1948, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 7, 1948	6. G	JULY 19, 1972	A				

6S/23E-31G1 S. PERFORATED 133-143 FT.

LSU 265 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.70 BELOW LSD, SEP. 13, 1951,

LOWEST WATER LEVEL 4.70 BELOW LSD, SEP. 13, 1951.

RECORDS AVAILABLE: 1951, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 13, 1951	4.7 G	AUG. 8, 1972	P				

6S/23E-31G2 S. PERFORATED 125-135 FT.

LSD 265 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.00 BELOW LSD, SEP. 6, 1948,

LOWEST WATER LEVEL 5.00 BELOW LSD, SEP. 6, 1948.

RECORDS AVAILABLE: 1948, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 6, 1948	5. G	AUG. 8, 1972	N				

6S/23E-31J1 S. PERFORATED 350-380 FT.

LSD 266 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.50 BELOW LSD, JULY 6, 1957,

LOWEST WATER LEVEL 4.50 BELOW LSD, JULY 6, 1957.

RECORDS AVAILABLE: 1957, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 6, 1957	4.5 G	JULY 20, 1972	A				

6S/23E-32A1 S. PERFORATED 264-276, 354-368 FT.

LSD 276 FT ABOVE MSL.

HIGHEST WATER LEVEL 10.00 BELOW LSD, MAR. 7, 1950,

LOWEST WATER LEVEL 10.00 BELOW LSD, MAR. 7, 1950.

RECORDS AVAILABLE: 1950, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1950	10. G	AUG. 10, 1972	N				

6S/23E-32C1 S. PERFORATED 125-152 FT.

LSD 269 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.00 BELOW LSD, JUNE 23, 1947,

LOWEST WATER LEVEL 10.00 BELOW LSD, FEB. 7, 1961.

RECORDS AVAILABLE: 1947, 1961, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 23, 1947	9. G	FEB. 7, 1961	10.0	AUG. 3, 1971	16.55A		

6S/23E-32U1 S. PERFORATED 122-132, 268-286 FT.

LSD 268 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.00 BELOW LSD, JULY 30, 1953,

LOWEST WATER LEVEL 9.00 BELOW LSD, AUG. 2, 1960, FEB. 7, 1961.

RECORDS AVAILABLE: 1953, 1960-62, 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 30, 1953	5. G	FEB. 5, 1961	8. G	OCT. 23, 1962	7.	AUG. 3, 1971	34.85A
AUG. 2, 1960	9. G	FEB. 7	9. G	OCT. 28, 1970	8.9 G		

6S/23E-32E1 S. PERFORATED 421-505 FT.

LSD 267 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, AUG. 3, 1965,

LOWEST WATER LEVEL 9.70 BELOW LSD, OCT. 27, 1970.

RECORDS AVAILABLE: 1965, 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 3, 1965	7. G	OCT. 27, 1970	9.7 G	AUG. 3, 1971	37.60A		

6S/23E-32F1 S. PERFORATED 128-168 FT.

LSD 268 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.91 BELOW LSD, JAN. 10, 1963,

LOWEST WATER LEVEL 11.00 BELOW LSD, FEB. 7, 1961.

RECORDS AVAILABLE: 1937, 1961-63, 1966, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
1937	9. G	MAY 24, 1962	8.72	JAN. 10, 1963	6.91	AUG. 3, 1971	10.68
FEB. 7, 1961	11.0	SEP. 20	A	OCT. 19, 1966	7.85		

6S/23E-32F2 S. PERFORATIONS UNKNOWN; DEPTH 263 FT IN 1939.

LSD 267 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.00 BELOW LSD, , 1939,

LOWEST WATER LEVEL 12.00 BELOW LSD, FEB. 7, 1961.

RECORDS AVAILABLE: 1939, 1961, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
, 1939	9. G	FEB. 7, 1961	12.0 G	AUG. 3, 1971	21.15A		

6S/23E-32G3 S. DEPTH 123.5 FT IN 1949.

LSD 268 FT ABOVE MSL.

HIGHEST WATER LEVEL 10.00 BELOW LSD, OCT. 4, 1949,

LOWEST WATER LEVEL 10.00 BELOW LSD, OCT. 4, 1949.

RECORDS AVAILABLE: 1949, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 4, 1949	10. G	JULY 19, 1972	A				

6S/23E-32L1 S. PERFORATIONS UNKNOWN; DEPTH 176 FT IN 1943.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, , 1943,

LOWEST WATER LEVEL 8.53 BELOW LSD, FEB. 7, 1961.

RECORDS AVAILABLE: 1943, 1961, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
1943	6. G	FEB. 7, 1961	8.53	AUG. 2, 1971	N		

65/23E-32L2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 17 FT WHEN DRILLED, 12.7 FT IN 1971.

LSD 267.22 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.15 BELOW LSD, MAY 21, 1940,

DRY, WATER LEVEL NOT MEASUREABLE, APR. 9, 1946, AUG. 1, 1956.

RECORDS AVAILABLE: 1923-27, 1929, 1940-41, 1944-46, 1948, 1950, 1952-53, 1956-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 15, 1923	8.05	NOV. 8, 1944	8.27	FEB. 19, 1957	9.39	SEP. 11, 1964	8.15
JAN. 23, 1924	8.75	JULY 10, 1945	7.45	MAR. 15	8.99	JAN. 11, 1965	8.40
SEP. 20	8.25	APR. 9, 1946	F	JAN. 24, 1958	10.14	OCT. 20	8.10
FEB. 23, 1925	9.55	SEP. 16	8.00	MAY 16	9.64	JAN. 17, 1966	9.10
OCT. 17	7.65	JAN. 9, 1948	8.20	DEC. 9, 1959	10.54	SEP. 16	8.45
JAN. 6, 1926	8.85	AUG. 23	9.27	JAN. 8, 1960	10.79	JAN. 17, 1967	8.95
MAR. 24	6.65	MAR. 28, 1950	8.89	SEP. 15	10.79	OCT. 30	8.40
MAY 13, 1927	7.65	SEP. 29	7.84	JAN. 3, 1961	10.29	APR. 10, 1968	9.05
MAY 31	10.15	JAN. 25, 1952	8.64	SEP. 9	10.59	DEC. 31	9.05
MAY 7, 1929	10.45	OCT. 3	8.09	JAN. 19, 1962	10.29	JUNE 16, 1969	9.40
JULY 15	10.85	JAN. 7, 1953	8.39	SEP. 5	10.69	SEP. 10	10.00
FEB. 3, 1940	7.21	SEP. 30	8.59	JAN. 18, 1963	10.39	APR. 8, 1970	9.90
MAY 21	7.15	MAR. 1, 1956	9.64	SEP. 26	10.09	MAY 20	9.85
JAN. 21, 1941	7.60	AUG. 1	F	JAN. 8, 1964	9.00	JULY 20, 1971	10.66
APR. 25	7.45						

65/23E-32L3 S. PERFORATED 113-127 FT; DEPTH 126.7 FT IN 1972.

LSD 267 FT ABOVE MSL.

HIGHEST WATER LEVEL 11.21 BELOW LSD, AUG. 9, 1972,

LOWEST WATER LEVEL 11.21 BELOW LSD, AUG. 9, 1972.

RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 9, 1972	11.21						

65/23E-32M1 S. PERFORATED 282-294 FT.

LSD 267 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, AUG. 3, 1948,

LOWEST WATER LEVEL 8.00 BELOW LSD, AUG. 3, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 3, 1948	8. G	AUG. 2, 1971	P				

65/23E-32N1 S. PERFORATED 310-335 FT.

LSD 265 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, JULY 2, 1956,

LOWEST WATER LEVEL 8.70 BELOW LSD, OCT. 27, 1970.

RECORDS AVAILABLE: 1956, 1961, 1966, 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 2, 1956	6. G	OCT. 19, 1966	6.05	OCT. 27, 1970	8.7 G	AUG. 3, 1971	30.87A
FEB. 7, 1961	7.3						

65/23E-32P1 S. PERFORATED 245-270, 290-296, 306-324 FT.

LSD 265 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, MAR. 16, 1960,

LOWEST WATER LEVEL 10.00 BELOW LSD, OCT. 27, 1970.

RECORDS AVAILABLE: 1960, 1962, 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1960	7. G	OCT. 23, 1962	8.8 G	OCT. 27, 1970	10.0 G	AUG. 3, 1971	20.75A

65/23E-3201 S. PERFORATED 342-366 FT.
LSD 268 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, APR. 10, 1958,
LOWEST WATER LEVEL 11.50 BELOW LSD, FEB. 7, 1961.
RECORDS AVAILABLE: 1958, 1961, 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 10, 1958	8. G	FEB. 7, 1961	11.5 G	OCT. 28, 1970	10.2 G	AUG. 3, 1971	36.30A

65/23E-32R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 264.90 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.31 BELOW LSD, SEP. 14, 1958,
LOWEST WATER LEVEL 8.15 BELOW LSD, JAN. 6, 1959.
RECORDS AVAILABLE: 1946-59, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 18, 1946	5.80	SEP. 8, 1949	6.88	JAN. 29, 1953	6.26	SEP. 25, 1956	5.46
SEP. 6	6.32	JAN. 5, 1950	6.93	SEP. 26	6.96	JAN. 4, 1957	6.36
JAN. 9, 1947	7.29	SEP. 12	7.40	JAN. 14, 1954	7.06	SEP. 7	7.51
MAY 23	5.90	JAN. 23, 1951	6.76	SEP. 28	6.36	JAN. 11, 1958	7.71
JAN. 9, 1948	5.90	SEP. 11	6.16	JAN. 29, 1955	6.76	SEP. 14	5.31
SEP. 4	6.13	JAN. 23, 1952	7.16	SEP. 27	6.46	JAN. 6, 1959	8.15
JAN. 3, 1949	6.60	SEP. 30	6.11	JAN. 27, 1956	6.06	AUG. 24, 1971	P

65/23E-33A1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9 FT IN 1953, 8.1 FT IN 1971.

LSD 267.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.62 BELOW LSD, SEP. 25, 1956,
LOWEST WATER LEVEL 7.55 BELOW LSD, SEP. 10, 1970.
RECORDS AVAILABLE: 1952-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1952	5.00	JAN. 4, 1957	3.42	JAN. 6, 1962	5.20	JAN. 11, 1967	6.40
SEP. 30	4.80	SEP. 7	5.10	SEP. 26	5.90	SEP. 12	6.25
JAN. 29, 1953	5.10	JAN. 10, 1958	6.25	JAN. 15, 1963	6.10	JAN. 10, 1968	6.35
SEP. 26	4.10	SEP. 16	5.05	SEP. 17	6.20	SEP. 13	6.80
JAN. 14, 1954	6.82	JAN. 6, 1959	5.50	JAN. 8, 1964	5.35	JAN. 17, 1969	7.00
SEP. 28	5.52	SEP. 9	7.00	SEP. 8	6.30	SEP. 17	7.10
JAN. 28, 1955	5.52	JAN. 14, 1960	5.00	JAN. 8, 1965	6.85	JAN. 19, 1970	7.20
SEP. 27	3.92	SEP. 9	7.10	SEP. 9	6.50	SEP. 10	7.55
JAN. 27, 1956	5.12	FEB. 15, 1961	5.20	JAN. 8, 1966	6.50	JAN. 12, 1971	6.60
SEP. 25	2.62	SEP. 1	6.20	SEP. 12	6.00	JULY 13	7.28

65/23E-33B1 S. PERFORATED 540-562.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.50 BELOW LSD, OCT. 20, 1967,
LOWEST WATER LEVEL 8.50 BELOW LSD, OCT. 20, 1967.
RECORDS AVAILABLE: 1967, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1967	8.5 G	JULY 20, 1972	A				

65/23E-33E1 S. PERFORATED 290-298, 306-318 FT.
LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.00 BELOW LSD, SEP. 2, 1947,
LOWEST WATER LEVEL 11.90 BELOW LSD, OCT. 28, 1970.
RECORDS AVAILABLE: 1947, 1961, 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 2, 1947	9. G	FEB. 7, 1961	10.70	OCT. 28, 1970	11.9 G	AUG. 3, 1971	36.17A

6S/23E-33F1 S. PERFORATED 446-464 FT.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, MAY 31, 1966,

LOWEST WATER LEVEL 14.50 BELOW LSD, JULY 26, 1972.

RECORDS AVAILABLE: 1966, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 31, 1966	8. G	JULY 26, 1972	14.5				

6S/23E-33F2 S. DEPTH 120 FT IN 1948.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, SEP. 30, 1948,

LOWEST WATER LEVEL 6.00 BELOW LSD, SEP. 30, 1948.

RECORDS AVAILABLE: 1948, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1948	6. G	AUG. 8, 1972	P				

6S/23E-33G1 S. PERFORATED 500-600 FT.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.00 BELOW LSD, FEB. 7, 1962,

LOWEST WATER LEVEL 9.00 BELOW LSD, FEB. 7, 1962.

RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1962	9.0 G	JULY 20, 1972	A				

6S/23E-33K1 S. PERFORATED 351-356, 400-40B FT.

LSD 267 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, FEB. 7, 1962,

LOWEST WATER LEVEL 11.80 BELOW LSD, JULY 20, 1972.

RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1962	8.0 G	JULY 20, 1972	11.8				

6S/23E-33K2 S. PERFORATED 216-222, 243-247 FT.

LSD 265 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, DEC. 31, 1960,

LOWEST WATER LEVEL 7.00 BELOW LSD, DEC. 31, 1960.

RECORDS AVAILABLE: 1960, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 31, 1960	7. G	AUG. 8, 1972	N				

6S/23E-33M1 S. PERFORATED 70-100 FT.

LSD 270 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, FEB. 7, 1962,

LOWEST WATER LEVEL 8.00 BELOW LSD, FEB. 7, 1962.

RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1962	8.0 G	JULY 25, 1972	N				

6S/23E-33N1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
10.9 FT IN 1971.
LSD 265.84 FT ABOVE MSL.
HIGHEST WATER LEVEL 0.98 BELOW LSD, AUG. 2, 1946,
LOWEST WATER LEVEL 11.00 BELOW LSD, JAN. 19, 1970.
RECORDS AVAILABLE: 1946-48, 1959-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1946	.98	JAN. 14, 1960	9.39	JAN. 9, 1964	9.40	JAN. 12, 1968	8.80
SEP. 4	7.25	SEP. 10	9.59	SEP. 8	7.70	OCT. 9	8.70
NOV. 29	7.96	FEB. 13, 1961	9.49	JAN. 8, 1965	8.90	JAN. 17, 1969	9.75
JAN. 9, 1947	8.04	SEP. 1	8.79	SEP. 9	7.60	SEP. 17	8.60
SEP. 18	6.74	JAN. 11, 1962	8.79	JAN. 8, 1966	9.40	JAN. 19, 1970	11.00
JAN. 9, 1948	6.84	SEP. 13	8.75	SEP. 13	8.25	SEP. 14	10.00
JAN. 6, 1959	9.09	JAN. 15, 1963	8.95	JAN. 11, 1967	8.75	JAN. 12, 1971	10.45
SEP. 22	8.39	SEP. 17	8.35	SEP. 12	8.45	JULY 20	10.43

6S/23E-34M1 S. PERFORATED 436-454 FT.
LSD 265 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.50 BELOW LSD, SEP. 23, 1966,
LOWEST WATER LEVEL 4.50 BELOW LSD, SEP. 23, 1966.
RECORDS AVAILABLE: 1966, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 23, 1966	4.5 G	JULY 25, 1972	A				

6S/23E-34N1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
8.0 FT IN 1971.
LSD 263.43 FT ABOVE MSL.
HIGHEST WATER LEVEL 2.73 BELOW LSD, SEP. 16, 1958,
LOWEST WATER LEVEL 7.80 BELOW LSD, JAN. 17, 1969.
RECORDS AVAILABLE: 1941-46, 1950-51, 1956-71.

DATE	WATER LEVEL						
OCT. 29, 1941	4.53	JAN. 5, 1950	5.34	JAN. 14, 1960	6.08	JAN. 8, 1966	6.90
DEC. 23	4.33	SEP. 12	4.70	SEP. 10	6.03	SEP. 13	5.55
JAN. 26, 1942	4.23	JAN. 23, 1951	5.28	FEB. 9, 1961	5.73	JAN. 11, 1967	6.50
SEP. 9	5.93	SEP. 11	5.03	SEP. 1	5.34	SEP. 12	5.85
FEB. 26, 1943	5.33	JAN. 27, 1956	3.92	JAN. 11, 1962	6.54	JAN. 12, 1968	6.75
APR. 21	5.33	SEP. 25	3.27	SEP. 13	5.94	SEP. 13	6.15
OCT. 23, 1944	5.33	JAN. 4, 1957	4.52	JAN. 15, 1963	6.74	JAN. 17, 1969	7.80
DEC. 28	5.33	SEP. 7	4.03	SEP. 17	5.54	SEP. 17	4.60
JAN. 30, 1945	5.33	JAN. 10, 1958	4.03	JAN. 9, 1964	6.84	JAN. 19, 1970	7.30
JULY 3	5.43	SEP. 16	2.73	SEP. 8	5.54	SEP. 14	6.40
MAR. 30, 1946	4.85	JAN. 6, 1959	5.88	JAN. 8, 1965	6.72	JAN. 12, 1971	7.20
JULY 31	5.69	SEP. 22	5.53	SEP. 9	5.37	JULY 20	7.32

6S/23E-35M1 S.
LSD 265.51 FT ABOVE MSL.
HIGHEST WATER LEVEL 3.60 BELOW LSD, AUG. 19, 1918,
LOWEST WATER LEVEL 6.40 BELOW LSD, MAY 4, 1918.
RECORDS AVAILABLE: 1918, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 20, 1918	4.7 G	MAY 4, 1918	6.4 G	AUG. 19, 1918	3.6 G	AUG. 25, 1971	P

6S/23E-35N1 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 16.1 FT IN 1971.
 LSD 267.22 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.70 BELOW LSD, SEP. 7, 1957,
 LOWEST WATER LEVEL 13.25 BELOW LSD, JAN. 8, 1966.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1957	8.95	FEB. 9, 1961	10.67	JAN. 7, 1965	12.05	SEP. 13, 1968	10.85
SEP. 7	7.70	SEP. 1	9.67	SEP. 9	10.90	JAN. 17, 1969	12.50
JAN. 10, 1958	8.20	JAN. 6, 1962	10.97	JAN. 8, 1966	13.25	SEP. 17	10.95
SEP. 16	9.10	SEP. 11	9.67	SEP. 12	10.10	JAN. 19, 1970	13.15
JAN. 6, 1959	9.35	JAN. 5, 1963	9.77	JAN. 11, 1967	12.55	SEP. 14	12.05
SEP. 8	9.05	SEP. 17	10.97	SEP. 12	10.25	JAN. 12, 1971	13.20
JAN. 14, 1960	8.75	JAN. 8, 1964	12.40	JAN. 10, 1968	12.45	JULY 13	12.18
SEP. 8	10.17	SEP. 8	9.65				

6S/23E-35R2 S. RECORDS PRIOR TO 7/13/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 16.8 FT IN 1971.
 LSD 271.48 FT ABOVE MSL.
 HIGHEST WATER LEVEL 11.95 BELOW LSD, AUG. 2, 1960, SEP. 11, 1962,
 LOWEST WATER LEVEL 16.05 BELOW LSD, JAN. 8, 1966.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 17, 1960	13.70	JAN. 5, 1963	12.55	JAN. 8, 1966	16.05	JAN. 17, 1969	15.85
AUG. 2	11.95	SEP. 17	13.15	SEP. 12	12.30	SEP. 17	14.25
FEB. 9, 1961	14.55	JAN. 8, 1964	14.65	JAN. 19, 1967	15.80	JAN. 19, 1970	15.70
SEP. 5	13.05	SEP. 8	13.00	SEP. 12	13.20	SEP. 10	14.40
JAN. 6, 1962	14.65	JAN. 7, 1965	15.10	JAN. 10, 1968	16.00	JAN. 12, 1971	15.85
SEP. 11	11.95	SEP. 9	13.05	SEP. 13	13.40	JULY 13	13.21

6S/23E-36N1 S. PERFORATED 235-248 FT; DEPTH 226 FT IN 1972.
 LSD 270 FT ABOVE MSL.
 HIGHEST WATER LEVEL 10.00 BELOW LSD, NOV. 16, 1951,
 LOWEST WATER LEVEL 14.10 BELOW LSD, JULY 25, 1972.
 RECORDS AVAILABLE: 1951, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 16, 1951	10. G	JULY 25, 1972	14.1				

7S/21E-12D1 S. PERFORATED 200-370 FT; DEPTH 365.08 FT IN 1972.
 LSD 386 FT ABOVE MSL.
 HIGHEST WATER LEVEL 130.00 BELOW LSD, SEP. 3, 1965,
 LOWEST WATER LEVEL 140.83 BELOW LSD, AUG. 15, 1972.
 RECORDS AVAILABLE: 1965-66, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
Sep. 3, 1965	130. G	JAN. 28, 1966	139.15	AUG. 15, 1972	140.83		

7S/21E-12N1 S. DEPTH 326 FT IN 1911, 15.0 FT IN 1971.
 LSD 386 FT ABOVE MSL.
 HIGHEST WATER LEVEL 140.00 BELOW LSD, DEC. 31, 1944,
 DRY, WATER LEVEL NOT MEASUREABLE, JULY 21, 1971.
 RECORDS AVAILABLE: 1911, 1944, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 17, 1911	250. G	DEC. 31, 1944	140. G	JULY 21, 1971	F		

7S/21E-14A1 S. DEPTH 354.0 FT IN 1971.

LSD 386 FT ABOVE MSL.

HIGHEST WATER LEVEL 139.20 BELOW LSD, FEB. 15, 1962,

LOWEST WATER LEVEL 141.42 BELOW LSD, JULY 21, 1971.

RECORDS AVAILABLE: 1961-62, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 9, 1961	139.66	FEB. 15, 1962	139.20	JULY 21, 1971	141.42	AUG. 30, 1971	M

7S/21E-14B1 S. DEPTH 134.0 FT IN 1971.

LSD 384 FT ABOVE MSL.

HIGHEST WATER LEVEL 137.06 BELOW LSD, JUNE 9, 1961,

DRY, WATER LEVEL NOT MEASUREABLE, JULY 21, 1971.

RECORDS AVAILABLE: 1911, 1944, 1961-63, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
, 1911	250.	G	MAY 24, 1962	139.86	SEP. 17, 1962	139.70	DEC. 13, 1962	139.84
DEC. 9, 1944	140.	G	JUNE 20	139.90	OCT. 11	139.82	JAN. 9, 1963	139.82
JUNE 9, 1961	137.06		JULY 19	139.81	NOV. 8	139.82	JULY 21, 1971	F
FEB. 15, 1962	138.00		AUG. 16	139.75				

7S/21E-14H1 S. PERFORATED 700-900 FT.

LSD 380 FT ABOVE MSL.

HIGHEST WATER LEVEL 130.00 BELOW LSD, FEB. 28, 1966, MAR. 1, 1966.

LOWEST WATER LEVEL 134.28 BELOW LSD, AUG. 15, 1972.

RECORDS AVAILABLE: 1966, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL		
FEB. 28, 1966	130.	G	MAR. 1, 1966	130.	G	OCT. 20, 1966	134.07	AUG. 15, 1972	134.28

7S/21E-23C1 S. DEPTH 120.0 FT IN 1961.

LSD 378 FT ABOVE MSL.

DRY, WATER LEVEL NOT MEASUREABLE, OCT. 10, 1961.

RECORDS AVAILABLE: 1961.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1961	F						

7S/21E-27J1 S. DEPTH 116.9 FT IN 1961.

LSD 385 FT ABOVE MSL.

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 19, 1961.

RECORDS AVAILABLE: 1961.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 19, 1961	F						

7S/21E-27J2 S. DEPTM 114.7 FT IN 1961.

LSD 385 FT ABOVE MSL.

DRY, WATER LEVEL NOT MEASUREABLE, SEP. 19, 1961.

RECORDS AVAILABLE: 1961.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 19, 1961	F						

7S/21E-36R1 S. RECORDS PRIOR TO 8/19/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 7.8 FT IN 1971.
 LSD 239.07 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.00 BELOW LSD, SEP. 17, 1968.
 LOWEST WATER LEVEL 6.70 BELOW LSD, JAN. 18, 1969, JAN. 20, 1970, JAN. 13, 1971.
 RECORDS AVAILABLE: 1968-71.

DATE	WATER LEVEL						
JAN. 13, 1968	6.05	JAN. 18, 1969	6.70	JAN. 20, 1970	6.70	JAN. 13, 1971	6.70
SEP. 17	5.00	SEP. 20	5.15	SEP. 21	5.95	AUG. 19	5.58

7S/22E-1D1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12 FT IN 1955, 10.5 FT IN 1971.
 LSD 261.02 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.25 BELOW LSD, SEP. 25, 1956.
 LOWEST WATER LEVEL 10.30 BELOW LSD, JAN. 19, 1970.
 RECORDS AVAILABLE: 1955-71.

DATE	WATER LEVEL						
MAY 30, 1955	6.30	SEP. 9, 1959	7.42	JAN. 9, 1964	7.47	JAN. 12, 1968	10.15
SEP. 27	5.60	JAN. 14, 1960	7.87	SEP. 8	6.27	SEP. 14	8.50
JAN. 27, 1956	6.85	SEP. 10	7.62	JAN. 8, 1965	7.92	JAN. 17, 1969	10.25
SEP. 25	5.25	FEB. 15, 1961	7.62	SEP. 9	6.42	SEP. 17	8.95
JAN. 7, 1957	6.70	SEP. 1	7.22	JAN. 8, 1966	8.12	JAN. 19, 1970	10.30
SEP. 7	5.62	JAN. 11, 1962	7.12	SEP. 13	5.32	SEP. 14	9.30
JAN. 11, 1958	6.92	SEP. 13	6.72	JAN. 11, 1967	8.70	JAN. 13, 1971	10.20
SEP. 17	6.37	JAN. 15, 1963	7.32	SEP. 13	8.25	JULY 21	9.85
JAN. 14, 1959	7.32	SEP. 17	6.42				

7S/22E-2D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.81 BELOW LSD, NOV. 16, 1923.
 LOWEST WATER LEVEL 7.31 BELOW LSD, JULY 15, 1929.
 RECORDS AVAILABLE: 1918-19, 1923-27, 1929, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	5.71	NOV. 16, 1923	4.81	OCT. 17, 1925	5.21	MAY 31, 1927	6.81
APR. 5, 1919	5.61	JAN. 2, 1924	5.51	JAN. 7, 1926	6.81	MAY 7, 1929	7.11
MAY 20	6.11	SEP. 22	4.91	MAR. 23	6.21	JULY 15	7.31
APR. 28, 1923	6.91	FEB. 15, 1925	4.91	MAY 13, 1927	6.51	OCT. 7, 1971	P

7S/22E-2R1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 10.2 FT IN 1971.
 LSD 256.51 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.93 BELOW LSD, FEB. 27, 1925.
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 23, 1951.
 RECORDS AVAILABLE: 1918-19, 1922-26, 1936-48, 1950-51, 1971.

DATE	WATER LEVEL						
NOV. 14, 1918	7.64	JAN. 11, 1926	9.73	AUG. 1, 1940	8.74	MAR. 30, 1946	6.68
APR. 5, 1919	7.51	MAR. 4	8.73	JAN. , 1941	8.24	SEP. 4	7.80
MAY 8	6.85	NOV. 19, 1936	8.68	SEP. 26	8.24	JAN. 9, 1947	7.42
SEP. 11, 1922	7.23	JAN. 5, 1937	8.58	FEB. 20, 1942	7.74	SEP. 27	8.00
OCT. 8, 1923	6.53	SEP. 17	7.18	SEP. 10	6.24	JAN. 9, 1948	8.20
NOV. 17	6.53	JAN. 4, 1938	8.08	JAN. 12, 1943	8.34	JAN. 5, 1950	8.28
JAN. 24, 1924	6.43	SEP. 15	9.08	JULY 30	8.74	SEP. 12	6.41
SEP. 22	6.63	JAN. 4, 1939	8.28	OCT. 18, 1944	8.74	JAN. 23, 1951	F
FEB. 27, 1925	5.93	SEP. 29	8.68	JAN. 30, 1945	8.44	SEP. 11	7.95
OCT. 19	9.73	FEB. 28, 1940	8.68	JULY 3	7.64	JULY 21, 1971	8.10

7S/22E-3D1 S. WELL POINT 45-49 FT; DEPTH 47.3 FT IN 1972.
 LSD 260 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.90 BELOW LSD, JUNE 1, 1967,
 LOWEST WATER LEVEL 7.23 BELOW LSD, JUNE 10, 1968.
 RECORDS AVAILABLE: 1967-68, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 30, 1967	5.41	JUNE 1, 1967	4.90	JUNE 10, 1968	7.23	AUG. 2, 1972	6.90

7S/22E-3D2 S. WELL POINT 18-20 FT.
 LSD 260 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.56 BELOW LSD, JUNE 1, 1967,
 LOWEST WATER LEVEL 11.00 BELOW LSD, AUG. 2, 1972.
 RECORDS AVAILABLE: 1967-68, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 30, 1967	5.13	JUNE 1, 1967	4.56	JUNE 10, 1968	6.87	AUG. 2, 1972	11.0

7S/22E-3H1 S. WELL POINT 114-118 FT; DEPTH 117.8 FT IN 1972.
 LSD 255 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.13 BELOW LSD, JUNE 1, 1967,
 LOWEST WATER LEVEL 11.35 BELOW LSD, JUNE 10, 1968.
 RECORDS AVAILABLE: 1967-68, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 30, 1967	9.20	JUNE 1, 1967	9.13	JUNE 10, 1968	11.35	AUG. 2, 1972	10.5

7S/22E-3H2 S. WELL POINT 20-22 FT; DEPTH 20.3 FT IN 1972.
 LSD 255 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.69 BELOW LSD, JUNE 1, 1967,
 LOWEST WATER LEVEL 12.05 BELOW LSD, JUNE 10, 1968.
 RECORDS AVAILABLE: 1967-68, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 30, 1967	9.80	JUNE 1, 1967	9.69	JUNE 10, 1968	12.05	AUG. 2, 1972	11.0

7S/22E-3L1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.1 FT IN 1971.
 LSD 256.54 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.44 BELOW LSD, JAN. 9, 1947,
 LOWEST WATER LEVEL 10.75 BELOW LSD, JAN. 17, 1969.
 RECORDS AVAILABLE: 1947-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1947	5.44	SEP. 26, 1953	8.31	SEP. 9, 1959	8.41	SEP. 9, 1965	6.49
OCT. 13	6.90	JAN. 14, 1954	9.41	JAN. 14, 1960	8.71	JAN. 10, 1966	8.14
JAN. 3, 1948	7.10	SEP. 28	8.51	SEP. 10	8.51	SEP. 13	6.99
SEP. 10	7.63	JAN. 29, 1955	8.71	FEB. 16, 1961	8.61	JAN. 11, 1967	8.44
JAN. 6, 1949	8.03	SEP. 27	7.41	SEP. 6	7.21	SEP. 13	8.39
SEP. 10	8.00	JAN. 27, 1956	8.11	JAN. 12, 1962	8.01	JAN. 12, 1968	10.24
JAN. 7, 1950	8.01	SEP. 25	7.21	SEP. 17	8.41	SEP. 14	9.74
SEP. 14	7.77	JAN. 17, 1957	7.86	JAN. 26, 1963	8.41	JAN. 17, 1969	10.75
JAN. 26, 1951	7.77	SEP. 9	7.51	SEP. 17	6.51	SEP. 10	9.20
SEP. 11	8.36	JAN. 11, 1958	7.71	JAN. 9, 1964	7.86	JAN. 19, 1970	10.60
JAN. 23, 1952	9.21	SEP. 17	8.76	SEP. 8	6.89	MAY 20	10.35
SEP. 1	8.56	JAN. 7, 1959	9.11	JAN. 8, 1965	7.84	JULY 21, 1971	10.39
JAN. 29, 1953	9.41						

75/22E-3N1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 9.7 FT IN 1971.
 LSD 253.65 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.81 BELOW LSD, APR. 30, 1924,
 LOWEST WATER LEVEL 9.30 BELOW LSD, JAN. 17, 1969, JAN. 13, 1971.
 RECORDS AVAILABLE: 1918-19, 1922-27, 1929, 1936-37, 1947-50, 1952-71.

DATE	WATER LEVEL						
NOV. 14, 1918	6.75	JAN. 2, 1947	4.35	JAN. 27, 1956	6.61	JAN. 19, 1964	6.15
MAY 17, 1919	6.05	OCT. 3	5.06	SEP. 25	5.76	SEP. 8	5.95
SEP. 11, 1922	5.95	JAN. 13, 1948	5.17	JAN. 7, 1957	5.91	JAN. 8, 1965	5.50
DEC. 4, 1923	5.11	SEP. 7	6.17	SEP. 9	5.60	SEP. 9	4.80
APR. 30, 1924	3.81	JAN. 19, 1949	6.21	JAN. 11, 1958	5.80	JAN. 10, 1966	6.50
SEP. 22	4.61	SEP. 23	6.31	SEP. 17	6.50	SEP. 13	5.75
FEB. 27, 1925	4.51	JAN. 7, 1950	6.62	JAN. 14, 1959	7.30	JAN. 11, 1967	7.40
OCT. 28	5.41	JAN. 20	6.63	SEP. 9	6.20	SEP. 13	7.15
JAN. 11, 1926	6.41	JAN. 30, 1952	6.61	JAN. 15, 1960	6.90	JAN. 12, 1968	8.35
MAR. 24	5.81	OCT. 1	5.81	SEP. 13	6.50	SEP. 14	8.50
MAY 13, 1927	6.71	JAN. 1, 1953	6.91	FEB. 16, 1961	5.20	JAN. 17, 1969	9.30
JUNE 1	7.01	SEP. 26	5.61	SEP. 1	5.60	SEP. 19	7.95
MAY 8, 1929	7.01	JAN. 1, 1954	6.41	JAN. 11, 1962	6.30	JAN. 19, 1970	9.20
JULY 18	6.91	SEP. 28	6.11	SEP. 14	6.30	SEP. 14	9.15
NOV. 19, 1936	6.63	JAN. 29, 1955	5.91	JAN. 4, 1963	6.60	JAN. 13, 1971	9.30
JAN. 5, 1937	6.83	SEP. 27	6.01	SEP. 17	5.20	JULY 21	8.94
SEP. 18	5.83						

75/22E-4H1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12.5 FT IN 1971.
 LSD 256.25 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.79 BELOW LSD, MAR. 21, 1947,
 LOWEST WATER LEVEL 11.30 BELOW LSD, JAN. 13, 1971.
 RECORDS AVAILABLE: 1947, 1957-71.

DATE	WATER LEVEL						
JAN. 2, 1947	6.05	JAN. 14, 1960	8.81	JAN. 9, 1964	7.89	JAN. 12, 1968	10.09
MAR. 21	5.79	SEP. 10	8.81	SEP. 8	6.79	SEP. 14	10.35
MAR. 5, 1957	8.09	FEB. 16, 1961	8.86	JAN. 8, 1965	7.94	JAN. 17, 1969	10.85
SEP. 9	7.94	SEP. 1	7.91	SEP. 9	6.94	SEP. 19	9.40
JAN. 11, 1958	7.79	JAN. 11, 1962	8.41	JAN. 10, 1966	8.04	JAN. 19, 1970	10.70
SEP. 17	9.11	SEP. 14	8.79	SEP. 13	7.43	SEP. 14	10.95
JAN. 7, 1959	9.31	JAN. 16, 1963	8.69	JAN. 11, 1967	8.69	JAN. 13, 1971	11.30
SEP. 9	8.51	SEP. 17	6.79	SEP. 13	8.24	JULY 21	10.68

75/22E-4H2 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1965, 11.0 FT IN 1971.
 LSD 256.42 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.75 BELOW LSD, SEP. 9, 1965,
 LOWEST WATER LEVEL 10.60 BELOW LSD, SEP. 14, 1970.
 RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL						
JULY 20, 1965	7.25	JAN. 11, 1967	8.30	JAN. 17, 1969	9.95	SEP. 14, 1970	10.60
SEP. 9	5.75	SEP. 13	7.75	SEP. 19	8.45	JAN. 13, 1971	10.55
JAN. 10, 1966	7.60	JAN. 13, 1968	9.70	JAN. 19, 1970	9.75	JULY 21	9.56
SEP. 13	6.65	SEP. 14	9.50				

7S/22E-4P1 S. PERFORATED 118-136 FT.
LSD 310 FT ABOVE MSL.

HIGHEST WATER LEVEL 57.55 BELOW LSD, NOV. 21, 1961,
LOWEST WATER LEVEL 69.00 BELOW LSD, JUNE , 1959.
RECORDS AVAILABLE: 1959, 1961-63, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE , 1959	69. 6	JAN. 22, 1962	59.22A	JUNE 21, 1962	60.00A	NOV. 8, 1962	60.02A
SEP. 25, 1961	58.57A	FEB. 19	59.75A	JULY 19	59.65A	DEC. 13	60.03A
OCT. 18	58.53A	MAR. 26	59.42A	AUG. 16	59.53A	JAN. 9, 1963	58.61
NOV. 21	57.55	APR. 23	59.87A	SEP. 17	59.41A	AUG. 2, 1972	N
DEC. 26	57.90	MAY 25	59.88A	OCT. 11	59.86A		

7S/22E-401 S. DEPTH 40 FT IN 1961.
LSD 275 FT ABOVE MSL.

HIGHEST WATER LEVEL 21.76 BELOW LSD, SEP. 25, 1961,
LOWEST WATER LEVEL 23.26 BELOW LSD, OCT. 18, 1961.
RECORDS AVAILABLE: 1961-62.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 25, 1961	22.44	OCT. 18, 1961	23.26	MAR. 26, 1962	22.32	JULY 19, 1962	22.78
JULY 6	22.68	NOV. 21	22.12	APR. 23	23.09	AUG. 16	22.66
JULY 28	22.65	DEC. 20	22.45	MAY 25	23.03	SEP. 17	22.62
AUG. 24	22.63	JAN. 22, 1962	22.68	JUNE 21	22.60	OCT. 11	P
SEP. 25	21.76	FEB. 19	22.54				

7S/22E-4Q2 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1968, 12.6 FT IN 1971.

LSD 254.85 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.83 BELOW LSD, SEP. 9, 1965,
LOWEST WATER LEVEL 10.70 BELOW LSD, JAN. 13, 1971.
RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 19, 1957	7.53	FEB. 16, 1961	8.23	JAN. 8, 1965	7.08	SEP. 14, 1968	8.90
SEP. 9	7.03	SEP. 22	6.63	SEP. 9	5.83	JAN. 17, 1969	9.95
JAN. 21, 1958	7.13	JAN. 11, 1962	7.53	JAN. 10, 1966	7.13	SEP. 19	8.90
SEP. 4	7.98	SEP. 14	7.53	SEP. 13	6.93	JAN. 19, 1970	10.15
JAN. 7, 1959	8.63	JAN. 7, 1963	7.53	JAN. 11, 1967	8.58	SEP. 14	10.40
SEP. 9	7.63	SEP. 17	6.63	SEP. 13	7.83	JAN. 13, 1971	10.70
JAN. 15, 1960	8.13	JAN. 9, 1964	7.33	JAN. 12, 1968	9.73	JULY 21	10.05
SEP. 13	7.83	SEP. 8	5.98				

7S/22E-6C1 S. PERFORATED 240-340 FT.

LSD 390.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 136.00 BELOW LSD, JULY 24, 1969,
LOWEST WATER LEVEL 136.00 BELOW LSD, JULY 24, 1969.
RECORDS AVAILABLE: 1969, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 24, 1969	136. G	AUG. 3, 1972	A				

7S/22E-6C2 S.

LSD 390 FT ABOVE MSL.

HIGHEST WATER LEVEL 139.70 BELOW LSD, AUG. 3, 1972,
LOWEST WATER LEVEL 139.70 BELOW LSD, AUG. 3, 1972.
RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 3, 1972	139.7 B						

7S/22E-8K1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
10.1 FT IN 1971.
LSD 250.41 FT ABOVE MSL.
HIGHEST WATER LEVEL 2.95 BELOW LSD, SEP. 8, 1964,
LOWEST WATER LEVEL 8.05 BELOW LSD, JULY 21, 1971.
RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
MAR. 5, 1957	3.70	FEB. 16, 1961	4.90	JAN. 8, 1965	3.90	SEP. 14, 1968	6.95
SEP. 19	3.80	SEP. 1	3.00	SEP. 10	3.50	JAN. 18, 1969	7.15
JAN. 14, 1958	4.05	JAN. 11, 1962	4.55	JAN. 10, 1966	4.35	SEP. 19	5.50
SEP. 4	5.10	SEP. 14	5.00	SEP. 13	5.85	JAN. 19, 1970	6.35
JAN. 7, 1959	5.50	JAN. 7, 1963	5.40	JAN. 11, 1967	7.20	SEP. 16	7.65
SEP. 23	4.50	SEP. 17	3.40	SEP. 13	6.90	JAN. 13, 1971	7.55
JAN. 15, 1960	4.80	JAN. 9, 1964	4.50	JAN. 12, 1968	7.20	JULY 21	8.05
SEP. 13	4.70	SEP. 8	2.95				

7S/22E-8M1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
14 FT IN 1965, 12.1 FT IN 1971.
LSD 254.26 FT ABOVE MSL.
HIGHEST WATER LEVEL 7.40 BELOW LSD, SEP. 10, 1965,
LOWEST WATER LEVEL 11.76 BELOW LSD, JULY 21, 1971.
RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL						
JULY 20, 1965	7.80	JAN. 11, 1967	9.70	JAN. 18, 1969	10.20	SEP. 16, 1970	9.10
SEP. 10	7.40	SEP. 13	10.30	SEP. 19	9.90	JAN. 13, 1971	11.65
JAN. 10, 1966	8.00	JAN. 13, 1968	10.50	JAN. 19, 1970	8.80	JULY 21	11.76
SEP. 13	8.55	SEP. 14	10.65				

7S/22E-9D1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.6 FT IN 1971.
LSD 254.02 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.31 BELOW LSD, SEP. 8, 1964,
LOWEST WATER LEVEL 10.00 BELOW LSD, JULY 21, 1971.
RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
MAR. 5, 1957	6.46	FEB. 16, 1961	6.91	JAN. 8, 1965	5.66	SEP. 14, 1968	8.40
SEP. 19	6.21	SEP. 1	5.21	SEP. 10	4.76	JAN. 18, 1969	9.15
JAN. 14, 1958	6.61	JAN. 11, 1962	6.71	JAN. 10, 1966	6.31	SEP. 19	7.80
SEP. 26	7.41	SEP. 14	6.81	SEP. 13	5.61	JAN. 19, 1970	9.55
JAN. 14, 1959	7.91	JAN. 7, 1963	6.91	JAN. 11, 1967	8.06	SEP. 16	9.55
SEP. 9	6.21	SEP. 17	4.91	SEP. 13	7.71	JAN. 13, 1971	9.85
JAN. 14, 1960	7.31	JAN. 9, 1964	6.31	JAN. 12, 1968	9.71	JULY 21	10.00
SEP. 13	6.41	SEP. 8	4.31				

7S/22E-9N1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.1 FT IN 1971.
LSD 252.23 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.44 BELOW LSD, AUG. 7, 1946,
LOWEST WATER LEVEL 10.45 BELOW LSD, JAN. 13, 1971.
RECORDS AVAILABLE: 1936-43, 1946-48, 1950-51, 1964-71.

DATE	WATER LEVEL						
NOV. 19, 1936	6.71	SEP. 26, 1941	6.62	JAN. 5, 1950	7.03	JAN. 11, 1967	7.76
JAN. 5, 1937	6.61	FEB. 20, 1942	6.52	SEP. 12	5.67	SEP. 13	8.01
SEP. 18	5.91	SEP. 8	6.22	FEB. 24, 1951	7.16	JAN. 13, 1968	8.51
JAN. 4, 1938	5.61	JAN. 12, 1943	6.92	SEP. 27	7.06	SEP. 14	8.25
SEP. 15	6.81	MAY 4	6.62	JAN. 9, 1964	7.26	JAN. 18, 1969	9.80
JAN. 4, 1939	5.76	AUG. 7, 1946	4.44	SEP. 8	4.91	SEP. 19	7.10
SEP. 29	4.61	SEP. 4	4.77	JAN. 8, 1965	6.86	JAN. 20, 1970	9.95
FEB. 28, 1940	6.11	JAN. 9, 1947	5.44	SEP. 10	5.61	SEP. 16	9.35
SEP. 26	6.62	OCT. 27	5.87	JAN. 10, 1966	6.61	JAN. 13, 1971	10.45
JAN. , 1941	6.32	JAN. 9, 1948	5.87	SEP. 13	6.66	JULY 21	8.82

7S/22E-10R1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.8 FT IN 1971.

LSD 253.55 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.67 BELOW LSD, SEP. 8, 1964,

LOWEST WATER LEVEL 9.85 BELOW LSD, JAN. 12, 1968.

RECORDS AVAILABLE: 1918-19, 1922-27, 1929, 1936-48, 1960-71.

DATE	WATER LEVEL						
NOV. 14, 1918	6.41	NOV. 19, 1936	6.88	JAN. 12, 1945	6.68	SEP. 8, 1964	3.67
APR. 4, 1919	6.01	JAN. 4, 1937	7.63	JULY 3	5.68	JAN. 8, 1965	6.62
MAY 7	5.71	SEP. 19	5.18	MAR. 22, 1946	4.89	SEP. 10	5.57
JULY 6, 1922	4.75	JAN. 4, 1938	5.08	SEP. 4	5.61	JAN. 10, 1966	7.77
OCT. 8, 1923	4.75	SEP. 15	6.88	JAN. 9, 1947	5.70	SEP. 13	6.02
DEC. 6	5.57	JAN. 4, 1939	5.68	OCT. 27	5.55	FEB. 10, 1967	8.04
JAN. 24, 1924	4.97	SEP. 29	6.18	JAN. 9, 1948	5.98	SEP. 13	7.94
SEP. 22	5.67	FEB. 28, 1940	5.48	JAN. 15, 1960	7.22	JAN. 12, 1968	9.85
FEB. 27, 1925	5.97	SEP. 26	6.18	SEP. 13	6.02	SEP. 14	6.90
OCT. 20	6.67	JAN. , 1941	6.08	FEB. 17, 1961	6.62	JAN. 18, 1969	9.30
JAN. 11, 1926	7.07	SEP. 26	5.58	SEP. 21	5.22	SEP. 19	7.15
MAR. 4	6.97	FEB. 20, 1942	5.58	JAN. 12, 1962	5.72	JAN. 20, 1970	9.60
MAY 13, 1927	7.97	SEP. 10	5.88	SEP. 14	6.12	SEP. 16	7.82
JUNE 2	7.97	JAN. 12, 1943	6.28	JAN. 15, 1963	6.02	JAN. 13, 1971	7.97
MAY 9, 1929	7.37	JULY 30	5.98	SEP. 19	5.12	JULY 20	7.17
JULY 18	7.07	OCT. 18, 1944	6.68	JAN. 9, 1964	5.32		

7S/22E-11R1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.8 FT IN 1971.

LSD 255.99 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.48 BELOW LSD, SEP. 26, 1953,

LOWEST WATER LEVEL 11.50 BELOW LSD, JAN. 12, 1968.

RECORDS AVAILABLE: 1952-71.

DATE	WATER LEVEL						
JAN. 30, 1952	7.48	JAN. 7, 1957	6.98	JAN. 11, 1962	7.98	JAN. 11, 1967	9.10
OCT. 1	6.98	SEP. 9	6.83	SEP. 14	8.18	SEP. 13	10.45
JAN. 29, 1953	7.88	JAN. 11, 1958	7.48	JAN. 7, 1963	8.58	JAN. 12, 1968	11.50
SEP. 26	6.48	SEP. 17	7.43	SEP. 17	7.18	SEP. 14	9.75
JAN. 14, 1954	7.98	JAN. 7, 1959	8.58	JAN. 9, 1964	8.13	JAN. 17, 1969	11.45
SEP. 28	7.08	SEP. 9	8.48	SEP. 18	7.28	SEP. 19	9.95
JAN. 29, 1955	7.68	JAN. 15, 1960	8.58	JAN. 8, 1965	8.58	JAN. 19, 1970	11.30
SEP. 27	6.88	SEP. 13	8.08	SEP. 9	7.83	SEP. 14	10.60
JAN. 27, 1956	7.03	FEB. 16, 1961	8.18	JAN. 10, 1966	8.95	JAN. 13, 1971	11.05
SEP. 25	6.98	SEP. 1	7.18	SEP. 13	7.60	JULY 21	9.78

7S/22E-11Q1 S. DEPTH 460 FT IN 1962.

LSD 256 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.76 BELOW LSD, FEB. 14, 1962,

LOWEST WATER LEVEL 7.76 BELOW LSD, FEB. 14, 1962.

RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1962	7.76	AUG. 3, 1972	N				

7S/22E-12R1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.5 FT IN 1971.

LSD 256.34 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.55 BELOW LSD, SEP. 14, 1968,

LOWEST WATER LEVEL 8.15 BELOW LSD, JAN. 20, 1970.

RECORDS AVAILABLE: 1956, 1960-64, 1968-71.

DATE	WATER LEVEL						
JAN. 27, 1956	6.43	SEP. 1, 1961	5.55	JAN. 9, 1964	6.58	JAN. 20, 1970	8.15
SEP. 26	5.13	JAN. 12, 1962	6.55	JAN. 12, 1968	7.15	SEP. 16	6.15
JAN. 15, 1960	7.21	SEP. 14	6.05	SEP. 14	4.55	JAN. 13, 1971	7.40
SEP. 13	5.31	JAN. 16, 1963	6.05	JAN. 18, 1969	6.90	JULY 20	5.32
FEB. 17, 1961	6.75	SEP. 19	4.73	SEP. 19	5.50		

7S/22E-13A1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.1 FT IN 1971.
 LSD 258.47 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.90 BELOW LSD, SEP. 7, 1965,
 LOWEST WATER LEVEL 10.90 BELOW LSD, JAN. 11, 1966.
 RECORDS AVAILABLE: 1954-55, 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	8.54	JAN. 17, 1962	9.79	SEP. 18, 1964	8.45	JAN. 16, 1967	10.45
SEP. 1	8.79	SEP. 19	7.49	JAN. 13, 1965	10.30	SEP. 15	8.00
JAN. 5, 1955	9.14	JAN. 22, 1963	9.69	SEP. 7	6.90	JAN. 15, 1968	10.10
SEP. 1	8.24	SEP. 26	8.60	JAN. 11, 1966	10.90	SEP. 16	7.70
JAN. 30, 1961	10.29	JAN. 11, 1964	9.85	SEP. 15	7.90	JULY 27, 1971	9.32
SEP. 14	8.49						

7S/22E-13D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.01 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.95 BELOW LSD, SEP. 1, 1955,
 LOWEST WATER LEVEL 7.00 BELOW LSD, JAN. 5, 1955.
 RECORDS AVAILABLE: 1954-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 2, 1954	6.10	JAN. 5, 1955	7.00	SEP. 1, 1955	5.95	AUG. 20, 1971	P
SEP. 1	6.05						

7S/22E-13E1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.8 FT IN 1971.
 LSD 256.06 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.40 BELOW LSD, MAY 19, 1954,
 LOWEST WATER LEVEL 10.80 BELOW LSD, JULY 27, 1971.
 RECORDS AVAILABLE: 1954-55, 1965-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	5.40	SEP. 7, 1965	6.67	SEP. 29, 1966	6.57	JAN. 30, 1968	8.97
SEP. 15	5.70	DEC. 28	9.02	JAN. 16, 1967	8.92	SEP. 16	5.87
JAN. 5, 1955	7.20	JAN. 11, 1966	9.27	SEP. 15	5.87	JULY 27, 1971	10.8
SEP. 7	6.20						

7S/22E-13E2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.9 FT IN 1971.
 LSD 253.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.62 BELOW LSD, SEP. 17, 1965,
 LOWEST WATER LEVEL 6.31 BELOW LSD, JAN. 22, 1963.
 RECORDS AVAILABLE: 1960-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 15, 1960	5.37	JAN. 22, 1963	6.31	SEP. 17, 1965	2.62	SEP. 13, 1967	3.37
JAN. 31, 1961	5.89	SEP. 26	3.49	JAN. 11, 1966	5.92	JAN. 30, 1968	4.87
SEP. 14	3.68	JAN. 11, 1964	5.04	SEP. 15	4.72	SEP. 16	4.10
JAN. 17, 1962	5.99	SEP. 18	3.59	JAN. 16, 1967	6.07	JULY 27, 1971	5.22
SEP. 19	4.11	JAN. 20, 1965	5.56				

7S/22E-13E3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
11.4 FT IN 1971.
LSD 256.24 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.05 BELOW LSD, SEP. 9, 1953.
LOWEST WATER LEVEL 10.00 BELOW LSD, MAR. 20, 1954.
RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 23, 1953	5.85	MAR. 20, 1954	10.00	JAN. 5, 1955	7.20	JULY 27, 1971	6.93
SEP. 9	5.05	SEP. 1	7.35	SEP. 1	7.20		

7S/22E-13E4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 256.31 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.40 BELOW LSD, SEP. 9, 1953.
LOWEST WATER LEVEL 10.40 BELOW LSD, JAN. 23, 1953.
RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	10.40	JAN. 6, 1954	8.00	JAN. 5, 1955	8.30	AUG. 20, 1971	P
SEP. 9	5.40	SEP. 1	5.90	SEP. 1	6.20		

7S/22E-13E5 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 256.99 FT ABOVE MSL.
HIGHEST WATER LEVEL 6.20 BELOW LSD, SEP. 9, 1953.
LOWEST WATER LEVEL 9.70 BELOW LSD, JAN. 23, 1953.
RECORDS AVAILABLE: 1953, 1955, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	9.70	JAN. 6, 1954	8.70	JAN. 5, 1955	9.00	AUG. 20, 1971	P
SEP. 9	6.20	SEP. 1	6.55	SEP. 1	7.00		

7S/22E-13E6 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 257.14 FT ABOVE MSL.
HIGHEST WATER LEVEL 6.07 BELOW LSD, SEP. 9, 1953.
LOWEST WATER LEVEL 10.27 BELOW LSD, JAN. 23, 1953.
RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	10.27	JAN. 23, 1954	8.80	JAN. 5, 1955	8.40	AUG. 20, 1971	P
SEP. 9	6.07	SEP. 1	6.60	SEP. 1	6.60		

7S/22E-13E7 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 256.24 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.58 BELOW LSD, SEP. 9, 1953.
LOWEST WATER LEVEL 9.18 BELOW LSD, JAN. 23, 1953.
RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	9.18	JAN. 13, 1954	7.30	JAN. 5, 1955	8.00	AUG. 20, 1971	P
SEP. 9	5.58	SEP. 1	5.90	SEP. 1	6.20		

7S/22E-13E8 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 254.88 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.81 BELOW LSD, SEP. 9, 1953,

LOWEST WATER LEVEL 6.60 BELOW LSD, JAN. 5, 1955.

RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 23, 1953	4.21	JAN. 12, 1954	6.30	JAN. 5, 1955	6.60	AUG. 20, 1971	P
SEP. 9	3.81	SEP. 1	4.55	SEP. 7	4.80		

7S/22E-13E9 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 255.61 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.60 BELOW LSD, SEP. 1, 1955,

LOWEST WATER LEVEL 7.43 BELOW LSD, JAN. 12, 1954.

RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 23, 1953	5.53	JAN. 12, 1954	7.43	JAN. 5, 1955	7.40	AUG. 20, 1971	P
SEP. 9	4.83	SEP. 6	5.60	SEP. 1	4.60		

7S/22E-13F1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.9 FT IN 1971.

LSD 256.62 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.19 BELOW LSD, SEP. 19, 1962,

LOWEST WATER LEVEL 10.35 BELOW LSD, JAN. 11, 1966.

RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1961	9.14	JAN. 22, 1963	5.29	JAN. 13, 1965	9.50	JAN. 16, 1967	9.90
SEP. 14	6.39	SEP. 26	7.50	SEP. 7	7.40	SEP. 29	7.60
JAN. 17, 1962	9.29	JAN. 11, 1964	8.80	JAN. 11, 1966	10.35	SEP. 15, 1968	6.90
SEP. 19	5.19	SEP. 18	6.70	SEP. 15	7.05	JULY 27, 1971	8.22

7S/22E-13G1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.5 FT IN 1971.

LSD 256.33 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.75 BELOW LSD, SEP. 29, 1966,

LOWEST WATER LEVEL 10.45 BELOW LSD, JAN. 11, 1966.

RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1961	10.20	SEP. 22, 1963	9.20	SEP. 7, 1965	8.05	SEP. 29, 1967	8.05
SEP. 14	9.60	JAN. 11, 1964	9.90	JAN. 11, 1966	10.45	JAN. 15, 1968	8.70
JAN. 17, 1962	10.00	SEP. 18	8.75	SEP. 29	7.75	SEP. 16	8.20
SEP. 19	8.40	JAN. 13, 1965	10.20	JAN. 16, 1967	9.65	JULY 27, 1971	8.87
JAN. 22, 1963	10.20						

7S/22E-13G2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 257.40 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.10 BELOW LSD, SEP. 1, 1955,

LOWEST WATER LEVEL 9.60 BELOW LSD, JAN. 5, 1955.

RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1953	9.54	JAN. 28, 1954	9.40	JAN. 5, 1955	9.60	JULY 27, 1971	P
SEP. 16	7.04	SEP. 1	7.90	SEP. 1	6.10		

7S/22E-13G3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.10 BELOW LSD, SEP. 16, 1953,
 LOWEST WATER LEVEL 10.20 BELOW LSD, JAN. 24, 1953.
 RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1953	10.20	JAN. 6, 1954	8.40	JAN. 5, 1955	8.80	JULY 27, 1971	P
SEP. 16	6.10	SEP. 1	7.05	SEP. 1	7.40		

7S/22E-13G4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.34 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.90 BELOW LSD, SEP. 16, 1953,
 LOWEST WATER LEVEL 8.90 BELOW LSD, JAN. 5, 1955.
 RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	8.50	JAN. 15, 1954	8.60	JAN. 5, 1955	8.90	AUG. 20, 1971	P
SEP. 16	5.90	SEP. 6	8.30	SEP. 1	8.30		

7S/22E-13G5 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.77 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.06 BELOW LSD, SEP. 9, 1953,
 LOWEST WATER LEVEL 9.46 BELOW LSD, JAN. 23, 1953.
 RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	9.46	JAN. 15, 1954	8.90	JAN. 5, 1955	9.43	AUG. 20, 1971	P
SEP. 9	7.06	SEP. 1	8.45	SEP. 1	8.73		

7S/22E-13G6 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.06 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.62 BELOW LSD, SEP. 16, 1953,
 LOWEST WATER LEVEL 9.12 BELOW LSD, JAN. 23, 1953.
 RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	9.12	JAN. 15, 1954	8.02	JAN. 13, 1955	8.70	AUG. 20, 1971	P
SEP. 16	6.62	SEP. 1	7.65	SEP. 1	7.90		

7S/22E-13G7 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.03 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.56 BELOW LSD, SEP. 16, 1953,
 LOWEST WATER LEVEL 8.46 BELOW LSD, FEB. 7, 1953.
 RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1953	8.46	JAN. 15, 1954	7.96	JAN. 13, 1955	8.10	AUG. 20, 1971	P
SEP. 16	6.56	SEP. 1	7.45	SEP. 1	7.70		

75/22E-13H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

14 FT IN 1963, 12.7 FT IN 1971.

LSD 258.86 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.25 BELOW LSD, SEP. 7, 1965.

LOWEST WATER LEVEL 11.65 BELOW LSD, JAN. 11, 1966.

RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1961	10.84	SEP. 26, 1963	8.70	SEP. 7, 1965	7.25	SEP. 29, 1967	9.05
OCT. 4	9.35	JAN. 11, 1964	10.60	JAN. 11, 1966	11.65	JAN. 15, 1968	10.85
JAN. 17, 1962	9.55	SEP. 18	8.35	SEP. 15	8.45	SEP. 16	7.35
OCT. 19	8.89	JAN. 13, 1965	11.15	JAN. 16, 1967	11.30	JULY 27, 1971	9.97
JAN. 23, 1963	9.09						

75/22E-13H2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
13.6 FT IN 1971.

LSD 259.27 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.20 BELOW LSD, SEP. 7, 1965.

LOWEST WATER LEVEL 11.65 BELOW LSD, JAN. 11, 1966.

RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1961	11.32	SEP. 26, 1963	9.42	SEP. 7, 1965	7.20	SEP. 15, 1967	8.90
SEP. 14	9.92	JAN. 11, 1964	10.67	JAN. 11, 1966	11.65	JAN. 15, 1968	11.15
JAN. 17, 1962	11.12	SEP. 18	9.15	SEP. 29	8.25	SEP. 16	7.80
OCT.	9.40	JAN. 13, 1965	10.95	JAN. 16, 1967	11.50	JULY 27, 1971	9.52
JAN. 22, 1963	9.80						

75/22E-13H3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 259.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.80 BELOW LSD, SEP. 9, 1953,

LOWEST WATER LEVEL 11.13 BELOW LSD, JAN. 5, 1955.

RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	10.90	JAN. 6, 1954	10.50	JAN. 5, 1955	11.13	AUG. 20, 1971	P
SEP. 9	8.80	SEP. 1	9.53	SEP. 1	9.73		

75/22E-13H4 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 257.47 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.94 BELOW LSD, SEP. 1, 1954,

LOWEST WATER LEVEL 8.87 BELOW LSD, JAN. 23, 1953.

RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	8.87	JAN. 6, 1954	8.27	JAN. 5, 1955	8.79	AUG. 20, 1971	P
SEP. 9	6.97	SEP. 1	6.94	SEP. 1	7.55		

75/22E-13H5 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 259.68 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.90 BELOW LSD, SEP. 13, 1955,

LOWEST WATER LEVEL 11.60 BELOW LSD, JAN. 5, 1955.

RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1953	10.60	JAN. 6, 1954	10.42	JAN. 5, 1955	11.60	AUG. 20, 1971	P
SEP. 16	8.92	SEP. 6	9.99	SEP. 13	8.90		

7S/22E-13H6 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 258.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.94 BELOW LSD, SEP. 16, 1953,
 LOWEST WATER LEVEL 10.30 BELOW LSD, JAN. 5, 1955.
 RECORDS AVAILABLE: 1953-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1953	9.64	JAN. 6, 1954	9.64	JAN. 5, 1955	10.30	AUG. 20, 1971	P
SEP. 16	7.94	SEP. 6	8.63	SEP. 1	9.00		

7S/22E-13J1 S. DEPTH 128 FT IN 1950.
 LSD 260 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.00 BELOW LSD, DEC. 14, 1950,
 LOWEST WATER LEVEL 8.00 BELOW LSD, DEC. 14, 1950.
 RECORDS AVAILABLE: 1950, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 14, 1950	8. G	AUG. 10, 1972	P				

7S/22E-13J2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.5 FT IN 1971.
 LSD 258.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.21 BELOW LSD, SEP. 19, 1962,
 LOWEST WATER LEVEL 12.30 BELOW LSD, JAN. 11, 1966.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1961	11.11	SEP. 26, 1963	8.62	SEP. 7, 1965	8.35	SEP. 15, 1967	9.85
SEP. 14	8.51	JAN. 11, 1964	10.97	JAN. 11, 1966	12.30	JAN. 15, 1968	11.50
MAR. 17, 1962	10.98	SEP. 17	7.83	SEP. 15	8.50	SEP. 16	8.30
SEP. 19	7.21	JAN. 20, 1965	11.70	JAN. 16, 1967	11.70	AUG. 5, 1971	8.62
JAN. 30, 1963	9.11						

7S/22E-13J3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.3 FT IN 1971.
 LSD 258.82 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.27 BELOW LSD, SEP. 17, 1964,
 LOWEST WATER LEVEL 12.55 BELOW LSD, JAN. 11, 1966.
 RECORDS AVAILABLE: 1954, 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	8.98	SEP. 19, 1962	8.45	JAN. 20, 1965	11.90	SEP. 15, 1967	9.95
SEP. 1	9.63	JAN. 22, 1963	9.60	SEP. 7	8.70	JAN. 10, 1968	11.60
JAN. 30, 1961	11.58	SEP. 26	8.50	JAN. 11, 1966	12.55	SEP. 16	8.40
SEP. 14	8.63	JAN. 11, 1964	10.95	SEP. 15	8.55	AUG. 5, 1971	9.45
JAN. 17, 1962	10.43	SEP. 17	8.27	JAN. 16, 1967	11.90		

7S/22E-13J4 S. DEPTH 13.8 FT IN 1971.
 LSD 255 FT ABOVE MSL.
 HIGHEST WATER LEVEL 10.55 BELOW LSD, JULY 27, 1971,
 LOWEST WATER LEVEL 10.55 BELOW LSD, JULY 27, 1971.
 RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1971	10.55						

75/22E-13J5 S. PERFORATED 117-121, 145-152 FT.
 LSD 260 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.00 BELOW LSD, FEB. 20, 1952,
 LOWEST WATER LEVEL 9.00 BELOW LSD, FEB. 20, 1952.
 RECORDS AVAILABLE: 1952, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 20, 1952	9. G	AUG. 10, 1972	N				

75/22E-13K1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.1 FT IN 1971.
 LSD 257.05 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.15 BELOW LSD, SEP. 16, 1968,
 LOWEST WATER LEVEL 12.15 BELOW LSD, JAN. 11, 1966.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 30, 1961	11.55	SEP. 26, 1963	10.50	SEP. 7, 1965	9.45	SEP. 15, 1967	10.35
SEP. 14	10.00	JAN. 11, 1964	11.10	JAN. 11, 1966	12.15	JAN. 30, 1968	10.80
JAN. 17, 1962	11.30	SEP. 17	9.50	SEP. 15	9.95	SEP. 16	9.15
OCT. 19	11.30	JAN. 13, 1965	11.60	JAN. 16, 1967	10.95	AUG. 5, 1971	10.08
JAN. 22, 1963	11.40						

75/22E-13K2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 257.32 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.93 BELOW LSD, SEP. 2, 1953,
 LOWEST WATER LEVEL 9.83 BELOW LSD, JAN. 23, 1953.
 RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	9.83	JAN. 6, 1954	9.13	JAN. 5, 1955	9.50	NOV. 15, 1955	P
SEP. 2	6.93	SEP. 1	7.48	SEP. 1	7.90		

75/22E-13K3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.29 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.50 BELOW LSD, SEP. 9, 1953,
 LOWEST WATER LEVEL 9.40 BELOW LSD, JAN. 23, 1953.
 RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1953	9.40	JAN. 6, 1954	8.30	JAN. 13, 1955	8.47	NOV. 15, 1955	P
SEP. 9	6.50	SEP. 1	6.62	SEP. 1	6.67		

75/22E-13L1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.8 FT IN 1971.
 LSD 257.35 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.08 BELOW LSD, SEP. 17, 1964,
 LOWEST WATER LEVEL 11.35 BELOW LSD, JAN. 11, 1966.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1961	10.11	SEP. 26, 1963	7.98	SEP. 7, 1965	8.35	SEP. 15, 1967	9.15
SEP. 14	7.82	JAN. 11, 1964	9.33	JAN. 11, 1966	11.35	JAN. 5, 1968	10.55
JAN. 17, 1962	10.42	SEP. 17	5.08	SEP. 15	8.70	SEP. 16	7.25
SEP. 19	6.98	JAN. 27, 1965	10.31	JAN. 16, 1967	10.80	AUG. 5, 1971	10.32
JAN. 22, 1963	9.68						

7S/22E-13M1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
10.4 FT IN 1971.
LSD 254.66 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.27 BELOW LSD, SEP. 12, 1962,
LOWEST WATER LEVEL 8.54 BELOW LSD, JAN. 11, 1966.
RECORDS AVAILABLE: 1960-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 15, 1960	6.23	SEP. 12, 1962	4.27	JAN. 13, 1965	7.64	SEP. 15, 1967	6.49
DEC. 17	6.28	MAY 8, 1963	6.59	SEP. 7	4.89	JAN. 15, 1968	8.49
JAN. 31, 1961	6.91	SEP. 26	4.99	JAN. 11, 1966	8.54	SEP. 16	4.99
SEP. 14	6.80	JAN. 14, 1964	6.44	SEP. 15	5.69	JULY 27, 1971	7.75
JAN. 17, 1962	7.17	SEP. 17	4.89	JAN. 16, 1967	7.99		

7S/22E-13P1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.1 FT IN 1971.
LSD 256.78 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.52 BELOW LSD, SEP. 17, 1964,
LOWEST WATER LEVEL 11.15 BELOW LSD, JAN. 11, 1966.
RECORDS AVAILABLE: 1954-55, 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	7.92	JAN. 17, 1962	10.00	SEP. 17, 1964	5.52	JAN. 16, 1967	10.70
SEP. 1	7.67	SEP. 19	5.60	JAN. 13, 1965	10.32	SEP. 15	8.85
JAN. 20, 1955	9.72	JAN. 22, 1963	10.60	SEP. 7	7.85	JAN. 15, 1968	10.40
SEP. 1	7.42	SEP. 26	7.43	JAN. 11, 1966	11.15	SEP. 15	6.80
JAN. 31, 1961	9.58	JAN. 11, 1964	9.13	SEP. 15	8.45	AUG. 5, 1971	9.97
SEP. 14	7.50						

7S/22E-13P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
LSD 257.06 FT ABOVE MSL.
HIGHEST WATER LEVEL 7.71 BELOW LSD, SEP. 1, 1955,
LOWEST WATER LEVEL 9.51 BELOW LSD, JAN. 5, 1955.
RECORDS AVAILABLE: 1954-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	8.80	JAN. 5, 1955	9.51	SEP. 1, 1955	7.71	NOV. 16, 1955	P
SEP. 1	9.10						

7S/22E-14A1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
10.0 FT IN 1971.
LSD 256.55 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.84 BELOW LSD, SEP. 10, 1957,
LOWEST WATER LEVEL 9.10 BELOW LSD, JAN. 12, 1967.
RECORDS AVAILABLE: 1952-67, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 23, 1952	8.04	SEP. 26, 1956	6.14	SEP. 13, 1960	7.60	SEP. 8, 1964	6.35
OCT. 1	6.14	JAN. 8, 1957	6.74	FEB. 17, 1961	8.30	JAN. 8, 1965	8.20
JAN. 29, 1953	8.24	SEP. 10	5.84	SEP. 1	7.10	SEP. 10	6.75
SEP. 26	6.54	JAN. 14, 1958	6.89	JAN. 12, 1962	7.30	JAN. 10, 1966	8.75
JUNE 2, 1954	6.74	SEP. 17	6.80	SEP. 14	7.60	SEP. 13	6.50
SEP. 1	6.64	JAN. 7, 1959	8.40	FEB. 11, 1963	8.00	JAN. 12, 1967	9.10
JAN. 5, 1955	7.94	SEP. 9	7.40	SEP. 19	6.90	SEP. 13	7.35
SEP. 1	6.84	JAN. 15, 1960	8.40	JAN. 9, 1964	7.20	JULY 20, 1971	7.22
JAN. 27, 1956	7.24						

7S/22E-14E1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 13.6 FT IN 1971.
 LSD 254.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.75 BELOW LSD, SEP. 14, 1961,
 LOWEST WATER LEVEL 12.70 BELOW LSD, JAN. 30, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1961	8.17	SEP. 26, 1963	6.85	SEP. 7, 1965	7.40	SEP. 15, 1967	10.60
SEP. 14	6.75	JAN. 14, 1964	8.20	JAN. 11, 1966	10.25	JAN. 30, 1968	12.70
JAN. 17, 1962	8.65	SEP. 18	6.90	SEP. 15	8.25	SEP. 16	9.70
SEP. 19	7.05	JAN. 13, 1965	9.10	JAN. 16, 1967	10.45	JULY 27, 1971	9.50
JAN. 22, 1963	8.95						

7S/22E-14E2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 9.45 FT IN 1971.
 LSD 252.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.50 BELOW LSD, SEP. 14, 1961,
 LOWEST WATER LEVEL 10.00 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1961	5.80	SEP. 26, 1963	5.40	SEP. 7, 1965	5.10	SEP. 15, 1967	8.40
SEP. 14	4.50	JAN. 14, 1964	6.20	JAN. 11, 1966	8.00	JAN. 15, 1968	10.00
JAN. 17, 1962	6.50	SEP. 18	4.75	SEP. 15	6.05	SEP. 16	7.55
SEP. 19	5.10	JAN. 13, 1965	6.95	JAN. 16, 1967	8.35	AUG. 4, 1971	5.95
MAR. 29, 1963	6.00						

7S/22E-14F1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 10.1 FT IN 1971.
 LSD 253.46 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.75 BELOW LSD, SEP. 18, 1964,
 LOWEST WATER LEVEL 9.90 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1961	6.83	SEP. 26, 1963	5.20	SEP. 7, 1965	6.60	SEP. 15, 1967	8.10
OCT. 17	6.00	JAN. 14, 1964	6.35	JAN. 11, 1966	8.70	JAN. 15, 1968	9.90
JAN. 17, 1962	7.20	SEP. 18	4.75	SEP. 15	7.05	SEP. 16	7.55
SEP. 19	5.10	JAN. 13, 1965	7.10	JAN. 16, 1967	9.15	JULY 27, 1971	7.97
JAN. 22, 1963	7.20						

7S/22E-14G1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 13.3 FT IN 1971.
 LSD 256.33 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.77 BELOW LSD, MAY 19, 1954,
 LOWEST WATER LEVEL 12.35 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1954-55, 1960-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	6.77	JAN. 31, 1961	9.19	JAN. 14, 1964	8.57	JAN. 16, 1967	12.20
SEP. 1	7.12	SEP. 14	7.38	SEP. 18	7.42	SEP. 15	10.60
JAN. 13, 1955	8.87	JAN. 17, 1962	9.18	JAN. 20, 1965	9.77	JAN. 15, 1968	12.35
SEP. 1	7.05	SEP. 19	7.58	SEP. 7	10.10	SEP. 16	10.45
DEC. 15, 1960	8.51	JAN. 22, 1963	8.88	JAN. 11, 1966	11.70	JULY 27, 1971	11.95
DEC. 17	8.61	SEP. 26	7.72	SEP. 15	10.50		

7S/22E-14G2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
11.9 FT IN 1971.
LSD 255.79 FT ABOVE MSL.
HIGHEST WATER LEVEL 6.60 BELOW LSD, SEP. 18, 1964,
LOWEST WATER LEVEL 11.15 BELOW LSD, JAN. 15, 1968.
RECORDS AVAILABLE: 1960-68, 1971.

DATE	WATER LEVEL						
DEC. 15, 1960	7.94	SEP. 19, 1962	6.99	JAN. 13, 1965	9.05	SEP. 15, 1967	9.10
DEC. 17	8.02	FEB. 20, 1963	8.69	SEP. 7	8.45	JAN. 15, 1968	11.15
JAN. 31, 1961	8.54	SEP. 26	6.90	JAN. 11, 1966	10.50	SEP. 16	8.50
SEP. 14	7.77	JAN. 14, 1964	7.45	SEP. 15	8.70	AUG. 4, 1971	8.75
JAN. 17, 1962	9.37	SEP. 18	6.60	JAN. 16, 1967	10.65		

7S/22E-14H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.5 FT IN 1971.
LSD 255.54 FT ABOVE MSL.
HIGHEST WATER LEVEL 3.30 BELOW LSD, NOV. 21, 1962,
LOWEST WATER LEVEL 10.45 BELOW LSD, JAN. 15, 1968.
RECORDS AVAILABLE: 1954-55, 1960-68, 1971.

DATE	WATER LEVEL						
MAY 19, 1954	6.49	JAN. 31, 1961	8.25	JAN. 14, 1964	7.75	JAN. 16, 1967	10.10
SEP. 1	6.89	SEP. 14	6.87	SEP. 18	6.80	SEP. 15	8.20
JAN. 15, 1955	9.09	JAN. 17, 1962	8.27	JAN. 13, 1965	8.30	JAN. 15, 1968	10.45
SEP. 1	6.79	NOV. 21	3.30	SEP. 7	7.95	SEP. 16	8.00
DEC. 15, 1960	7.57	JAN. 22, 1963	8.60	JAN. 11, 1966	10.15	JULY 27, 1971	6.62
DEC. 17	7.65	SEP. 26	6.80	SEP. 15	7.85		

7S/22E-14H2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
10.4 FT IN 1971.
LSD 254.18 FT ABOVE MSL.
HIGHEST WATER LEVEL 3.75 BELOW LSD, SEP. 18, 1964,
LOWEST WATER LEVEL 8.40 BELOW LSD, JAN. 15, 1968.
RECORDS AVAILABLE: 1954-55, 1961-68, 1971.

DATE	WATER LEVEL						
MAY 19, 1954	4.63	JAN. 17, 1962	6.80	SEP. 18, 1964	3.75	JAN. 16, 1967	7.95
SEP. 1	4.58	SEP. 19	5.40	JAN. 13, 1965	6.70	SEP. 15	6.25
JAN. 13, 1955	6.33	JAN. 22, 1963	7.40	SEP. 7	6.05	JAN. 15, 1968	8.40
SEP. 1	4.73	SEP. 26	6.00	JAN. 11, 1966	8.05	SEP. 16	6.35
JAN. 31, 1961	6.64	JAN. 14, 1964	4.80	SEP. 15	6.15	AUG. 11, 1971	6.14
SEP. 14	5.30						

7S/22E-14H3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
10.4 FT IN 1971.
LSD 254.24 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.40 BELOW LSD, SEP. 14, 1961, SEP. 19, 1962,
LOWEST WATER LEVEL 8.50 BELOW LSD, JAN. 15, 1968.
RECORDS AVAILABLE: 1960-68, 1971.

DATE	WATER LEVEL						
DEC. 15, 1960	5.45	SEP. 19, 1962	5.40	JAN. 13, 1965	7.65	SEP. 15, 1967	6.50
DEC. 17	5.60	JAN. 22, 1963	7.90	SEP. 7	6.95	JAN. 15, 1968	8.50
JAN. 31, 1961	6.50	SEP. 26	6.70	JAN. 11, 1966	7.40	SEP. 16	7.55
SEP. 14	5.40	JAN. 14, 1964	7.10	SEP. 15	7.50	AUG. 11, 1971	7.14
JAN. 17, 1962	7.00	SEP. 18	6.55	JAN. 16, 1967	8.20		

7S/22E-14J1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1964, 11.1 FT IN 1971.
 LSD 254.85 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.75 BELOW LSD, SEP. 17, 1964,
 LOWEST WATER LEVEL 9.70 BELOW LSD, JAN. 11, 1966.
 RECORDS AVAILABLE: 1960-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 15, 1960	7.12	SEP. 19, 1962	6.00	JAN. 13, 1965	8.25	SEP. 15, 1967	7.80
DEC. 17	7.20	JAN. 22, 1963	6.80	SEP. 7	7.60	JAN. 15, 1968	8.50
JAN. 31, 1961	7.83	SEP. 26	5.91	JAN. 11, 1966	9.70	SEP. 16	6.95
SEP. 14	6.32	JAN. 14, 1964	7.11	SEP. 15	6.80	AUG. 17, 1971	7.68
JAN. 17, 1962	7.82	SEP. 17	5.75	JAN. 16, 1967	9.45		

7S/22E-14J2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 256.64 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.30 BELOW LSD, MAY 19, 1954,
 LOWEST WATER LEVEL 8.70 BELOW LSD, JAN. 13, 1955.
 RECORDS AVAILABLE: 1954-55, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	6.30	JAN. 13, 1955	8.70	SEP. 7, 1955	6.70	AUG. 24, 1971	P
SEP. 1	7.00						

7S/22E-14K1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.1 FT IN 1971.
 LSD 252.46 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.95 BELOW LSD, SEP. 11, 1964,
 LOWEST WATER LEVEL 11.65 BELOW LSD, AUG. 31, 1971.
 RECORDS AVAILABLE: 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 13, 1963	6.46	SEP. 7, 1965	8.10	SEP. 15, 1967	8.70	SEP. 9, 1969	8.95
SEP. 19	4.10	JAN. 11, 1966	9.50	JAN. 15, 1968	9.85	JAN. 16, 1970	10.00
JAN. 15, 1964	5.30	SEP. 15	8.75	SEP. 16	7.90	MAR. 16	10.05
SEP. 11	3.95	JAN. 16, 1967	10.00	JAN. 20, 1969	9.70	AUG. 31, 1971	11.65
JAN. 8, 1965	6.90						

7S/22E-14K2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 257.32 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.70 BELOW LSD, MAY 19, 1954, SEP. 1, 1955,
 LOWEST WATER LEVEL 9.50 BELOW LSD, JAN. 13, 1955.
 RECORDS AVAILABLE: 1954-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	7.70	JAN. 13, 1955	9.50	SEP. 1, 1955	7.70	NOV. 17, 1955	P
SEP. 1	8.05						

7S/22E-14K3 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 254.44 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.71 BELOW LSD, SEP. 19, 1962,
 LOWEST WATER LEVEL 12.10 BELOW LSD, JAN. 16, 1967.
 RECORDS AVAILABLE: 1960-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 15, 1960	6.99	SEP. 19, 1962	5.71	JAN. 13, 1965	7.44	SEP. 15, 1967	10.75
DEC. 17	7.05	JAN. 22, 1963	7.91	SEP. 7	10.40	JAN. 15, 1968	11.80
JAN. 31, 1961	7.55	SEP. 26	8.69	JAN. 11, 1966	11.40	SEP. 16	10.10
SEP. 14	5.91	JAN. 14, 1964	7.09	SEP. 15	11.00	AUG. 17, 1971	P
JAN. 17, 1962	6.01	SEP. 17	5.74	JAN. 16, 1967	12.10		

7S/22E-14L1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12.5 FT IN 1971.
 LSD 254.22 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.02 BELOW LSD, SEP. 17, 1964,
 LOWEST WATER LEVEL 10.90 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
JAN. 31, 1961	8.17	SEP. 26, 1963	5.97	SEP. 7, 1965	7.70	SEP. 15, 1967	9.30
SEP. 14	5.94	JAN. 14, 1964	6.47	JAN. 11, 1966	9.80	JAN. 15, 1968	10.90
JAN. 17, 1962	7.94	SEP. 17	5.02	SEP. 15	8.25	SEP. 16	8.90
SEP. 19	6.14	JAN. 13, 1965	8.70	JAN. 16, 1967	10.35	AUG. 17, 1971	9.18
JAN. 22, 1963	7.74						

7S/22E-14M1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1968, 12.8 FT IN 1971.
 LSD 252.51 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.88 BELOW LSD, SEP. 14, 1961,
 LOWEST WATER LEVEL 10.90 BELOW LSD, JAN. 30, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
JAN. 31, 1961	6.56	SEP. 26, 1963	5.59	SEP. 7, 1965	5.84	SEP. 15, 1967	8.84
SEP. 14	4.88	JAN. 14, 1964	6.19	JAN. 11, 1966	8.54	JAN. 30, 1968	10.90
JAN. 17, 1962	6.88	SEP. 17	5.19	SEP. 15	6.64	SEP. 16	7.85
SEP. 19	5.08	JAN. 13, 1965	7.49	JAN. 16, 1967	9.04	JULY 27, 1971	7.75
MAY 8, 1963	6.49						

7S/22E-14N1 S. RECORDS PRIOR TO 7/27/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 11.7 FT IN 1971.
 LSD 251.51 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.18 BELOW LSD, SEP. 9, 1959,
 LOWEST WATER LEVEL 10.65 BELOW LSD, JAN. 20, 1970.
 RECORDS AVAILABLE: 1918-20, 1922-26, 1948-71.

DATE	WATER LEVEL						
NOV. 14, 1918	5.54	SEP. 8, 1949	4.92	JAN. 8, 1957	5.27	SEP. 9, 1964	4.00
APR. 7, 1919	5.74	JAN. 5, 1950	4.40	SEP. 19	3.38	JAN. 9, 1965	6.65
MAY 7	5.44	SEP. 12	3.76	JAN. 14, 1958	5.23	SEP. 10	3.95
JULY 13, 1920	5.09	JAN. 23, 1951	5.21	SEP. 17	3.68	JAN. 10, 1966	7.85
SEP. 20, 1922	4.99	SEP. 11	4.46	JAN. 7, 1959	5.48	SEP. 13	5.45
DEC. 6, 1923	5.69	FEB. 7, 1952	5.06	SEP. 9	3.18	JAN. 12, 1967	8.15
JAN. 26, 1924	5.49	OCT. 6	4.56	JAN. 4, 1960	6.45	SEP. 13	7.35
SEP. 22	5.39	MAR. 9, 1953	4.82	SEP. 13	4.00	JAN. 12, 1968	10.05
JAN. 10, 1925	5.89	SEP. 28	3.72	FEB. 18, 1961	5.60	SEP. 14	5.85
OCT. 22	6.79	JAN. 14, 1954	5.62	SEP. 6	3.90	JAN. 8, 1969	9.40
JAN. 12, 1926	7.59	SEP. 28	4.12	JAN. 13, 1962	5.70	SEP. 19	6.90
MAR. 27	7.39	JAN. 29, 1955	6.32	SEP. 18	4.20	JAN. 20, 1970	10.65
JAN. 12, 1948	5.12	SEP. 27	3.42	JAN. 17, 1963	6.80	SEP. 16	7.25
SEP. 7	3.97	JAN. 27, 1956	4.27	SEP. 19	3.60	JAN. 13, 1971	9.10
JAN. 4, 1949	5.64	SEP. 26	4.07	JAN. 11, 1964	5.10	JULY 27	6.23

7S/22E-14P1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12.6 FT IN 1971.
 LSD 253.89 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.51 BELOW LSD, SEP. 17, 1964,
 LOWEST WATER LEVEL 10.16 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
JAN. 31, 1961	7.48	SEP. 26, 1963	6.26	SEP. 7, 1965	7.26	SEP. 15, 1967	9.31
SEP. 14	5.56	JAN. 14, 1964	7.11	JAN. 11, 1966	10.01	JAN. 15, 1968	10.16
JAN. 17, 1962	7.86	SEP. 17	5.51	SEP. 15	8.31	SEP. 16	8.25
SEP. 19	5.86	JAN. 13, 1965	8.71	JAN. 16, 1967	10.06	AUG. 17, 1971	8.69
JAN. 22, 1963	7.56						

7S/22E-14P2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12.6 FT IN 1971.
 LSD 252.58 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.00 BELOW LSD, SEP. 19, 1963,
 LOWEST WATER LEVEL 10.25 BELOW LSD, MAR. 16, 1970.
 RECORDS AVAILABLE: 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 13, 1963	6.64	SEP. 7, 1965	7.60	SEP. 15, 1967	8.40	SEP. 9, 1969	8.55
SEP. 19	4.00	JAN. 11, 1966	9.30	JAN. 15, 1968	9.70	JAN. 16, 1970	10.20
JAN. 15, 1964	5.45	SEP. 15	8.15	SEP. 16	7.50	MAR. 16	10.25
SEP. 11	4.15	JAN. 16, 1967	9.75	JAN. 20, 1969	9.60	AUG. 11, 1971	8.15
JAN. 8, 1965	7.05						

7S/22E-14P3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12.7 FT IN 1971.
 LSD 252.53 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.25 BELOW LSD, SEP. 11, 1964,
 LOWEST WATER LEVEL 10.26 BELOW LSD, FEB. 13, 1963.
 RECORDS AVAILABLE: 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 13, 1963	10.26	SEP. 7, 1965	7.10	SEP. 15, 1967	7.55	SEP. 9, 1969	8.15
SEP. 19	4.40	JAN. 11, 1966	7.95	JAN. 15, 1968	8.50	JAN. 16, 1970	8.50
JAN. 15, 1964	5.40	SEP. 15	7.40	SEP. 16	7.40	APR. 13	8.80
SEP. 11	4.25	JAN. 16, 1967	8.70	JAN. 20, 1969	8.50	AUG. 11, 1971	9.32
JAN. 8, 1965	5.85						

7S/22E-14Q1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 11.6 FT IN 1971.
 LSD 255.01 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.02 BELOW LSD, SEP. 19, 1963,
 LOWEST WATER LEVEL 11.60 BELOW LSD, APR. 16, 1970.
 RECORDS AVAILABLE: 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 13, 1963	8.58	SEP. 7, 1965	9.22	SEP. 15, 1967	9.80	SEP. 9, 1969	9.90
SEP. 19	6.02	JAN. 11, 1966	10.92	JAN. 15, 1968	11.30	JAN. 16, 1970	11.55
JAN. 15, 1964	7.72	OCT. 7	9.70	SEP. 16	8.60	APR. 16	11.60
SEP. 11	6.37	JAN. 16, 1967	11.20	JAN. 20, 1969	10.65	AUG. 17, 1971	9.69
JAN. 8, 1965	9.12						

7S/22E-14Q2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.0
 FT IN 1971.
 LSD 254.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.99 BELOW LSD, SEP. 19, 1963,
 LOWEST WATER LEVEL 12.00 BELOW LSD, JAN. 16, 1970, APR. 10, 1970.
 RECORDS AVAILABLE: 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 13, 1963	8.41	SEP. 7, 1965	9.76	SEP. 15, 1967	10.10	SEP. 9, 1969	10.30
SEP. 19	5.99	JAN. 11, 1966	11.31	JAN. 15, 1968	11.50	JAN. 16, 1970	12.00
JAN. 15, 1964	7.54	OCT. 7	10.25	SEP. 16	9.10	APR. 10	12.00
SEP. 11	6.24	JAN. 16, 1967	11.55	JAN. 20, 1969	11.10	AUG. 17, 1971	10.24
JAN. 8, 1965	9.04						

7S/22E-14Q3 S. DEPTH 13.4 FT IN 1971.

LSD 255 FT ABOVE MSL.

HIGHEST WATER LEVEL 11.10 BELOW LSD, AUG. 17, 1971,

LOWEST WATER LEVEL 11.10 BELOW LSD, AUG. 17, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 17, 1971	11.10						

7S/22E-14Q4 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.2 FT IN 1971.

LSD 254.49 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.86 BELOW LSD, MAY 19, 1954,

DRY, WATER LEVEL NOT MEASUREABLE, APR. 10, 1970.

RECORDS AVAILABLE: 1954-55, 1963-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	5.86	JAN. 15, 1964	7.34	OCT. 7, 1966	11.35	JAN. 20, 1969	11.80
SEP. 1	6.26	SEP. 11	6.04	JAN. 16, 1967	12.20	SEP. 9	11.10
JAN. 13, 1955	8.06	JAN. 8, 1965	9.04	SEP. 15	10.85	JAN. 16, 1970	12.30
SEP. 1	6.46	SEP. 7	10.34	JAN. 15, 1968	12.00	APR. 10	F
FEB. 13, 1963	8.33	JAN. 11, 1966	11.64	SEP. 15	10.05	AUG. 11, 1971	9.24
SEP. 19	5.99						

7S/22E-14R1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.7 FT IN 1971.

LSD 255.42 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.92 BELOW LSD, SEP. 17, 1964,

LOWEST WATER LEVEL 11.30 BELOW LSD, JAN. 15, 1968.

RECORDS AVAILABLE: 1954-55, 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1954	6.59	JAN. 17, 1962	8.92	SEP. 17, 1964	5.92	JAN. 16, 1967	11.20
SEP. 1	6.44	SEP. 19	6.42	JAN. 13, 1965	7.37	SEP. 15	9.65
JAN. 5, 1955	8.39	JAN. 22, 1963	9.02	SEP. 7	8.62	JAN. 15, 1968	11.30
SEP. 1	6.29	SEP. 26	6.52	JAN. 11, 1966	10.77	SEP. 16	8.35
JAN. 31, 1961	8.57	JAN. 14, 1964	7.92	SEP. 29	9.10	AUG. 17, 1971	10.33
SEP. 14	7.02						

7S/22E-15B1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 17 FT IN 1967, 12.7 FT IN 1971.

LSD 253.65 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.38 BELOW LSD, SEP. 7, 1965,

LOWEST WATER LEVEL 12.45 BELOW LSD, JAN. 16, 1968.

RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1961	8.25	SEP. 26, 1963	7.13	SEP. 7, 1965	6.38	SEP. 15, 1967	11.05
SEP. 14	6.82	JAN. 15, 1964	8.13	JAN. 11, 1966	9.43	JAN. 16, 1968	12.45
JAN. 17, 1962	8.32	SEP. 18	6.88	SEP. 15	7.63	SEP. 16	10.10
SEP. 12	7.73	JAN. 13, 1965	8.18	JAN. 17, 1967	9.98	AUG. 4, 1971	10.05
JAN. 22, 1963	9.13						

7S/22E-15D1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

11.6 FT IN 1971.

LSD 252.16 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.50 BELOW LSD, SEP. 19, 1969,

LOWEST WATER LEVEL 9.08 BELOW LSD, JAN. 13, 1968.

RECORDS AVAILABLE: 1968-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1968	9.88	JAN. 18, 1969	9.83	JAN. 20, 1970	9.50	JAN. 13, 1971	9.75
SEP. 14	7.33	SEP. 19	6.50	SEP. 16	9.05	JULY 20	8.46

7S/22E-15E1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

15.1 FT IN 1971.

LSD 253.40 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.45 BELOW LSD, SEP. 18, 1964,

DRY, WATER LEVEL NOT MEASUREABLE, MAR. 13, 1953.

RECORDS AVAILABLE: 1953-55, 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1953	F	FEB. 3, 1961	8.93	JAN. 15, 1964	8.37	JAN. 17, 1967	10.45
SEP. 2	9.44	SEP. 14	7.07	SEP. 18	6.45	SEP. 16	10.90
JAN. 6, 1954	9.24	JAN. 17, 1962	8.32	JAN. 13, 1965	9.00	JAN. 16, 1968	11.85
SEP. 3	8.24	SEP. 19	6.57	SEP. 7	6.70	SEP. 16	9.60
JAN. 5, 1955	9.59	JAN. 22, 1963	8.07	JAN. 11, 1966	9.55	AUG. 4, 1971	10.47
SEP. 1	7.69	SEP. 26	6.77	SEP. 15	7.35		

7S/22E-15E2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

12.3 FT IN 1971.

LSD 252.23 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.20 BELOW LSD, SEP. 18, 1964,

LOWEST WATER LEVEL 10.60 BELOW LSD, JAN. 16, 1968.

RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 3, 1961	7.62	SEP. 26, 1963	5.80	SEP. 7, 1965	5.35	SEP. 16, 1967	9.60
SEP. 14	5.90	JAN. 15, 1964	7.45	JAN. 11, 1966	8.25	JAN. 16, 1968	10.60
JAN. 17, 1962	7.40	SEP. 18	5.20	SEP. 15	6.35	SEP. 16	8.30
SEP. 19	5.90	JAN. 20, 1965	7.75	JAN. 17, 1967	9.20	AUG. 4, 1971	9.21
JAN. 22, 1963	8.15						

7S/22E-15F1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

15.7 FT IN 1971

LSD 252.55 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.81 BELOW LSD, SEP. 7, 1965,

LOWEST WATER LEVEL 15.00 BELOW LSD, JAN. 16, 1968.

RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1961	8.95	SEP. 26, 1963	8.11	SEP. 7, 1965	7.81	SEP. 16, 1967	14.05
SEP. 14	7.85	JAN. 15, 1964	8.96	JAN. 11, 1966	10.01	JAN. 16, 1968	15.00
JAN. 17, 1962	8.95	SEP. 18	8.11	SEP. 15	9.51	SEP. 16	12.40
SEP. 19	8.45	JAN. 13, 1965	9.61	JAN. 17, 1967	10.86	AUG. 4, 1971	12.03
JAN. 22, 1963	9.35						

7S/22E-15F2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 17 FT IN 1967, 16.8 FT IN 1971.
 LSD 253.61 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.69 BELOW LSD, SEP. 14, 1961,
 LOWEST WATER LEVEL 16.55 BELOW LSD, JAN. 16, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 1, 1961	10.01	SEP. 26, 1963	9.19	SEP. 7, 1965	9.09	SEP. 16, 1967	15.85
SEP. 14	8.69	JAN. 15, 1964	10.04	JAN. 11, 1966	10.99	JAN. 16, 1968	16.55
JAN. 17, 1962	9.59	SEP. 18	9.44	SEP. 15	11.04	SEP. 16	14.35
SEP. 19	9.09	JAN. 13, 1965	10.69	JAN. 17, 1967	11.84	AUG. 4, 1971	13.75
JAN. 22, 1963	10.29						

7S/22E-15H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 16 FT IN 1968, 15.7 FT IN 1971.
 LSD 255.07 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.47 BELOW LSD, SEP. 7, 1965,
 LOWEST WATER LEVEL 14.85 BELOW LSD, JAN. 13, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 1, 1961	10.01	SEP. 26, 1963	9.02	SEP. 7, 1965	8.47	SEP. 15, 1967	13.12
OCT. 4	8.93	JAN. 15, 1964	9.67	JAN. 11, 1966	11.37	JAN. 13, 1968	14.85
JAN. 17, 1962	10.03	SEP. 18	8.92	SEP. 15	9.67	SEP. 16	12.00
SEP. 19	8.93	JAN. 13, 1965	10.52	JAN. 17, 1967	11.77	AUG. 4, 1971	11.32
JAN. 22, 1963	10.23						

7S/22E-15H2 S. RECORDS PRIOR TO 1971 FURNISHED IN PALO VERDE IRRIGATION DISTRICT. DEPTH
 16 FT IN 1968, 14.1 FT IN 1971.
 LSD 254.15 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.17 BELOW LSD, SEP. 7, 1965,
 LOWEST WATER LEVEL 13.55 BELOW LSD, JAN. 31, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 1, 1961	8.90	SEP. 26, 1963	7.57	SEP. 7, 1965	7.17	SEP. 15, 1967	11.99
SEP. 14	7.28	JAN. 15, 1964	8.52	JAN. 11, 1966	10.22	JAN. 31, 1968	13.55
JAN. 17, 1962	8.88	SEP. 18	7.67	SEP. 15	8.42	SEP. 16	10.85
SEP. 19	8.07	JAN. 20, 1965	8.57	JAN. 17, 1967	10.92	AUG. 4, 1971	11.00
JAN. 22, 1963	8.47						

7S/22E-15J1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 16 FT IN 1967, 15.7 FT IN 1971.
 LSD 254.80 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.83 BELOW LSD, SEP. 14, 1961,
 LOWEST WATER LEVEL 15.30 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 1, 1961	9.91	SEP. 26, 1963	8.98	SEP. 7, 1965	9.08	SEP. 15, 1967	13.60
SEP. 14	8.83	JAN. 14, 1964	9.68	JAN. 11, 1966	10.98	JAN. 15, 1968	15.30
JAN. 17, 1962	10.43	SEP. 17	9.73	SEP. 15	10.19	SEP. 16	12.25
SEP. 19	9.08	JAN. 13, 1965	11.03	JAN. 17, 1967	12.64	AUG. 21, 1971	11.11
FEB. 12, 1963	11.05						

7S/22E-15J02 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 16 FT IN 1967, 15.6 FT IN 1971.
 LSD 253.01 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.01 BELOW LSD, OCT. 24, 1963,
 LOWEST WATER LEVEL 13.30 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1961	8.17	OCT. 24, 1963	6.01	SEP. 7, 1965	7.04	SEP. 15, 1967	11.60
SEP. 14	7.05	JAN. 14, 1964	6.21	JAN. 11, 1966	9.74	JAN. 15, 1968	13.30
JAN. 17, 1962	8.35	AUG. 26	6.66	SEP. 15	7.79	SEP. 16	10.35
JULY 24	6.85	MAR. 6, 1965	8.44	JAN. 17, 1967	10.24	AUG. 12, 1971	9.46
JAN. 22, 1963	8.61						

7S/22E-15M1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 253.15 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.73 BELOW LSD, SEP. 2, 1953,
 DRY, WATER LEVEL NOT MEASUREABLE, MAR. 13, 1953.
 RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1953	F	JAN. 6, 1954	8.13	JAN. 5, 1955	8.40	NOV. 17, 1955	P
SEP. 2	6.73	SEP. 15	8.80	SEP. 1	7.60		

7S/22E-15M2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1967, 12.8 FT IN 1971.
 LSD 252 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.32 BELOW LSD, SEP. 7, 1965,
 LOWEST WATER LEVEL 12.25 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1961	7.85	SEP. 26, 1963	6.93	SEP. 7, 1965	5.32	SEP. 15, 1967	10.45
SEP. 14	5.93	JAN. 14, 1964	7.78	JAN. 11, 1966	8.67	JAN. 15, 1968	12.25
JAN. 17, 1962	7.53	SEP. 18	5.67	SEP. 15	6.37	SEP. 16	8.75
SEP. 19	5.83	JAN. 13, 1965	7.97	JAN. 17, 1967	8.82	AUG. 12, 1971	9.87
JAN. 23, 1963	8.03						

7S/22E-15N1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 11.0 FT IN 1971.
 LSD 251.65 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.42 BELOW LSD, SEP. 9, 1964,
 LOWEST WATER LEVEL 10.45 BELOW LSD, JAN. 28, 1969.
 RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 12, 1964	7.67	JAN. 12, 1966	9.10	JAN. 13, 1968	10.15	JAN. 21, 1970	9.45
SEP. 9	5.42	SEP. 13	6.95	SEP. 14	9.45	MAY 22	9.50
JAN. 9, 1965	7.62	JAN. 12, 1967	7.45	JAN. 28, 1969	10.45	AUG. 12, 1971	9.82
SEP. 10	6.05	SEP. 13	9.40	SEP. 9	9.10		

7S/22E-15N2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1964, 12.6 FT IN 1971.
 LSD 250.58 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.60 BELOW LSD, SEP. 18, 1964,
 LOWEST WATER LEVEL 9.95 BELOW LSD, JAN. 15, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 1, 1961	6.77	SEP. 26, 1963	5.15	SEP. 7, 1965	4.65	SEP. 15, 1967	9.10
SEP. 14	4.95	JAN. 14, 1964	6.80	JAN. 11, 1966	6.05	JAN. 15, 1968	9.95
JAN. 17, 1962	6.25	SEP. 18	4.60	SEP. 15	5.00	SEP. 16	8.00
SEP. 19	6.25	JAN. 13, 1965	7.00	JAN. 17, 1967	8.15	AUG. 12, 1971	9.76
JAN. 22, 1963	7.75						

7S/22E-16G1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 13.9 FT IN 1971.
 LSD 255.08 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.23 BELOW LSD, SEP. 7, 1965,
 LOWEST WATER LEVEL 12.03 BELOW LSD, JAN. 16, 1968.
 RECORDS AVAILABLE: 1953-55, 1961-68, 1971.

DATE	WATER LEVEL						
MAR. 13, 1953	11.46	FEB. 3, 1961	9.53	JAN. 14, 1964	9.88	JAN. 17, 1967	11.38
SEP. 2	8.94	SEP. 14	8.73	SEP. 18	9.18	SEP. 16	11.78
JAN. 6, 1954	10.84	JAN. 17, 1962	10.33	JAN. 13, 1965	10.48	JAN. 16, 1968	12.03
SEP. 3	10.08	SEP. 19	9.13	SEP. 7	8.23	SEP. 16	8.90
JAN. 5, 1955	11.38	JAN. 22, 1963	11.13	JAN. 11, 1966	11.23	AUG. 4, 1971	9.97
SEP. 1	9.48	SEP. 26	8.83	SEP. 15	8.73		

0 7S/22E-16G2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 13.5 FT IN 1971.
 LSD 254.27 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.31 BELOW LSD, SEP. 12, 1950,
 LOWEST WATER LEVEL 12.25 BELOW LSD, JAN. 16, 1968.
 RECORDS AVAILABLE: 1950-56, 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 17, 1950	9.26	JAN. 15, 1954	10.52	JAN. 17, 1962	10.52	JAN. 11, 1966	10.95
SEP. 12	8.31	SEP. 28	9.62	SEP. 19	9.32	SEP. 15	10.30
FEB. 7, 1951	8.92	JAN. 29, 1955	10.42	MAY 23, 1963	9.92	JAN. 17, 1967	12.10
SEP. 11	8.62	SEP. 27	9.92	SEP. 26	9.22	SEP. 16	11.40
FEB. 12, 1952	8.92	JAN. 27, 1956	10.12	JAN. 14, 1964	10.47	JAN. 16, 1968	12.25
OCT. 1	8.62	SEP. 26	10.72	SEP. 18	9.10	SEP. 16	11.10
JAN. 29, 1953	10.71	FEB. 3, 1961	10.66	JAN. 13, 1965	10.50	AUG. 4, 1971	11.27
JUNE 1	8.62	SEP. 14	9.37	SEP. 7	9.10		

7S/22E-16G3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.7
 FT IN 1971.
 LSD 254.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.24 BELOW LSD, SEP. 26, 1963,
 LOWEST WATER LEVEL 13.10 BELOW LSD, JAN. 16, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 3, 1961	10.62	SEP. 26, 1963	8.24	SEP. 17, 1965	8.44	OCT. 16, 1967	11.20
SEP. 14	8.98	JAN. 14, 1964	10.09	JAN. 11, 1966	10.79	JAN. 16, 1968	13.10
JAN. 17, 1962	10.28	SEP. 18	8.74	SEP. 15	9.99	SEP. 16	10.05
SEP. 19	9.58	JAN. 13, 1965	10.29	JAN. 17, 1967	11.39	AUG. 4, 1971	11.39
MAY 23, 1963	9.64						

7S/22E-1664 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 252.30 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.13 BELOW LSD, SEP. 2, 1953,

LOWEST WATER LEVEL 8.40 BELOW LSD, JAN. 5, 1955.

RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1953	7.58	JAN. 6, 1954	8.03	JAN. 5, 1955	8.40	NOV. 17, 1955	P
SEP. 2	6.13	SEP. 3	7.05	SEP. 1	6.50		

7S/22E-1665 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 253.20 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.90 BELOW LSD, SEP. 1, 1955,

LOWEST WATER LEVEL 9.60 BELOW LSD, JAN. 6, 1954.

RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1953	9.45	JAN. 6, 1954	9.60	JAN. 5, 1955	9.50	DEC. 10, 1955	P
SEP. 2	8.00	SEP. 3	8.25	SEP. 1	7.90		

7S/22E-1666 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 251.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.38 BELOW LSD, SEP. 2, 1953,

LOWEST WATER LEVEL 7.50 BELOW LSD, JAN. 5, 1955.

RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1953	6.78	JAN. 6, 1954	7.28	JAN. 5, 1955	7.50	DEC. 10, 1955	P
SEP. 2	5.38	SEP. 6	6.50	SEP. 1	5.70		

7S/22E-1667 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 252.24 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.55 BELOW LSD, SEP. 2, 1953,

LOWEST WATER LEVEL 8.92 BELOW LSD, JAN. 5, 1955.

RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1953	8.40	JAN. 6, 1954	8.85	JAN. 5, 1955	8.92	NOV. 17, 1955	P
SEP. 2	6.55	SEP. 3	7.27	SEP. 1	6.92		

7S/22E-1668 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 252.94 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.30 BELOW LSD, SEP. 2, 1953,

LOWEST WATER LEVEL 9.50 BELOW LSD, JAN. 6, 1954.

RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1953	8.50	JAN. 6, 1954	9.50	JAN. 5, 1955	9.04	NOV. 17, 1955	P
SEP. 2	7.30	SEP. 3	7.94	SEP. 1	7.64		

7S/22E-16G9 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 253.15 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.50 BELOW LSD, SEP. 2, 1953,
 LOWEST WATER LEVEL 9.80 BELOW LSD, JAN. 6, 1954.
 RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1953	8.80	JAN. 6, 1954	9.80	JAN. 5, 1955	9.40	DEC. 10, 1955	P
SEP. 2	7.50	SEP. 6	8.20	SEP. 1	8.10		

7S/22E-16G10 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 253.13 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.50 BELOW LSD, SEP. 2, 1953,
 LOWEST WATER LEVEL 9.80 BELOW LSD, JAN. 6, 1954.
 RECORDS AVAILABLE: 1953-55.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1953	8.85	JAN. 6, 1954	9.80	JAN. 5, 1955	9.59	DEC. 10, 1955	P
SEP. 2	7.50	SEP. 6	8.28	SEP. 1	8.49		

7S/22E-16H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.8 FT IN 1971.
 LSD 253.84 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.82 BELOW LSD, SEP. 7, 1965,
 LOWEST WATER LEVEL 11.95 BELOW LSD, FEB. 17, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 3, 1961	9.34	JAN. 22, 1963	9.37	JAN. 11, 1966	9.62	FEB. 17, 1968	11.95
SEP. 14	8.27	SEP. 18, 1964	6.87	SEP. 15	8.12	SEP. 16	9.50
JAN. 17, 1962	8.97	JAN. 20, 1965	9.22	JAN. 17, 1967	9.42	AUG. 4, 1971	10.35
SEP. 19	8.47	SEP. 7	6.82	SEP. 16	10.37		

7S/22E-16J1 S. DEPTH 13.2 FT IN 1971.
 LSD 250 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.77 BELOW LSD, AUG. 12, 1971,
 LOWEST WATER LEVEL 9.77 BELOW LSD, AUG. 12, 1971.
 RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 12, 1971	9.77						

7S/22E-16J2 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.0 FT IN 1971.
 LSD 253.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.45 BELOW LSD, SEP. 15, 1966,
 LOWEST WATER LEVEL 11.50 BELOW LSD, JAN. 16, 1968.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 3, 1961	9.49	SEP. 26, 1963	7.27	SEP. 7, 1965	6.90	SEP. 15, 1967	10.80
SEP. 14	7.07	JAN. 14, 1964	9.37	JAN. 11, 1966	9.90	JAN. 16, 1968	11.50
JAN. 17, 1962	9.32	SEP. 18	6.87	SEP. 15	6.45	SEP. 16	8.90
SEP. 19	8.37	JAN. 20, 1965	9.35	JAN. 17, 1967	10.55	AUG. 17, 1971	9.80
JAN. 22, 1963	9.77						

7S/22E-16J3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.6 FT IN 1971.
LSD 253.15 FT ABOVE MSL.
HIGHEST WATER LEVEL 6.34 BELOW LSD, SEP. 7, 1965,
LOWEST WATER LEVEL 10.44 BELOW LSD, JAN. 16, 1968.
RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 3, 1961	8.99	SEP. 26, 1963	7.04	SEP. 7, 1965	6.34	SEP. 15, 1967	10.34
SEP. 14	6.54	JAN. 14, 1964	8.79	JAN. 11, 1966	8.74	JAN. 16, 1968	10.44
JAN. 17, 1962	8.44	OCT. 24	7.39	SEP. 15	7.09	SEP. 16	8.50
SEP. 13	7.54	JAN. 13, 1965	8.59	JAN. 17, 1967	8.99	AUG. 17, 1971	9.99
JAN. 22, 1963	7.74						

7S/22E-16K1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.8
FT IN 1971.
LSD 252.60 FT ABOVE MSL.
HIGHEST WATER LEVEL 6.58 BELOW LSD, SEP. 7, 1965,
LOWEST WATER LEVEL 10.13 BELOW LSD, AUG. 12, 1971.
RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
FEB. 3, 1961	8.49	SEP. 26, 1963	6.88	SEP. 7, 1965	6.58	SEP. 15, 1967	9.78
SEP. 14	7.41	JAN. 14, 1964	8.38	JAN. 11, 1966	8.98	JAN. 16, 1968	9.73
JAN. 17, 1962	8.21	SEP. 18	6.63	SEP. 15	7.23	SEP. 16	8.75
SEP. 19	6.62	JAN. 13, 1965	8.28	JAN. 17, 1967	9.13	AUG. 12, 1971	10.13
JAN. 22, 1963	8.82						

7S/22E-17C1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
13.0 FT IN 1971.
LSD 252.02 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.72 BELOW LSD, SEP. 4, 1957,
LOWEST WATER LEVEL 10.90 BELOW LSD, JAN. 13, 1971.
RECORDS AVAILABLE: 1950-71.

DATE	WATER LEVEL						
FEB. 17, 1950	7.68	SEP. 27, 1955	8.17	FEB. 17, 1961	8.00	SEP. 13, 1966	9.18
SEP. 12	7.35	FEB. 25, 1956	7.07	SEP. 1	10.08	JAN. 19, 1967	10.58
JAN. 24, 1951	7.36	SEP. 26	5.97	JAN. 11, 1962	9.58	SEP. 13	9.83
SEP. 11	7.41	JAN. 7, 1957	6.67	SEP. 14	7.88	JAN. 13, 1968	10.58
JAN. 30, 1952	8.06	SEP. 4	5.72	JAN. 16, 1963	8.06	SEP. 14	9.30
OCT. 1	7.70	JAN. 14, 1958	6.72	SEP. 19	7.58	JAN. 18, 1969	10.10
JAN. 29, 1953	8.37	SEP. 17	7.70	JAN. 9, 1964	7.33	SEP. 22	6.40
SEP. 26	7.37	JAN. 7, 1959	8.40	SEP. 8	5.73	JAN. 20, 1970	10.50
JAN. 15, 1954	8.37	SEP. 9	8.00	JAN. 8, 1965	7.28	SEP. 16	10.10
SEP. 28	8.27	JAN. 15, 1960	7.80	SEP. 10	6.68	JAN. 13, 1971	10.90
JAN. 22, 1955	8.07	SEP. 13	7.40	JAN. 10, 1966	7.63	JULY 21	9.85

7S/22E-17P1 S. DEPTH 260 FT IN 1950, 254.8 FT IN 1972.
LSD 250 FT ABOVE MSL.
HIGHEST WATER LEVEL 6.85 BELOW LSD, JAN. 24, 1961,
LOWEST WATER LEVEL 8.40 BELOW LSD, AUG. 3, 1972.
RECORDS AVAILABLE: 1961, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1961	6.85	AUG. 3, 1972	8.4				

7S/22E-18A1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1965, 11.4 FT IN 1971.
 LSD 250.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.20 BELOW LSD, SEP. 10, 1965,
 LOWEST WATER LEVEL 10.30 BELOW LSD, JAN. 13, 1968.
 RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL						
JULY 20, 1965	6.30	JAN. 11, 1967	10.15	JAN. 18, 1969	9.15	SEP. 16, 1970	9.80
SEP. 10	6.20	SEP. 13	9.80	SEP. 22	6.45	JAN. 13, 1971	10.00
JAN. 10, 1966	6.70	JAN. 13, 1968	10.30	JAN. 20, 1970	9.60	JULY 21	9.35
SEP. 14	9.90	SEP. 14	9.00				

7S/22E-18J1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1967, 13.4 FT IN 1971.
 LSD 250.88 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.07 BELOW LSD, NOV. 6, 1965,
 LOWEST WATER LEVEL 10.95 BELOW LSD, JAN. 13, 1968.
 RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL						
JULY 20, 1965	7.47	SEP. 14, 1966	9.67	SEP. 14, 1968	9.45	SEP. 16, 1970	10.10
SEP. 10	7.27	JAN. 12, 1967	10.37	JAN. 18, 1969	9.75	JAN. 13, 1971	10.65
NOV. 6	7.07	SEP. 13	10.40	SEP. 22	8.35	JULY 21	10.05
JAN. 10, 1966	7.72	JAN. 13, 1968	10.95	JAN. 20, 1970	9.75		

7S/22E-18K1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12.4 FT IN 1971.
 LSD 248.84 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.80 BELOW LSD, SEP. 10, 1969,
 LOWEST WATER LEVEL 8.98 BELOW LSD, JAN. 12, 1967.
 RECORDS AVAILABLE: 1967-71.

DATE	WATER LEVEL						
JAN. 12, 1967	8.98	SEP. 14, 1968	7.70	SEP. 10, 1969	6.80	MAY 22, 1970	7.60
SEP. 13	8.33	JAN. 18, 1969	8.00	JAN. 20, 1970	8.45	JULY 21, 1971	7.74
JAN. 13, 1968	8.78						

7S/22E-18Q1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1968, 12.0 FT IN 1971.
 LSD 248.33 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.02 BELOW LSD, JULY 20, 1965,
 LOWEST WATER LEVEL 8.27 BELOW LSD, JAN. 12, 1967.
 RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL						
JULY 20, 1965	5.02	SEP. 14, 1966	6.47	SEP. 14, 1968	6.60	SEP. 16, 1970	7.35
SEP. 10	5.42	JAN. 12, 1967	8.27	JAN. 18, 1969	6.90	JAN. 13, 1971	8.20
NOV. 6	6.12	SEP. 13	7.37	SEP. 22	5.90	JULY 21	6.84
JAN. 10, 1966	6.62	FEB. 19, 1968	8.00	JAN. 20, 1970	7.50		

7S/22E-19A1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.2 FT IN 1971.
 LSD 248.40 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.39 BELOW LSD, SEP. 10, 1959.
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 14, 1966.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 8, 1957	5.54	FEB. 20, 1961	6.99	JAN. 9, 1965	6.54	SEP. 14, 1968	7.10
SEP. 19	4.99	SEP. 6	4.79	SEP. 10	5.99	JAN. 18, 1969	7.80
JAN. 14, 1958	5.44	JAN. 11, 1962	6.04	JAN. 10, 1966	7.59	SEP. 22	6.40
SEP. 17	4.94	SEP. 14	5.39	SEP. 14	F	JAN. 20, 1970	8.60
JAN. 7, 1959	6.19	JAN. 17, 1963	7.09	JAN. 12, 1967	9.74	SEP. 16	8.10
SEP. 10	4.39	SEP. 19	5.59	SEP. 13	9.04	JAN. 13, 1971	9.25
JAN. 15, 1960	6.04	JAN. 9, 1964	5.99	FEB. 19, 1968	9.00	JULY 21	7.45
SEP. 13	5.89	SEP. 10	4.89				

7S/22E-19F1 S. DEPTH 490 FT IN 1958, 63.3 FT IN 1972.
 LSD 325 FT ABOVE MSL.
 HIGHEST WATER LEVEL 84.50 BELOW LSD, SEP. 20, 1961.
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 3, 1972.
 RECORDS AVAILABLE: 1961, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
Sep. 20, 1961	84.50	AUG. 3, 1972	F				

7S/22E-19R1 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT WHEN DRILLED, 11.9 FT IN 1971.
 LSD 249.54 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.75 BELOW LSD, SEP. 6, 1961,
 LOWEST WATER LEVEL 12.45 BELOW LSD, JAN. 12, 1967.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 8, 1957	8.64	MAR. 3, 1961	9.05	JAN. 9, 1965	9.60	SEP. 17, 1968	9.40
SEP. 10	7.54	SEP. 6	6.75	SEP. 10	9.15	JAN. 18, 1969	10.25
JAN. 14, 1958	8.34	JAN. 13, 1962	8.60	JAN. 10, 1966	10.80	SEP. 20	7.80
SEP. 26	7.79	SEP. 14	9.40	SEP. 14	10.05	JAN. 20, 1970	11.55
JAN. 7, 1959	9.34	JAN. 17, 1963	9.40	JAN. 12, 1967	12.45	SEP. 21	7.65
SEP. 10	8.64	SEP. 19	7.60	SEP. 18	9.70	JAN. 13, 1971	11.70
JAN. 16, 1960	8.25	JAN. 9, 1964	9.20	JAN. 13, 1968	11.80	AUG. 18	8.87
SEP. 14	8.45	SEP. 10	8.05				

7S/22E-20Q1 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 15.2 FT IN 1971.
 LSD 248.53 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.50 BELOW LSD, SEP. 19, 1963,
 LOWEST WATER LEVEL 11.50 BELOW LSD, JAN. 18, 1971.
 RECORDS AVAILABLE: 1941, 1950-71.

DATE	WATER LEVEL						
APR. 26, 1941	6.58	FEB. 24, 1955	4.59	APR. 5, 1961	8.47	SEP. 14, 1966	9.35
AUG. 8	7.03	AUG. 30	5.69	SEP. 6	6.57	JAN. 13, 1967	10.80
FEB. 17, 1950	7.06	JAN. 28, 1956	4.99	JAN. 13, 1962	8.57	SEP. 18	8.70
SEP. 13	7.06	SEP. 26	4.29	SEP. 14	8.77	JAN. 13, 1968	10.70
JAN. 24, 1951	7.61	JAN. 8, 1957	5.99	JAN. 18, 1963	8.97	SEP. 17	8.60
SEP. 27	7.26	SEP. 19	4.76	SEP. 19	3.50	JAN. 21, 1969	10.60
JAN. 23, 1952	7.16	JAN. 14, 1958	6.61	JAN. 9, 1964	8.65	SEP. 20	8.90
SEP. 12	7.66	SEP. 18	5.21	SEP. 9	7.45	JAN. 21, 1970	10.75
JAN. 29, 1953	6.09	JAN. 7, 1959	6.96	JAN. 9, 1965	9.10	SEP. 21	9.20
SEP. 28	4.19	SEP. 10	6.36	SEP. 10	7.90	JAN. 18, 1971	11.50
JAN. 15, 1954	6.79	JAN. 5, 1960	8.31	JAN. 10, 1966	10.00	AUG. 18	8.69
SEP. 30	4.19	SEP. 14	7.36				

7S/22E-21B1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.7 FT IN 1971.
 LSD 252.25 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.68 BELOW LSD, SEP. 9, 1964,
 LOWEST WATER LEVEL 10.80 BELOW LSD, JAN. 13, 1968.
 RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL						
FEB. 12, 1964	7.78	JAN. 12, 1966	8.85	JAN. 13, 1968	10.80	JAN. 21, 1970	10.60
SEP. 9	4.68	SEP. 13	5.60	SEP. 14	7.95	MAY 22	9.70
JAN. 9, 1965	7.63	JAN. 12, 1967	9.10	JAN. 28, 1969	10.60	AUG. 12, 1971	8.12
SEP. 10	5.00	SEP. 13	9.10	SEP. 9	7.70		

7S/22E-21D1 S. RECORDS PRIOR TO 7/21/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.3 FT IN 1971.
 LSD 250.03 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.73 BELOW LSD, OCT. 1, 1952,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 23, 1951.
 RECORDS AVAILABLE: 1944-48, 1950-59, 1968-71.

DATE	WATER LEVEL						
OCT. 18, 1944	6.00	SEP. 2, 1950	5.76	JAN. 29, 1955	5.53	FEB. 4, 1959	6.83
JAN. 12, 1945	6.10	JAN. 23, 1951	F	SEP. 27	5.53	JAN. 13, 1968	9.65
JULY 6	5.40	SEP. 11	5.88	JAN. 27, 1956	5.43	SEP. 14	7.85
MAR. 30, 1946	4.82	FEB. 7, 1952	6.43	SEP. 26	5.48	JAN. 18, 1969	9.05
SEP. 4	5.48	OCT. 1	3.73	JAN. 8, 1957	5.53	SEP. 20	7.45
JAN. 9, 1947	5.48	JAN. 29, 1953	6.73	SEP. 10	4.63	JAN. 21, 1970	9.35
OCT. 9	5.56	SEP. 28	5.73	JAN. 23, 1958	6.03	SEP. 16	8.35
JAN. 12, 1948	6.07	JAN. 14, 1954	5.83	SEP. 12	5.63	JAN. 18, 1971	9.80
JAN. 5, 1950	5.79	SEP. 29	5.93	JAN. 14, 1959	6.53	JULY 21	8.56

7S/22E-21J1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.4 FT IN 1971.
 LSD 252.52 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.01 BELOW LSD, SEP. 9, 1964,
 LOWEST WATER LEVEL 12.00 BELOW LSD, JAN. 17, 1968.
 RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL						
FEB. 12, 1964	8.26	JAN. 12, 1966	9.81	JAN. 17, 1968	12.00	JAN. 21, 1970	11.15
SEP. 9	5.01	SEP. 14	6.86	SEP. 17	9.90	MAY 25	11.10
JAN. 9, 1965	8.21	JAN. 14, 1967	10.11	JAN. 22, 1969	11.30	AUG. 11, 1971	9.72
SEP. 10	7.26	SEP. 18	10.10	SEP. 9	11.25		

7S/22E-21L1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 250.81 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.10 BELOW LSD, SEP. 10, 1965, SEP. 14, 1966,
 LOWEST WATER LEVEL 9.97 BELOW LSD, JAN. 22, 1969.
 RECORDS AVAILABLE: 1964-69, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1964	6.15	JAN. 13, 1966	8.65	SEP. 18, 1967	8.65	JAN. 22, 1969	9.97
DEC. 10	6.95	SEP. 14	6.10	JAN. 17, 1968	9.40	AUG. 12	8.77
JAN. 9, 1965	7.20	JAN. 13, 1967	8.80	SEP. 17	8.47	JULY 2, 1971	P
SEP. 10	6.10						

7S/22E-21P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 249.58 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.90 BELOW LSD, SEP. 10, 1965,

LOWEST WATER LEVEL 10.20 BELOW LSD, JAN. 21, 1970.

RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1964	5.05	FEB. 14, 1966	7.70	JAN. 17, 1968	9.60	JAN. 21, 1970	10.20
DEC. 10	5.85	SEP. 14	5.00	SEP. 17	7.25	MAY 25	8.60
JAN. 9, 1965	6.20	JAN. 14, 1967	8.30	JAN. 22, 1969	9.45	SEP. 2, 1971	P
SEP. 10	4.90	SEP. 18	7.60	SEP. 9	7.40		

7S/22E-21P2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 249.94 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.20 BELOW LSD, SEP. 10, 1965,

LOWEST WATER LEVEL 9.50 BELOW LSD, JAN. 17, 1968, JAN. 22, 1969.

RECORDS AVAILABLE: 1964-69, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1964	5.60	JAN. 13, 1966	8.20	SEP. 18, 1967	8.20	JAN. 22, 1969	9.50
DEC. 10	6.20	SEP. 14	5.50	JAN. 17, 1968	9.50	SEP. 9	8.20
JAN. 9, 1965	6.60	JAN. 13, 1967	8.80	SEP. 17	7.75	SEP. 2, 1971	P
SEP. 10	5.20						

7S/22E-21P3 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.0 FT IN 1971.

LSD 252.53 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.81 BELOW LSD, SEP. 14, 1966,

LOWEST WATER LEVEL 11.80 BELOW LSD, JAN. 21, 1970.

RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1964	7.82	JAN. 12, 1966	9.57	JAN. 17, 1968	11.36	JAN. 21, 1970	11.80
DEC. 10	8.62	SEP. 14	7.81	SEP. 17	10.21	MAY 25	11.30
JAN. 9, 1965	8.87	JAN. 14, 1967	11.16	JAN. 22, 1969	11.36	SEP. 2, 1971	10.99
SEP. 10	7.82	SEP. 18	10.51	SEP. 9	10.41		

7S/22E-21P4 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.7 FT IN 1971.

LSD 247.86 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.45 BELOW LSD, SEP. 10, 1965,

LOWEST WATER LEVEL 7.35 BELOW LSD, JAN. 17, 1968, JAN. 22, 1969, JAN. 21, 1970.

RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1964	3.80	JAN. 13, 1966	6.75	JAN. 17, 1968	7.35	JAN. 21, 1970	7.35
DEC. 10	4.15	SEP. 14	3.85	SEP. 17	6.00	MAY 25	7.30
JAN. 9, 1965	5.15	JAN. 13, 1967	7.15	JAN. 22, 1969	7.35	AUG. 18, 1971	5.34
SEP. 10	3.45	SEP. 18	5.20	SEP. 9	6.15		

7S/22E-21R1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 13.9 FT IN 1971.
 LSD 250.78 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.25 BELOW LSD, SEP. 14, 1966,
 LOWEST WATER LEVEL 11.85 BELOW LSD, JAN. 21, 1970.
 RECORDS AVAILABLE: 1964-71.

	WATER DATE	LEVEL		WATER DATE	LEVEL		WATER DATE	LEVEL		WATER DATE	LEVEL
OCT. 8, 1964	6.35	JAN. 12, 1966	8.75	JAN. 17, 1968	9.90	JAN. 21, 1970	11.85				
DEC. 10	7.30	SEP. 14	6.25	SEP. 17	9.95	MAY 25	10.70				
JAN. 9, 1965	7.35	JAN. 14, 1967	9.50	FEB. 12, 1969	10.50	AUG. 11, 1971	9.86				
SEP. 10	6.30	SEP. 18	8.90	SEP. 9	9.10						

7S/22E-22M1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12.4 FT IN 1971.
 LSD 250.40 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.00 BELOW LSD, SEP. 14, 1966,
 LOWEST WATER LEVEL 11.20 BELOW LSD, JAN. 17, 1968.
 RECORDS AVAILABLE: 1964-71.

	WATER DATE	LEVEL		WATER DATE	LEVEL		WATER DATE	LEVEL		WATER DATE	LEVEL
FEB. 12, 1964	10.05	JAN. 12, 1966	8.25	JAN. 17, 1968	11.20	JAN. 21, 1970	10.95				
SEP. 9	6.00	SEP. 14	5.00	SEP. 17	8.45	MAY 25	10.00				
JAN. 9, 1965	6.25	JAN. 14, 1967	8.70	JAN. 22, 1969	10.85	AUG. 12, 1971	9.42				
SEP. 10	6.35	SEP. 18	8.70	SEP. 9	8.40						

7S/22E-22N1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 13.9 FT IN 1971.
 LSD 251 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.35 BELOW LSD, SEP. 11, 1922,
 LOWEST WATER LEVEL 10.77 BELOW LSD, AUG. 11, 1971.
 RECORDS AVAILABLE: 1918-19, 1922-26, 1936, 1971.

	WATER DATE	LEVEL		WATER DATE	LEVEL		WATER DATE	LEVEL		WATER DATE	LEVEL
NOV. 14, 1918	9.46	OCT. 8, 1923	7.75	JAN. 9, 1925	8.25	MAR. 27, 1926	10.05				
APR. 5, 1919	10.06	JAN. 26, 1924	8.45	SEP. 7	8.75	JULY 1, 1936	10.08				
MAY 7	10.06	SEP. 24	7.55	JAN. 7, 1926	10.55	AUG. 11, 1971	10.77				
SEP. 11, 1922	7.35										

7S/22E-22P1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 14 FT IN 1968, 12.7 FT IN 1971.
 LSD 249.08 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.61 BELOW LSD, FEB. 12, 1964,
 LOWEST WATER LEVEL 10.75 BELOW LSD, JAN. 17, 1968.
 RECORDS AVAILABLE: 1964-71.

	WATER DATE	LEVEL		WATER DATE	LEVEL		WATER DATE	LEVEL		WATER DATE	LEVEL
FEB. 12, 1964	6.61	JAN. 12, 1966	7.06	JAN. 17, 1968	10.75	JAN. 21, 1970	9.50				
SEP. 9	7.71	SEP. 14	7.61	SEP. 17	9.10	MAY 25	9.40				
JAN. 9, 1965	7.66	JAN. 14, 1967	8.86	JAN. 21, 1969	9.80	AUG. 11, 1971	9.23				
SEP. 10	7.41	SEP. 18	9.80	SEP. 9	9.90						

7S/22E-2401 S. RECORDS PRIOR TO 7/27/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

10.9 FT IN 1971.

LSD 252.50 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.50 BELOW LSD, JUNE 24, 1922.

LOWEST WATER LEVEL 8.00 BELOW LSD, JAN. 13, 1971.

RECORDS AVAILABLE: 1918-19, 1922-27, 1929, 1936-55, 1957-71.

DATE	WATER LEVEL						
NOV. 14, 1918	6.63	SEP. 29, 1939	3.34	SEP. 12, 1950	4.89	JAN. 15, 1962	6.24
APR. 4, 1919	5.93	FEB. 28, 1940	5.04	JAN. 23, 1951	4.89	SEP. 18	4.44
MAY 8	5.53	SEP. 26	4.89	SEP. 11	4.82	JAN. 17, 1963	6.84
JUNE 24, 1922	1.50	JAN. 19, 1941	4.39	JAN. 23, 1952	6.32	SEP. 19	3.44
DEC. 8, 1923	5.64	SEP. 26	3.59	OCT. 1	4.92	JAN. 11, 1964	5.59
JAN. 26, 1924	5.74	FEB. 20, 1942	4.19	JAN. 29, 1953	6.32	SEP. 9	4.39
OCT. 18	6.24	SEP. 11	3.69	SEP. 2	3.61	JAN. 8, 1965	6.49
MAR. 2, 1925	6.34	JAN. 12, 1943	5.29	JAN. 6, 1954	5.51	SEP. 10	4.59
OCT. 22	6.34	MAY 4	3.69	SEP. 1	4.31	JAN. 10, 1966	7.89
JAN. 12, 1926	6.74	OCT. 19, 1944	4.69	JAN. 5, 1955	4.81	SEP. 13	5.24
MAR. 27	6.14	JAN. 11, 1945	4.99	SEP. 1	4.21	JAN. 12, 1967	7.59
MAY 12, 1927	6.24	JULY 6	4.09	JAN. 8, 1957	3.52	SEP. 13	6.19
JUNE 2	7.54	MAR. 30, 1946	3.79	SEP. 10	3.88	JAN. 12, 1968	7.69
MAY 9, 1929	7.74	SEP. 7	4.94	JAN. 14, 1958	5.43	SEP. 4	4.04
JULY 20	7.54	JAN. 9, 1947	4.31	SEP. 17	4.70	JAN. 18, 1969	7.54
NOV. 19, 1936	6.19	SEP. 27	4.24	JAN. 7, 1959	6.40	SEP. 19	4.24
JAN. 30, 1937	6.74	JAN. 12, 1948	5.29	SEP. 9	4.60	JAN. 20, 1970	7.94
SEP. 18	4.64	SEP. 17	4.40	JAN. 4, 1960	6.30	SEP. 16	6.25
JAN. 10, 1938	3.84	JAN. 18, 1949	4.24	SEP. 13	3.00	JAN. 13, 1971	8.00
SEP. 15	5.14	SEP. 21	4.52	APR. 5, 1961	5.24	JULY 27	5.67
JAN. 4, 1939	4.34	JAN. 5, 1950	5.44	SEP. 6	4.44		

7S/22E-25A1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

12.6 FT IN 1971.

LSD 252.02 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.05 BELOW LSD, JAN. 16, 1968,

LOWEST WATER LEVEL 8.75 BELOW LSD, JAN. 19, 1971.

RECORDS AVAILABLE: 1968-71.

DATE	WATER LEVEL						
JAN. 16, 1968	5.05	JAN. 21, 1969	6.30	JAN. 21, 1970	6.85	JAN. 19, 1971	8.75
SEP. 18	5.95	SEP. 20	6.55	SEP. 21	6.90	SEP. 1	6.74

7S/22E-25K1 S.

LSD 251.38 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.92 BELOW LSD, JUNE 15, 1948,

LOWEST WATER LEVEL 7.08 BELOW LSD, FEB. 18, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 18, 1948	7.08G	JUNE 15, 1948	4.92G	AUG. 18, 1971	P		

7S/22E-25K2 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 250.91 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.23 BELOW LSD, OCT. 2, 1952,

LOWEST WATER LEVEL 10.08 BELOW LSD, JULY 19, 1929.

RECORDS AVAILABLE: 1921, 1923-26, 1929, 1948-55, 1971.

DATE	WATER LEVEL						
JULY 28, 1921	8.15	MAR. 27, 1926	7.98	JAN. 5, 1950	7.38	SEP. 28, 1953	6.03
NOV. 16, 1923	7.68	MAY 15, 1929	9.98	SEP. 13	5.74	JAN. 15, 1954	7.23
MAR. 24, 1924	6.98	JULY 19	10.08	JAN. 25, 1951	5.83	SEP. 30	5.73
SEP. 22	8.28	FEB. 18, 1948	6.59	SEP. 12	6.13	MAR. 22, 1955	8.00
FEB. 28, 1925	8.28	SEP. 7	5.84	JAN. 24, 1952	7.23	SEP. 29	6.00
OCT. 21	8.78	SEP. 21, 1949	6.29	OCT. 2	5.23	AUG. 18, 1971	P
JAN. 12, 1926	8.98	DEC. 5	6.78	FEB. 27, 1953	7.43		

7S/22E-25K3 S.

LSD 251.43 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.01 BELOW LSD, JULY 3, 1948,

LOWEST WATER LEVEL 7.31 BELOW LSD, FEB. 8, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 8, 1948	7.31G	JULY 3, 1948	6.01G	AUG. 18, 1971	P		

7S/22E-25K4 S.

LSD 250.23 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.87 BELOW LSD, SEP. 7, 1948,

LOWEST WATER LEVEL 6.08 BELOW LSD, FEB. 18, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 18, 1948	6.08G	SEP. 7, 1948	5.87G	AUG. 18, 1971	P		

7S/22E-25N1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 248.67 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.82 BELOW LSD, APR. 1, 1946,

LOWEST WATER LEVEL 7.10 BELOW LSD, JULY 6, 1945.

RECORDS AVAILABLE: 1945-47, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1945	6.6	APR. 1, 1946	4.82	JAN. 13, 1947	6.25	AUG. 18, 1971	P
JULY 6	7.1	SEP. 4	6.36	APR. 25	4.95		

7S/22E-25Q1 S.

LSD 253.56 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.48 BELOW LSD, JULY 3, 1948,

LOWEST WATER LEVEL 9.48 BELOW LSD, FEB. 18, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 18, 1948	9.48G	JULY 3, 1948	8.48G	AUG. 18, 1971	P		

7S/22E-25Q2 S.

LSD 254.10 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.50 BELOW LSD, MAY 5, 1948,

LOWEST WATER LEVEL 10.27 BELOW LSD, FEB. 18, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 18, 1948	10.27G	MAY 5, 1948	8.50G	AUG. 18, 1971	P		

7S/22E-25Q3 S.

LSD 250.32 FT ABOVE MSL.

HIGHEST WATER LEVEL 1.78 BELOW LSD, JULY 14, 1948,

LOWEST WATER LEVEL 1.96 BELOW LSD, FEB. 18, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 18, 1948	1.96G	JULY 14, 1948	1.78G	AUG. 18, 1971	P		

7S/22E-2504 S.

LSD 254.02 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.42 BELOW LSD, SEP. 9, 1948,

LOWEST WATER LEVEL 10.38 BELOW LSD, FEB. 18, 1948.

RECORDS AVAILABLE: 1948, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 18, 1948	10.38G	SEP. 9, 1948	9.42G	AUG. 18, 1971	P		

7S/22E-2505 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 249.13 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.01 BELOW LSD, OCT. 14, 1963,

LOWEST WATER LEVEL 9.08 BELOW LSD, JULY 19, 1929.

RECORDS AVAILABLE: 1921, 1923-26, 1929, 1963, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 28, 1921	7.83	SEP. 22, 1924	7.38	MAR. 26, 1926	7.98	OCT. 14, 1963	5.01
MAR. 19, 1923	5.48	FEB. 28, 1925	7.78	MAY 15, 1929	8.78	NOV. 16	5.56
DEC. 12	7.08	OCT. 21	7.88	JULY 19	9.08	AUG. 18, 1971	P
JAN. 25, 1924	6.58	JAN. 14, 1926	8.38				

7S/22E-26M1 S.

LSD 249.41 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.25 BELOW LSD, AUG. 9, 1947,

LOWEST WATER LEVEL 8.09 BELOW LSD, JAN. 12, 1948.

RECORDS AVAILABLE: 1947-48, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1947	7.29G	AUG. 9, 1947	7.25G	JAN. 12, 1948	8.09G	AUG. 24, 1971	P

7S/22E-27B1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

17.1 FT IN 1971.

LSD 250.88 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.87 BELOW LSD, JUNE 30, 1925,

LOWEST WATER LEVEL 16.20 BELOW LSD, MAY 25, 1970.

RECORDS AVAILABLE: 1925-26, 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 30, 1925	8.87	SEP. 9, 1964	8.91	JAN. 14, 1967	10.11	SEP. 9, 1969	14.20
SEP. 7	9.45	JAN. 9, 1965	10.71	SEP. 18	14.55	JAN. 21, 1970	16.05
JAN. 7, 1926	11.67	SEP. 10	9.41	JAN. 17, 1968	15.80	MAY 25	16.20
MAR. 30	10.77	JAN. 12, 1966	11.06	SEP. 17	14.40	AUG. 11, 1971	14.68
MAR. 11, 1964	10.21	SEP. 14	9.41	JAN. 21, 1969	15.80		

7S/22E-27C1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 17 FT

IN 1967, 14.7 FT IN 1971.

LSD 249.86 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.21 BELOW LSD, SEP. 9, 1964,

LOWEST WATER LEVEL 13.65 BELOW LSD, JAN. 21, 1970.

RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 12, 1964	8.51	JAN. 12, 1966	9.36	JAN. 17, 1968	13.35	JAN. 21, 1970	13.65
SEP. 9	6.21	SEP. 14	7.46	SEP. 17	11.75	MAY 25	13.40
JAN. 9, 1965	8.61	JAN. 14, 1967	10.16	JAN. 21, 1969	13.40	AUG. 11, 1971	12.05
SEP. 10	7.16	SEP. 18	11.60	SEP. 9	11.60		

7S/22E-27L1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.8 FT IN 1971.
 LSD 246.09 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.46 BELOW LSD, SEP. 14, 1966,
 LOWEST WATER LEVEL 12.90 BELOW LSD, JAN. 21, 1969.
 RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL						
FEB. 12, 1964	7.46	JAN. 13, 1966	7.51	JAN. 17, 1968	12.36	JAN. 21, 1970	12.60
SEP. 9	5.36	SEP. 14	3.46	SEP. 17	11.81	MAY 25	12.60
JAN. 9, 1965	6.91	JAN. 14, 1967	8.96	JAN. 21, 1969	12.90	AUG. 12, 1971	12.10
SEP. 11	5.41	SEP. 18	9.06	SEP. 9	12.70		

7S/22E-27L2 S. RECORDS PRIOR TO 1970 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14.9 FT IN 1971.
 LSD 244.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.92 BELOW LSD, SEP. 14, 1966,
 LOWEST WATER LEVEL 12.60 BELOW LSD, JAN. 21, 1970.
 RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL						
FEB. 12, 1964	6.65	JAN. 13, 1966	6.52	JAN. 17, 1968	11.84	JAN. 21, 1970	12.60
SEP. 9	4.72	SEP. 14	3.92	SEP. 17	11.14	MAY 25	12.40
JAN. 9, 1965	6.12	JAN. 14, 1967	7.22	JAN. 21, 1969	11.99	AUG. 12, 1971	11.40
SEP. 11	4.77	SEP. 18	10.54	SEP. 9	10.40		

7S/22E-28D1 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.1 FT IN 1971.
 LSD 247.53 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.80 BELOW LSD, SEP. 19, 1963,
 LOWEST WATER LEVEL 8.45 BELOW LSD, JAN. 13, 1968.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL						
JAN. 15, 1960	6.59	JAN. 18, 1963	5.50	JAN. 13, 1966	7.40	JAN. 21, 1969	8.25
SEP. 14	4.39	SEP. 19	2.80	SEP. 14	4.60	SEP. 20	6.25
JAN. 3, 1961	6.70	JAN. 9, 1964	6.20	JAN. 13, 1967	7.80	JAN. 21, 1970	8.20
SEP. 6	4.10	SEP. 9	3.85	SEP. 18	5.85	SEP. 21	6.80
JAN. 15, 1962	5.00	JAN. 9, 1965	5.95	JAN. 13, 1968	8.45	JAN. 18, 1971	7.45
SEP. 18	4.40	SEP. 10	4.80	SEP. 17	6.20	AUG. 18	6.12

7S/22E-29H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.5 FT IN 1971.
 LSD 248.51 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.08 BELOW LSD, JAN. 13, 1962,
 LOWEST WATER LEVEL 10.81 BELOW LSD, AUG. 18, 1971.
 RECORDS AVAILABLE: 1959-69, 1971.

DATE	WATER LEVEL						
JAN. 30, 1959	8.08	JAN. 13, 1962	6.08	JAN. 9, 1965	8.60	JAN. 13, 1968	10.55
SEP. 10	7.23	SEP. 7	9.08	SEP. 11	7.70	SEP. 17	8.65
JAN. 5, 1960	9.63	JAN. 18, 1963	9.28	JAN. 13, 1966	9.95	JAN. 22, 1969	10.45
SEP. 14	6.68	SEP. 19	6.18	SEP. 14	8.35	SEP. 9	8.50
MAR. 2, 1961	7.48	JAN. 10, 1964	8.88	JAN. 13, 1967	10.30	AUG. 18, 1971	10.81
SEP. 6	6.88	SEP. 10	6.35	SEP. 18	8.20		

7S/22E-29R1 S. DEPTH 11.2 FT IN 1971.

LSD 246 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.64 BELOW LSD, AUG. 18, 1971,

LOWEST WATER LEVEL 5.64 BELOW LSD, AUG. 18, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 18, 1971	5.64						

7S/22E-30H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 20.5

FT IN 1971.

LSL 249.45 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.40 BELOW LSD, SEP. 18, 1967,

LOWEST WATER LEVEL 11.55 BELOW LSD, JAN. 12, 1967.

RECORDS AVAILABLE: 1967-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1967	11.55	SEP. 17, 1968	9.75	SEP. 9, 1969	8.80	MAY 25, 1970	10.55
SEP. 18	8.40	JAN. 18, 1969	10.35	JAN. 20, 1970	10.15	AUG. 18, 1971	9.96
JAN. 13, 1968	10.75						

7S/22E-30G1 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

15.8 FT IN 1971.

LSD 248.45 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.66 BELOW LSD, JAN. 14, 1958,

LOWEST WATER LEVEL 11.34 BELOW LSD, JAN. 13, 1968.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 14, 1957	7.71	JAN. 3, 1961	8.96	JAN. 9, 1965	8.50	SEP. 17, 1968	8.19
SEP. 10	6.86	SEP. 6	6.96	SEP. 11	6.30	JAN. 18, 1969	10.79
JAN. 14, 1958	5.66	JAN. 16, 1962	8.46	JAN. 13, 1966	9.70	SEP. 20	6.74
SEP. 26	6.06	SEP. 14	7.50	SEP. 14	7.95	JAN. 20, 1970	10.59
JAN. 8, 1959	7.26	JAN. 17, 1963	9.80	JAN. 13, 1967	11.09	SEP. 21	7.34
SEP. 10	6.01	SEP. 19	6.90	SEP. 18	7.69	JAN. 13, 1971	11.25
JAN. 2, 1960	8.41	JAN. 10, 1964	9.25	JAN. 13, 1968	11.34	AUG. 18	7.33
SEP. 14	8.76	SEP. 10	6.95				

7S/22E-30P1 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

10.2 FT IN 1971.

LSD 245.24 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.40 BELOW LSD, SEP. 19, 1963,

LOWEST WATER LEVEL 10.28 BELOW LSD, JAN. 3, 1961.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1957	6.38	JAN. 3, 1961	10.28	JAN. 9, 1965	7.25	SEP. 17, 1968	7.60
SEP. 10	6.03	SEP. 6	5.48	SEP. 11	6.65	JAN. 18, 1969	9.95
JAN. 14, 1958	5.68	JAN. 16, 1962	7.08	JAN. 13, 1966	9.30	SEP. 20	7.05
SEP. 18	6.28	SEP. 14	5.98	SEP. 14	7.35	JAN. 20, 1970	9.90
JAN. 8, 1959	7.48	APR. 4, 1963	7.00	JAN. 13, 1967	9.90	SEP. 21	8.55
SEP. 10	6.58	SEP. 19	5.40	SEP. 18	7.50	JAN. 13, 1971	9.90
JAN. 5, 1960	8.18	JAN. 10, 1964	7.70	JAN. 13, 1968	9.70	AUG. 18	7.64
SEP. 14	6.48	SEP. 10	6.45				

7S/22E-31Q1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.2 FT IN 1971.
 LSD 243.87 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.53 BELOW LSD, SEP. 10, 1957,
 LOWEST WATER LEVEL 9.95 BELOW LSD, JAN. 14, 1967.
 RECORDS AVAILABLE: 1923-27, 1929, 1957-67, 1971.

DATE	WATER LEVEL						
OCT. 12, 1923	6.93	JUNE 4, 1927	9.53	JAN. 6, 1960	6.88	SEP. 10, 1964	6.60
NOV. 22	6.93	MAY 17, 1929	8.63	SEP. 15	7.18	JAN. 11, 1965	8.10
JAN. 28, 1924	7.23	JULY 14	8.73	JAN. 4, 1961	7.28	SEP. 11	7.50
SEP. 5	7.53	JAN. 10, 1957	7.28	OCT. 7	8.00	JAN. 13, 1966	9.50
MAR. 3, 1925	7.13	SEP. 10	5.53	JAN. 18, 1962	9.20	SEP. 16	7.55
OCT. 23	7.73	JAN. 14, 1958	7.68	SEP. 18	8.00	JAN. 14, 1967	9.95
JAN. 12, 1926	7.33	SEP. 18	5.98	JAN. 18, 1963	8.80	SEP. 18	7.50
MAR. 3	7.43	JAN. 8, 1959	7.78	SEP. 20	7.50	AUG. 19, 1971	8.50
MAY 19, 1927	9.33	SEP. 24	6.88	JAN. 10, 1964	8.70		

7S/22E-3301 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.8 FT IN 1971.
 LSD 247.87 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.70 BELOW LSD, SEP. 19, 1963;
 LOWEST WATER LEVEL 9.80 BELOW LSD, JAN. 13, 1967.
 RECORDS AVAILABLE: 1919, 1946-71.

DATE	WATER LEVEL						
APR. 5, 1919	9.7	SEP. 12, 1951	6.36	SEP. 18, 1958	5.91	SEP. 11, 1965	4.90
MAY 7	9.4	JAN. 24, 1952	7.71	JAN. 8, 1959	7.36	JAN. 13, 1966	8.60
AUG. 8, 1946	5.68	OCT. 2	6.29	SEP. 10	5.97	SEP. 14	7.80
SEP. 14	7.11	JAN. 31, 1953	8.19	JAN. 5, 1960	8.77	JAN. 13, 1967	9.80
JAN. 13, 1947	7.50	SEP. 28	6.29	SEP. 14	6.47	SEP. 18	6.00
SEP. 29	7.14	JAN. 15, 1954	6.49	JAN. 3, 1961	8.17	JAN. 13, 1968	9.75
JAN. 12, 1948	6.96	SEP. 30	5.09	SEP. 6	5.76	SEP. 17	7.15
JUNE 15	6.58	JAN. 31, 1955	5.59	JAN. 10, 1962	7.26	JAN. 21, 1969	9.05
NOV. 4	7.72	SEP. 30	4.19	NOV. 14	6.20	SEP. 20	7.10
JAN. 4, 1949	7.96	JAN. 28, 1956	4.44	JAN. 18, 1963	6.80	JAN. 21, 1970	8.25
SEP. 9	7.92	SEP. 26	4.29	SEP. 19	3.70	SEP. 21	8.20
JAN. 5, 1950	7.91	JAN. 8, 1957	6.02	JAN. 10, 1964	7.25	JAN. 19, 1971	8.10
SEP. 13	6.56	SEP. 10	5.42	SEP. 9	4.55	AUG. 18	7.45
JAN. 25, 1951	7.31	JAN. 14, 1958	6.17	JAN. 9, 1965	7.10		

7S/22E-33N1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.3 FT IN 1971.
 LSD 246.14 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.46 BELOW LSD, JAN. 10, 1957, SEP. 10, 1957,
 LOWEST WATER LEVEL 12.09 BELOW LSD, APR. 5, 1919.
 RECORDS AVAILABLE: 1919, 1922-26, 1936, 1941, 1948-49, 1957-67, 1971.

DATE	WATER LEVEL						
APR. 5, 1919	12.09	JUNE 15, 1936	11.24	SEP. 18, 1958	7.20	SEP. 20, 1963	6.90
MAY 8	11.89	APR. 27, 1941	8.57	JAN. 21, 1959	8.90	JAN. 10, 1964	7.90
SEP. 25, 1922	8.88	AUG. 8	8.47	SEP. 24	7.20	SEP. 10	6.50
OCT. 5, 1923	8.38	JAN. 12, 1948	9.13	JAN. 6, 1960	8.80	JAN. 11, 1965	8.55
NOV. 23	9.98	SEP. 8	8.30	SEP. 15	7.60	SEP. 11	6.20
JAN. 28, 1924	10.28	JAN. 5, 1949	9.26	JAN. 4, 1961	9.50	JAN. 13, 1966	9.90
SEP. 5	10.08	SEP. 9	8.32	SEP. 9	6.10	SEP. 16	7.60
MAR. 3, 1925	11.38	JAN. 10, 1957	5.46	JAN. 18, 1962	9.00	JAN. 14, 1967	10.50
OCT. 23	9.98	SEP. 10	5.46	SEP. 20	7.50	SEP. 19	10.35
JAN. 13, 1926	10.58	JAN. 14, 1958	8.15	JAN. 16, 1963	8.60	AUG. 19, 1971	9.75
APR. 1	10.28						

7S/22E-34C1 S. DEPTH 13.3 FT IN 1971.

LSD 243 FT ABOVE MSL.

HIGHEST WATER LEVEL 12.01 BELOW LSD, AUG. 18, 1971,

LOWEST WATER LEVEL 12.01 BELOW LSD, AUG. 18, 1971.

RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 18, 1971	12.01						

7S/22E-34H1 S. DEPTH 114 FT IN 1951.

LSD 245 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.50 BELOW LSD, MAY 11, 1951,

LOWEST WATER LEVEL 6.50 BELOW LSD, MAY 11, 1951.

RECORDS AVAILABLE: 1951, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 11, 1951	6.5 G	AUG. 3, 1971	N				

7S/22E-34H2 S. DEPTH 101 FT IN 1951.

LSD 245 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.00 BELOW LSD, MAR. 10, 1951,

LOWEST WATER LEVEL 10.10 BELOW LSD, AUG. 3, 1972.

RECORDS AVAILABLE: 1951, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1951	5. G	AUG. 3, 1972	10.1				

7S/22E-34P1 S. RECORDS PRIOR TO 8/19/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 21.2 FT IN 1971.

LSD 244.02 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.55 BELOW LSD, JAN. 3, 1961,

LOWEST WATER LEVEL 16.95 BELOW LSD, JAN. 19, 1971.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 22, 1957	10.70	JAN. 3, 1961	6.55	JAN. 11, 1965	9.15	SEP. 18, 1968	16.70
SEP. 10	7.45	SEP. 9	8.55	SEP. 11	8.95	JAN. 21, 1969	16.75
JAN. 14, 1958	9.25	JAN. 16, 1962	8.55	JAN. 13, 1966	10.45	SEP. 20	16.20
SEP. 18	8.55	SEP. 14	8.35	SEP. 16	9.95	JAN. 21, 1970	16.20
JAN. 14, 1959	9.55	JAN. 17, 1963	8.45	JAN. 14, 1967	13.50	SEP. 21	16.35
SEP. 10	8.55	SEP. 20	8.35	SEP. 19	16.05	JAN. 19, 1971	16.95
JAN. 5, 1960	9.05	JAN. 11, 1964	8.35	JAN. 17, 1968	16.90	AUG. 19	15.92
SEP. 15	8.75	SEP. 10	8.20				

7S/22E-35D1 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.3 FT IN 1971.

LSD 245.17 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.90 BELOW LSD, SEP. 30, 1954,

DRY, WATER LEVEL NOT MEASUREABLE, MAY 15, 1929.

RECORDS AVAILABLE: 1918-19, 1922-26, 1929, 1936-43, 1946-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1918	6.46	JAN. 13, 1926	8.56	SEP. 26, 1940	5.96	SEP. 29, 1947	5.09
APR. 5, 1919	6.16	MAY 15, 1929	F	JAN. 19, 1941	5.26	JAN. 12, 1948	4.96
MAY 9	6.66	NOV. 20, 1936	6.66	SEP. 26	5.66	SEP. 7	4.54
SEP. 23, 1922	5.16	JAN. 30, 1937	6.06	FEB. 20, 1942	4.86	JAN. 5, 1949	5.11
OCT. 6, 1923	6.56	SEP. 17	4.66	SEP. 10	5.46	SEP. 9	4.81
NOV. 16	5.66	JAN. 4, 1938	6.16	JAN. 12, 1943	5.36	JAN. 5, 1950	4.09
JAN. 28, 1924	5.46	SEP. 15	6.96	SEP. 1	6.06	SEP. 13	4.62
SEP. 22	6.86	JAN. 6, 1939	5.66	JULY 8, 1946	3.88	JAN. 26, 1951	5.39
FEB. 28, 1925	6.26	SEP. 29	6.16	SEP. 5	4.42	SEP. 12	4.89
OCT. 22	7.46	JAN. 15, 1940	6.16	JAN. 10, 1947	4.71	JAN. 24, 1952	4.94

7S/22E-35D1 S. (Continued)

DATE	WATER LEVEL						
OCT. 2, 1952	3.00	SEP. 10, 1957	3.88	SEP. 18, 1962	5.40	SEP. 19, 1967	7.40
JAN. 31, 1953	6.30	JAN. 23, 1958	4.08	JAN. 17, 1963	5.00	JAN. 17, 1968	9.05
SEP. 28	4.10	SEP. 18	5.03	SEP. 19	3.80	SEP. 18	9.57
JAN. 15, 1954	5.90	JAN. 8, 1959	5.88	JAN. 10, 1964	5.60	JAN. 21, 1969	10.87
SEP. 30	2.90	SEP. 10	5.08	SEP. 10	4.95	SEP. 20	9.92
JAN. 31, 1955	4.40	JAN. 5, 1960	5.18	JAN. 11, 1965	5.40	JAN. 21, 1970	11.47
SEP. 29	3.40	SEP. 9	4.70	SEP. 11	4.95	SEP. 21	10.87
JAN. 28, 1956	3.40	JAN. 4, 1961	6.00	JAN. 12, 1966	6.85	JAN. 19, 1971	11.62
SEP. 26	3.60	SEP. 8	4.50	SEP. 16	5.30	AUG. 18	10.73
JAN. 8, 1957	3.58	JAN. 13, 1962	5.60	JAN. 14, 1967	7.80		

7S/22E-35J1 S. RECORDS PRIOR TO 8/19/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.8 FT IN 1971.
 LSD 246.88 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.26 BELOW LSD, SEP. 28, 1967,
 LOWEST WATER LEVEL 13.15 BELOW LSD, JAN. 23, 1970.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 8, 1957	8.06	JAN. 3, 1961	8.71	JAN. 11, 1965	8.56	SEP. 18, 1968	11.40
SEP. 10	7.26	SEP. 8	6.71	SEP. 11	7.11	JAN. 21, 1969	12.90
JAN. 18, 1958	8.91	JAN. 16, 1962	8.21	JAN. 12, 1966	9.01	SEP. 20	12.40
SEP. 18	7.31	SEP. 18	8.41	SEP. 16	6.46	JAN. 23, 1970	13.15
JAN. 8, 1959	8.51	JAN. 18, 1963	8.91	JAN. 23, 1967	9.61	SEP. 21	12.70
SEP. 10	7.11	SEP. 19	6.51	SEP. 28	6.26	JAN. 19, 1971	13.10
JAN. 5, 1960	8.56	JAN. 11, 1964	7.96	JAN. 17, 1968	10.76	AUG. 19	12.45
SEP. 14	8.41	SEP. 10	7.11				

7S/22E-36A1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.2 FT IN 1971.
 LSD 252.76 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.95 BELOW LSD, APR. 1, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 9, 1942.
 RECORDS AVAILABLE: 1919, 1923-24, 1929, 1936-48, 1971.

DATE	WATER LEVEL						
MAR. 1, 1919	8.10	DEC. 22, 1936	12.03	SEP. 26, 1940	10.63	JAN. 20, 1945	9.4
MAY 2	8.90	JAN. 30, 1937	11.58	JAN. , 1941	9.33	JULY 6	9.0
MAR. 17, 1923	8.62	SEP. 18	11.93	SEP. 26	9.63	APR. 1, 1946	6.95
NOV. 16	9.72	JAN. 4, 1938	10.93	FEB. 20, 1942	7.53	SEP. 4	9.14
JAN. 25, 1924	9.22	SEP. 15	11.83	SEP. 9	F	JAN. 10, 1947	8.89
MAY 15, 1929	11.82	JAN. 6, 1939	10.23	JAN. 12, 1943	9.0	SEP. 29	7.82
JULY 19	12.02	SEP. 29	11.03	SEP. 1	8.8	JAN. 12, 1948	8.31
NOV. 19, 1936	7.23	JAN. 15, 1940	9.63	OCT. 21, 1944	9.5	SEP. 1, 1971	12.45

7S/22E-36D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 247.19 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.64 BELOW LSD, MAY 17, 1947,
 LOWEST WATER LEVEL 8.24 BELOW LSD, JAN. 15, 1954.
 RECORDS AVAILABLE: 1919, 1923-26, 1947-48, 1952-56, 1971.

DATE	WATER LEVEL						
APR. 5, 1919	5.9	OCT. 23, 1925	7.98	JAN. 31, 1952	7.02	JAN. 31, 1955	7.74
MAY .9	6.5	JAN. 13, 1926	7.58	OCT. 2	6.12	SEP. 29	6.64
DEC. 12, 1923	6.08	FEB. 27	7.08	JAN. 31, 1953	7.32	JAN. 28, 1956	7.44
JAN. 26, 1924	5.68	MAY 17, 1947	3.64	SEP. 28	6.74	SEP. 26	6.74
SEP. 22	7.78	SEP. 29	6.27	JAN. 15, 1954	8.24	AUG. 18, 1971	P
FEB. 28, 1925	6.68	JAN. 12, 1948	6.44	SEP. 30	7.44		

75/22E-3602 S. RECORDS PRIOR TO 8/18/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 12.1 FT IN 1971.
 LSD 249.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.05 BELOW LSD, SEP. 18, 1968,
 LOWEST WATER LEVEL 11.95 BELOW LSD, JAN. 23, 1970, JAN. 19, 1971.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 8, 1957	8.05	MAR. 3, 1961	8.78	JAN. 11, 1965	8.48	SEP. 18, 1968	6.05
SEP. 10	7.75	SEP. 8	6.38	SEP. 11	6.78	JAN. 21, 1969	11.10
JAN. 14, 1958	8.35	JAN. 13, 1962	7.28	JAN. 12, 1966	9.03	SEP. 20	10.20
SEP. 18	7.95	SEP. 18	7.18	SEP. 16	6.63	JAN. 23, 1970	11.95
JAN. 8, 1959	8.93	JAN. 17, 1963	8.68	JAN. 19, 1967	6.93	SEP. 21	11.15
SEP. 24	7.78	SEP. 19	6.18	SEP. 19	7.13	JAN. 19, 1971	11.95
JAN. 5, 1960	8.88	JAN. 11, 1964	7.78	JAN. 17, 1968	9.58	AUG. 18	11.09
SEP. 14	7.98	SEP. 10	6.58				

75/22E-36F1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 13.1 FT IN 1971.
 LSD 249.90 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.20 BELOW LSD, SEP. 19, 1963,
 LOWEST WATER LEVEL 10.99 BELOW LSD, AUG. 19, 1971.
 RECORDS AVAILABLE: 1921, 1929, 1957-67, 1971.

DATE	WATER LEVEL						
JULY 28, 1921	9.67	JAN. 8, 1959	9.53	SEP. 18, 1962	8.40	SEP. 11, 1965	7.80
MAY 15, 1929	10.07	SEP. 10	8.73	JAN. 18, 1963	9.00	JAN. 12, 1966	9.75
JULY 19	10.47	JAN. 5, 1960	10.08	SEP. 19	6.20	SEP. 16	7.60
FEB. 14, 1957	10.63	SEP. 14	8.83	JAN. 11, 1964	9.20	JAN. 23, 1967	10.15
SEP. 10	7.93	JAN. 3, 1961	9.63	SEP. 10	7.60	SEP. 19	8.20
JAN. 15, 1958	10.08	SEP. 9	6.83	JAN. 11, 1965	9.60	AUG. 19, 1971	10.99
SEP. 18	8.78	JAN. 16, 1962	9.00				

75/23E-3N1 S. RECORDS PRIOR TO 7/16/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.1
 FT IN 1971.
 LSD 261.92 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.85 BELOW LSD, SEP. 9, 1957,
 LOWEST WATER LEVEL 9.00 BELOW LSD, JAN. 18, 1969, JAN. 19, 1970.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 17, 1957	6.75	FEB. 15, 1961	7.50	JAN. 8, 1965	7.80	SEP. 14, 1968	5.90
SEP. 9	3.85	SEP. 1	5.50	SEP. 10	5.25	JAN. 18, 1969	9.00
JAN. 11, 1958	7.00	JAN. 11, 1962	7.80	JAN. 10, 1966	8.50	SEP. 19	7.25
SEP. 17	5.60	SEP. 14	7.20	SEP. 13	6.75	JAN. 19, 1970	9.00
JAN. 7, 1959	7.30	JAN. 7, 1963	7.40	JAN. 11, 1967	7.85	SEP. 14	7.45
FEB. 4	8.20	SEP. 17	6.60	SEP. 13	5.70	JAN. 13, 1971	8.90
FEB. 8, 1960	7.60	JAN. 9, 1964	8.50	JAN. 12, 1968	7.80	JULY 16	7.86
SEP. 12	5.50	SEP. 8	5.30				

75/23E-3R1 S. RECORDS PRIOR TO 7/16/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
 16.3 FT IN 1971.
 LSD 267.21 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.12 BELOW LSD, SEP. 18, 1947,
 LOWEST WATER LEVEL 14.06 BELOW LSD, JAN. 30, 1947.
 RECORDS AVAILABLE: 1919, 1946-71.

DATE	WATER LEVEL						
APR. 1, 1919	11.22	SEP. 4, 1948	8.48	JAN. 30, 1952	9.11	SEP. 27, 1955	8.61
MAY 22	10.72	JAN. 3, 1949	7.14	OCT. 1	7.31	JAN. 27, 1956	9.41
OCT. 11, 1946	7.12	SEP. 8	8.75	JAN. 24, 1953	8.71	SEP. 25	7.21
OCT. 24	7.73	JAN. 5, 1950	8.34	SEP. 26	8.61	JAN. 4, 1957	9.31
JAN. 30, 1947	14.06	DEC. 14	9.51	JAN. 30, 1954	10.41	SEP. 9	7.96
SEP. 18	6.12	JAN. 23, 1951	10.11	SEP. 28	7.31	JAN. 11, 1958	9.66
JAN. 9, 1948	8.34	SEP. 11	8.96	JAN. 29, 1955	8.11	SEP. 17	9.71

7S/23E-3R1 S. (Continued)

DATE	WATER LEVEL						
JAN. 7, 1959	10.66	SEP. 14, 1962	11.52	JAN. 10, 1966	13.25	JAN. 18, 1969	12.70
SEP. 9	9.46	JAN. 5, 1963	11.92	SEP. 13	10.00	SEP. 19	12.15
FEB. 3, 1960	11.92	SEP. 17	10.42	JAN. 11, 1967	12.70	JAN. 19, 1970	13.25
SEP. 13	11.82	JAN. 9, 1964	12.60	SEP. 13	9.50	SEP. 14	12.20
FEB. 15, 1961	11.42	SEP. 8	9.95	JAN. 12, 1968	12.90	JAN. 13, 1971	13.15
SEP. 5	8.42	JAN. 8, 1965	13.10	SEP. 14	9.80	JULY 16	11.46
JAN. 12, 1962	12.52	SEP. 10,	10.15				

7S/23E-4R1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 261.44 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.41 BELOW LSD, SEP. 4, 1948,

LOWEST WATER LEVEL 6.11 BELOW LSD, JAN. 9, 1948.

RECORDS AVAILABLE: 1948-49, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1948	6.11	JAN. 17, 1949	5.66	SEP. 8, 1949	5.98	JULY 23, 1971	P
SEP. 4	5.41						

7S/23E-5A1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.

LSD 265.45 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.87 BELOW LSD, SEP. 4, 1948,

LOWEST WATER LEVEL 6.93 BELOW LSD, JAN. 3, 1949.

RECORDS AVAILABLE: 1948-49, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 17, 1948	6.43	JAN. 3, 1949	6.93	APR. 8, 1949	6.30	AUG. 24, 1971	P
SEP. 4	5.87						

7S/23E-5D1 S. PERFORATED 104-126, 183-190 FT.

LSD 265 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, MAR. 16, 1955,

LOWEST WATER LEVEL 8.00 BELOW LSD, FEB. 7, 1962.

RECORDS AVAILABLE: 1955, 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1955	7. G	FEB. 7, 1962	8.0 G	JULY 25, 1972	7.8		

7S/23E-5D2 S. DEPTH 142 FT IN 1942.

LSD 265 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, FEB. 7, 1962,

LOWEST WATER LEVEL 8.00 BELOW LSD, FEB. 7, 1962.

RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1962	8.0 G	JULY 25, 1972	N				

7S/23E-5E1 S. DEPTH 382 FT IN 1957.

LSD 265 FT ABOVE MSL.

HIGHEST WATER LEVEL 14.00 BELOW LSD, FEB. 15, 1962,

LOWEST WATER LEVEL 14.00 BELOW LSD, FEB. 15, 1962.

RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1962	14.	G JULY 26, 1972	N				

7S/23E-5F1 S. DEPTH 109 FT IN 1951.

LSD 267 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, JUNE 4, 1951,

LOWEST WATER LEVEL 7.00 BELOW LSD, JUNE 4, 1951.

RECORDS AVAILABLE: 1951, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 4, 1951	7.	G JULY 25, 1972	N				

7S/23E-5M1 S. DEPTH 131 FT IN 1967.

LSD 260 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.50 BELOW LSD, MAY 19, 1967,

LOWEST WATER LEVEL 7.50 BELOW LSD, MAY 19, 1967.

RECORDS AVAILABLE: 1967, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 19, 1967	7.5	G JULY 26, 1972	N				

7S/23E-5N1 S. DEPTH 133 FT IN 1965.

LSD 260 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, JULY 27, 1965,

LOWEST WATER LEVEL 8.00 BELOW LSD, JULY 27, 1965.

RECORDS AVAILABLE: 1965, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1965	8.	G JULY 25, 1972	N				

7S/23E-5R1 S. RECORDS PRIOR TO 7/16/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.9 FT IN 1971.

LSD 262 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.98 BELOW LSD, SEP. 12, 1958,

LOWEST WATER LEVEL 10.40 BELOW LSD, JAN. 13, 1971.

RECORDS AVAILABLE: 1950-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 16, 1950	6.99	SEP. 27, 1955	8.08	FEB. 16, 1961	9.10	SEP. 13, 1966	7.60
SEP. 12	7.00	JAN. 27, 1956	8.98	SEP. 1	7.80	JAN. 11, 1967	8.40
JAN. 23, 1951	6.89	SEP. 25	6.53	JAN. 11, 1962	9.50	SEP. 13	7.70
SEP. 11	6.44	JAN. 17, 1957	7.78	SEP. 14	7.10	JAN. 12, 1968	8.25
JAN. 30, 1952	7.54	SEP. 9	8.03	JAN. 7, 1963	9.10	SEP. 14	7.75
OCT. 1	6.68	JAN. 21, 1958	8.33	SEP. 17	7.90	JAN. 18, 1969	9.15
JAN. 29, 1953	7.48	SEP. 12	5.98	JAN. 9, 1964	9.65	SEP. 19	9.05
SEP. 26	7.18	JAN. 7, 1959	8.43	SEP. 8	6.80	JAN. 19, 1970	10.05
JAN. 14, 1954	7.78	SEP. 23	6.53	JAN. 8, 1965	9.85	SEP. 14	9.25
SEP. 28	7.38	JAN. 15, 1960	9.43	SEP. 10	7.35	JAN. 13, 1971	10.40
FEB. 22, 1955	8.38	SEP. 13	8.70	JAN. 10, 1966	9.80	JULY 16	9.45

75/23E-6A1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.8 FT IN 1971.
 LSD 262.50 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.31 BELOW LSD, APR. 12, 1946.
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 23, 1951.
 RECORDS AVAILABLE: 1937-48, 1950-71.

DATE	WATER LEVEL						
NOV. 10, 1937	6.33	APR. 12, 1946	4.31	JAN. 27, 1956	5.68	JAN. 8, 1964	6.18
DEC. 10	6.03	SEP. 4	5.91	SEP. 25	4.58	SEP. 8	5.53
JAN. 4, 1938	6.33	JAN. 9, 1947	5.91	JAN. 4, 1957	4.98	JAN. 8, 1965	6.08
SEP. 15	5.93	SEP. 18	5.76	SEP. 7	5.67	SEP. 9	5.88
JAN. 4, 1939	5.43	JAN. 9, 1948	5.77	JAN. 5, 1958	5.82	JAN. 8, 1966	6.73
SEP. 15	5.63	JAN. 5, 1950	6.90	SEP. 17	5.77	SEP. 13	5.68
FEB. 2, 1940	5.63	SEP. 12	6.86	MAH. 6, 1959	6.53	JAN. 11, 1967	6.23
SEP. 26	5.23	JAN. 23, 1951	F	SEP. 9	6.53	SEP. 12	6.23
JAN. , 1941	4.53	SEP. 11	4.86	JAN. 14, 1960	6.93	JAN. 12, 1968	6.13
SEP. 26	5.63	JAN. 23, 1952	6.31	SEP. 10	7.53	SEP. 13	6.43
FEB. 20, 1942	5.13	SEP. 30	5.18	FEB. 15, 1961	6.48	JAN. 17, 1969	6.38
SEP. 11	6.33	JAN. 29, 1953	5.78	SEP. 1	6.13	SEP. 17	6.88
JAN. 12, 1943	6.23	SEP. 26	5.78	JAN. 11, 1962	5.63	JAN. 19, 1970	6.83
JULY 31	6.13	JAN. 30, 1954	5.48	SEP. 13	6.43	SEP. 14	6.53
OCT. 18, 1944	5.73	SEP. 28	5.28	JAN. 15, 1963	6.43	FEB. 9, 1971	7.70
JAN. 30, 1945	5.93	JAN. 29, 1955	5.68	SEP. 17	5.63	JULY 20	7.60
JULY 3	6.03	SEP. 27	5.28				

75/23E-6N1 S. RECORDS PRIOR TO 7/16/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 8.3 FT IN 1971.
 LSD 259.36 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.45 BELOW LSD, SEP. 9, 1965.
 LOWEST WATER LEVEL 8.20 BELOW LSD, JAN. 5, 1937.
 RECORDS AVAILABLE: 1918-19, 1922-26, 1936-48, 1950-71.

DATE	WATER LEVEL						
NOV. 14, 1918	8.11	SEP. 26, 1940	5.35	OCT. 1, 1952	6.20	SEP. 14, 1962	6.70
MAR. 1, 1919	8.16	JAN. , 1941	6.25	JAN. 29, 1953	6.73	JAN. 7, 1963	6.60
MAY 17	7.11	SEP. 26	5.25	SEP. 26	4.63	SEP. 17	6.40
SEP. 6, 1922	6.56	FEB. 20, 1942	5.25	JAN. 14, 1954	6.43	JAN. 9, 1964	7.20
JULY 6, 1923	5.86	SEP. 9	7.05	SEP. 28	5.63	SEP. 8	4.60
DEC. 3	6.91	JAN. 12, 1943	6.65	JAN. 29, 1955	7.43	JAN. 8, 1965	7.30
JAN. 24, 1924	7.11	MAY 4	5.15	SEP. 27	4.83	SEP. 9	2.45
SEP. 22	6.41	OCT. 19, 1944	5.44	JAN. 27, 1956	6.83	JAN. 10, 1966	7.70
FEB. 26, 1925	7.36	JAN. 30, 1945	6.34	SEP. 25	5.33	SEP. 13	2.60
OCT. 19	7.26	JULY 3	6.04	JAN. 7, 1957	6.43	JAN. 11, 1967	7.15
JAN. 9, 1926	7.86	MAY 29, 1946	5.01	SEP. 9	4.14	SEP. 13	3.10
MAR. 24	7.16	SEP. 4	5.73	JAN. 11, 1958	5.49	JAN. 12, 1968	7.60
NOV. 19, 1936	7.65	JAN. 9, 1947	6.14	SEP. 17	2.84	SEP. 14	5.00
JAN. 5, 1937	8.20	OCT. 8	5.67	JAN. 7, 1959	5.89	JAN. 17, 1969	7.70
SEP. 17	6.55	JAN. 9, 1948	5.86	SEP. 9	4.99	SEP. 19	6.35
JAN. 4, 1938	7.25	JAN. 5, 1950	6.85	JAN. 15, 1960	6.29	JAN. 19, 1970	8.10
SEP. 15	6.05	SEP. 12	5.78	SEP. 13	5.70	SEP. 14	6.10
JAN. 4, 1939	6.65	JAN. 23, 1951	6.07	FEB. 16, 1961	7.00	JAN. 13, 1971	7.90
SEP. 29	7.15	SEP. 11	5.42	SEP. 1	6.20	JULY 16	6.82
FEB. 28, 1940	5.65	JAN. 23, 1952	7.45	JAN. 10, 1962	7.10		

75/23E-6H1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.2 FT IN 1971.
 LSD 258.46 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.17 BELOW LSD, SEP. 26, 1941.
 LOWEST WATER LEVEL 8.63 BELOW LSD, JULY 18, 1929.
 RECORDS AVAILABLE: 1929, 1936-37, 1940-46, 1957-59, 1971.

DATE	WATER LEVEL						
MAY 8, 1929	7.83	JAN. , 1941	4.77	JAN. 30, 1945	5.37	SEP. 9, 1957	5.55
JULY 18	8.63	SEP. 26	4.17	JULY 3	5.37	JAN. 28, 1958	6.60
NOV. 19, 1936	6.96	FEB. 20, 1942	4.37	MAR. 30, 1946	5.24	SEP. 17	5.15
JAN. 30, 1937	7.26	SEP. 11	4.57	JULY 23	4.86	JAN. 7, 1959	7.40
SEP. 17	5.96	JAN. 12, 1943	5.37	JULY 23	4.86	SEP. 9	6.70
AUG. 1, 1940	4.47	JULY 31	5.17	JAN. 17, 1957	6.13	JULY 16, 1971	7.82
SEP. 26	4.47	OCT. 19, 1944	5.17				

7S/23E-8R1 S. RECORDS PRIOR TO 7/9/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.0 FT IN 1971.
 LSD 257.62 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.90 BELOW LSD, MAR. 30, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, OCT. 19, 1944, DEC. 28, 1944, FEB. 27, 1945.
 RECORDS AVAILABLE: 1922-26, 1944-71.

DATE	WATER LEVEL						
Sep. 9, 1922	4.52	Sep. 27, 1947	4.29	Jan. 27, 1956	7.17	Jan. 9, 1964	8.20
JULY 6, 1923	3.90	APR. 19, 1948	6.42	SEP. 26	4.62	SEP. 8	6.35
DEC. 5	6.60	SEP. 7	5.65	JAN. 12, 1957	10.62	JAN. 8, 1965	8.30
JAN. 24, 1924	5.90	JAN. 4, 1949	6.13	FEB. 11	7.22	SEP. 10	5.65
Sep. 22	4.20	SEP. 8	3.79	SEP. 5	7.62	JAN. 10, 1966	8.45
FEB. 26, 1925	5.40	JAN. 5, 1950	4.72	JAN. 22, 1958	7.52	SEP. 13	6.05
OCT. 20	6.10	SEP. 12	4.77	SEP. 17	6.52	JAN. 12, 1967	7.65
JAN. 9, 1926	5.70	JAN. 23, 1951	6.42	JAN. 7, 1959	8.47	SEP. 13	6.40
MAR. 25	5.00	SEP. 11	5.27	SEP. 9	7.62	JAN. 12, 1968	7.90
OCT. 19, 1944	F	JAN. 30, 1952	7.72	JAN. 15, 1960	8.22	SEP. 14	6.60
DEC. 28	F	OCT. 20	5.92	SEP. 13	7.62	JAN. 18, 1969	8.30
FEB. 27, 1945	F	JAN. 20, 1953	6.62	FEB. 16, 1961	7.72	SEP. 20	7.20
JULY 3	4.16	OCT. 2	5.62	SEP. 1	6.52	JAN. 19, 1970	7.70
MAR. 30, 1946	1.90	JAN. 20, 1954	6.62	JAN. 11, 1962	7.32	SEP. 16	7.35
JULY 23	2.92	SEP. 28	4.22	SEP. 14	6.60	JAN. 13, 1971	8.20
SEP. 4	3.71	JAN. 8, 1955	7.22	JAN. 16, 1963	7.00	JULY 9	8.65
JAN. 9, 1947	4.02	SEP. 27	5.72	SEP. 19	6.20		

7S/23E-10D1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 261.20 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.89 BELOW LSD, JULY 6, 1923,
 LOWEST WATER LEVEL 6.95 BELOW LSD, AUG. 20, 1931.
 RECORDS AVAILABLE: 1918-19, 1923-26, 1931, 1936-37, 1971.

DATE	WATER LEVEL						
NOV. 14, 1918	4.8	JAN. 24, 1924	6.09	MAR. 24, 1926	3.99	OEC. 22, 1936	5.67
APR. 1, 1919	4.8	SEP. 22	5.59	AUG. 3, 1931	6.75	JAN. 30, 1937	4.62
MAY 22	4.5	FEB. 26, 1925	5.29	AUG. 20	6.95	SEP. 18	4.57
JULY 6, 1923	3.89	OCT. 19	5.19	NOV. 19, 1936	4.87	JULY 23, 1971	P
DEC. 4	6.09	JAN. 9, 1926	5.39				

7S/23E-15A1 S. RECORDS PRIOR TO 7/9/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.3 FT IN 1971.
 LSD 264.75 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.59 BELOW LSD, SEP. 27, 1947,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 23, 1951.
 RECORDS AVAILABLE: 1919, 1946-71.

DATE	WATER LEVEL						
APR. 3, 1919	10.13	JAN. 30, 1952	8.81	JAN. 7, 1959	11.90	SEP. 10, 1965	9.40
MAY 22	8.95	SEP. 10	8.36	SEP. 9	11.10	JAN. 10, 1966	12.90
OCT. 11, 1946	6.63	JAN. 24, 1953	9.77	FEB. 3, 1960	13.10	SEP. 13	9.75
DEC. 30	6.76	OCT. 2	10.37	SEP. 13	12.40	JAN. 12, 1967	11.65
JAN. 9, 1947	7.17	JAN. 14, 1954	11.49	FEB. 18, 1961	12.10	SEP. 13	10.60
SEP. 27	5.59	OCT. 4	10.13	SEP. 1	11.80	JAN. 12, 1968	12.50
JAN. 9, 1948	7.92	JAN. 10, 1955	11.71	JAN. 11, 1962	12.90	SEP. 14	10.60
SEP. 7	8.49	SEP. 27	10.21	SEP. 7	12.10	JAN. 18, 1969	12.60
JAN. 18, 1949	8.59	JAN. 27, 1956	9.11	JAN. 16, 1963	12.60	SEP. 20	12.00
SEP. 8	9.89	SEP. 26	9.56	SEP. 19	10.80	JAN. 19, 1970	12.80
JAN. 5, 1950	9.74	JAN. 4, 1957	10.91	JAN. 9, 1964	11.90	SEP. 16	11.90
NOV. 16	9.47	SEP. 10	9.70	SEP. 8	11.35	JAN. 13, 1971	12.85
JAN. 23, 1951	F	JAN. 11, 1958	10.50	JAN. 8, 1965	12.50	JULY 9	12.35
SEP. 11	9.59	SEP. 17	11.20				

7S/23E-15L1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.64 FT IN 1971.
 LSD 259.99 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.00 BELOW LSD, SEP. 13, 1966,
 DRY, WATER LEVEL NOT MEASUREABLE, JULY 20, 1971.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
FEB. 19, 1957	8.74	FEB. 18, 1961	8.70	JAN. 8, 1965	9.10	SEP. 14, 1968	5.60
SEP. 19	6.24	SEP. 6	7.60	SEP. 11	6.25	JAN. 18, 1969	9.40
JAN. 14, 1958	7.99	JAN. 12, 1962	9.40	JAN. 10, 1966	9.25	SEP. 20	6.80
SEP. 17	7.49	SEP. 18	7.90	SEP. 13	5.00	JAN. 19, 1970	9.60
JAN. 7, 1959	8.74	JAN. 16, 1963	8.00	JAN. 12, 1967	8.35	SEP. 16	7.05
SEP. 9	7.74	SEP. 19	6.80	SEP. 13	7.10	JAN. 13, 1971	9.50
JAN. 4, 1960	8.84	JAN. 9, 1964	8.80	JAN. 12, 1968	9.10	JULY 20	F
SEP. 13	8.04	SEP. 9	6.10				

7S/23E-15N1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1964, 11.6 FT IN 1971.
 LSD 258.24 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.65 BELOW LSD, SEP. 27, 1947,
 LOWEST WATER LEVEL 10.82 BELOW LSD, JULY 20, 1971.
 RECORDS AVAILABLE: 1919, 1946-48, 1952-71.

DATE	WATER LEVEL						
APR. 2, 1919	5.35	SEP. 28, 1954	6.92	SEP. 13, 1960	7.94	SEP. 13, 1966	6.55
MAY 22	5.65	JAN. 29, 1955	6.72	FEB. 18, 1961	7.64	JAN. 12, 1967	7.70
AUG. 7, 1946	5.89	SEP. 27	6.92	SEP. 6	6.24	SEP. 13	6.55
SEP. 4	6.09	JAN. 27, 1956	6.72	JAN. 12, 1962	8.64	JAN. 12, 1968	8.80
JAN. 9, 1947	5.93	SEP. 26	6.77	SEP. 18	7.84	SEP. 14	7.90
SEP. 27	3.65	JAN. 4, 1957	8.14	JAN. 16, 1963	8.44	JAN. 18, 1969	8.95
JAN. 12, 1948	5.75	SEP. 10	6.44	SEP. 19	7.74	SEP. 20	7.80
JAN. 23, 1952	6.22	JAN. 14, 1958	8.04	JAN. 9, 1964	7.69	JAN. 19, 1970	9.00
OCT. 1	6.22	SEP. 17	7.24	SEP. 9	5.60	SEP. 16	7.40
JAN. 24, 1953	6.92	JAN. 7, 1959	8.44	JAN. 8, 1965	8.55	JAN. 13, 1971	8.80
SEP. 28	6.42	SEP. 9	7.64	SEP. 11	5.45	JULY 20	10.82
JAN. 14, 1954	6.82	JAN. 4, 1960	8.59	JAN. 10, 1966	8.45		

7S/23E-16A1 S. RECORDS PRIOR TO 7/9/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.0 FT IN 1971.
 LSD 258.93 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.36 BELOW LSD, SEP. 10, 1965,
 LOWEST WATER LEVEL 9.12 BELOW LSD, JULY 9, 1971.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
FEB. 14, 1957	7.62	FEB. 16, 1961	8.02	JAN. 8, 1965	8.51	SEP. 14, 1968	6.41
SEP. 10	6.57	SEP. 1	7.12	SEP. 10	5.38	JAN. 18, 1969	6.71
JAN. 11, 1958	7.82	JAN. 11, 1962	7.12	JAN. 10, 1966	7.91	SEP. 20	7.11
SEP. 17	6.87	SEP. 7	6.52	SEP. 13	5.56	JAN. 19, 1970	7.26
JAN. 7, 1959	8.22	JAN. 16, 1963	7.12	JAN. 12, 1967	7.16	SEP. 16	7.90
SEP. 9	7.32	SEP. 19	6.86	SEP. 13	5.71	JAN. 13, 1971	8.90
JAN. 15, 1960	8.02	JAN. 9, 1964	7.56	JAN. 12, 1968	6.21	JULY 9	9.12
SEP. 13	7.32	SEP. 8	6.01				

7S/23E-17D1 S. PERFORATED 112-147 FT.
 LSD 255 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.00 BELOW LSD, AUG. 20, 1951,
 LOWEST WATER LEVEL 7.00 BELOW LSD, AUG. 20, 1951.
 RECORDS AVAILABLE: 1951, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 20, 1951	7. G	JULY 26, 1972	N				

7S/23E-17D2 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.3 FT IN 1971.
 LSD 256.15 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.35 BELOW LSD, SEP. 26, 1953,
 LOWEST WATER LEVEL 8.80 BELOW LSD, JAN. 13, 1971.
 RECORDS AVAILABLE: 1948-71.

DATE	WATER LEVEL						
JAN. 9, 1948	6.31	JAN. 14, 1954	6.85	JAN. 15, 1960	8.50	JAN. 10, 1966	8.30
NOV. 8	6.25	SEP. 28	6.35	SEP. 13	7.20	SEP. 13	6.30
JAN. 4, 1949	6.85	JAN. 10, 1955	7.25	MAR. 17, 1961	8.30	JAN. 12, 1967	7.90
SEP. 8	6.68	SEP. 27	6.05	SEP. 1	6.20	SEP. 13	6.40
JAN. 5, 1950	6.80	JAN. 27, 1956	7.05	JAN. 12, 1962	6.60	JAN. 12, 1968	8.20
SEP. 12	6.20	SEP. 26	6.20	SEP. 14	7.20	SEP. 14	6.70
JAN. 23, 1951	6.80	JAN. 8, 1957	7.00	JAN. 16, 1963	7.30	JAN. 18, 1969	8.40
SEP. 11	6.55	SEP. 10	7.00	SEP. 19	6.30	SEP. 19	7.15
JAN. 23, 1952	7.45	JAN. 22, 1958	7.55	JAN. 9, 1964	6.80	JAN. 20, 1970	8.55
OCT. 1	6.05	SEP. 17	7.30	SEP. 8	6.70	SEP. 16	7.60
JAN. 29, 1953	7.05	JAN. 7, 1959	8.40	JAN. 8, 1965	8.15	JAN. 13, 1971	8.80
SEP. 26	5.35	SEP. 9	7.70	SEP. 10	5.95	JULY 20	7.81

7S/23E-17N1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9 FT IN 1951, 8.1 FT IN 1971.
 LSD 254.64 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.15 BELOW LSD, MAR. 30, 1946,
 DRY, WATER LEVEL NOT MEASUREABLE, OCT. 29, 1941, DEC. 23, 1941, FEB. 20, 1942, JAN. 12, 1943,
 JULY 31, 1943, OCT. 19, 1944, JAN. 12, 1945.
 RECORDS AVAILABLE: 1918-19, 1924-27, 1941-46, 1948-71.

DATE	WATER LEVEL						
MAY 1, 1918	5.29	OCT. 19, 1944	F	SEP. 28, 1954	5.39	SEP. 19, 1963	6.00
AUG. 17	4.65	JAN. 12, 1945	F	JAN. 29, 1955	7.49	JAN. 10, 1964	7.75
APR. 2, 1919	5.12	JULY 5	4.03	SEP. 27	5.19	SEP. 9	5.20
MAY 19	5.62	MAR. 30, 1946	2.15	JAN. 27, 1956	5.99	JAN. 9, 1965	8.05
JULY 21, 1924	5.90	JULY 31	3.83	SEP. 26	5.39	SEP. 10	3.60
SEP. 22	6.10	JAN. 12, 1948	5.87	JAN. 8, 1957	6.14	JAN. 10, 1966	7.85
JAN. 9, 1925	6.60	SEP. 7	5.17	SEP. 10	6.50	SEP. 13	5.00
OCT. 21	6.60	JAN. 4, 1949	5.60	JAN. 22, 1958	5.25	JAN. 12, 1967	6.90
JAN. 11, 1926	6.70	SEP. 8	5.50	SEP. 17	6.65	SEP. 13	4.70
MAR. 25	5.70	JAN. 5, 1950	5.51	JAN. 7, 1959	7.50	JAN. 12, 1968	7.70
MAY 14, 1927	8.30	SEP. 12	5.78	SEP. 23	7.50	SEP. 14	5.40
JUNE 2	8.90	JAN. 23, 1951	5.42	JAN. 4, 1960	6.90	JAN. 18, 1969	8.15
OCT. 29, 1941	F	SEP. 11	6.89	SEP. 13	6.00	SEP. 20	5.70
DEC. 23	F	FEB. 7, 1952	7.09	FEB. 18, 1961	7.70	JAN. 20, 1970	8.00
FEB. 20, 1942	F	OCT. 1	5.79	SEP. 6	6.00	SEP. 16	6.75
SEP. 9	4.83	JAN. 29, 1953	5.99	JAN. 12, 1962	6.40	JAN. 13, 1971	7.80
JAN. 12, 1943	F	SEP. 28	3.49	SEP. 18	6.80	JULY 20	7.28
JULY 31	F	JAN. 14, 1954	7.29	JAN. 16, 1963	7.00		

7S/23E-17R1 S. RECORDS PRIOR TO 7/20/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.3 FT IN 1971.
 LSD 255.56 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.70 BELOW LSD, SEP. 7, 1946,
 LOWEST WATER LEVEL 9.43 BELOW LSD, DEC. 28, 1944.
 RECORDS AVAILABLE: 1944-49, 1968-71.

DATE	WATER LEVEL						
OCT. 19, 1944	8.73	JAN. 9, 1947	5.28	AUG. 3, 1949	5.08	SEP. 20, 1969	7.31
DEC. 28	9.43	SEP. 27	5.43	DEC. 20	6.26	JAN. 20, 1970	8.61
FEB. 27, 1945	8.63	JAN. 12, 1948	5.43	JAN. 12, 1968	7.81	SEP. 16	7.36
JULY 23, 1946	4.76	SEP. 7	5.34	SEP. 14	6.81	JAN. 13, 1971	8.56
SEP. 7	4.70	JAN. 4, 1949	5.71	JAN. 18, 1969	7.86	JULY 20	9.10
NOV. 26	6.13						

7S/23E-18E1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1961, 9.2 FT IN 1971.
 LSD 254.16 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.50 BELOW LSD, SEP. 7, 1965,
 LOWEST WATER LEVEL 6.55 BELOW LSD, JAN. 11, 1966.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
JAN. 30, 1961	5.65	SEP. 26, 1963	3.20	SEP. 7, 1965	1.50	SEP. 15, 1967	4.05
SEP. 14	3.30	JAN. 11, 1964	5.35	JAN. 11, 1966	6.55	JAN. 15, 1968	4.50
JAN. 17, 1962	5.10	SEP. 17	3.75	SEP. 15	3.55	SEP. 16	2.90
SEP. 17	3.10	JAN. 19, 1965	5.95	JAN. 16, 1967	6.10	JULY 27, 1971	3.5
JAN. 22, 1963	5.80						

7S/23E-18F1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14.5 FT IN 1961, 12.6 FT IN 1971.
 LSD 256.40 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.70 BELOW LSD, SEP. 26, 1963,
 LOWEST WATER LEVEL 9.50 BELOW LSD, JAN. 22, 1963.
 RECORDS AVAILABLE: 1961-68, 1971.

DATE	WATER LEVEL						
JAN. 30, 1961	7.60	SEP. 26, 1963	3.70	SEP. 7, 1965	3.80	SEP. 15, 1967	6.10
SEP. 14	5.20	JAN. 11, 1964	7.15	JAN. 11, 1966	8.65	JAN. 15, 1968	6.60
JAN. 17, 1962	6.70	SEP. 17	6.00	SEP. 15	6.55	SEP. 16	5.75
SEP. 19	5.20	JAN. 13, 1965	8.30	JAN. 16, 1967	8.20	JULY 27, 1971	7.38
JAN. 22, 1963	9.50						

7S/23E-18M1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1963, 13.2 FT IN 1971.
 LSD 260.26 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.01 BELOW LSD, SEP. 19, 1962,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 12, 1948.
 RECORDS AVAILABLE: 1946-49, 1953-55, 1961-68, 1971.

DATE	WATER LEVEL						
JULY 15, 1946	9.27	JAN. 18, 1949	10.02	SEP. 14, 1961	9.16	SEP. 7, 1965	8.15
SEP. 7	10.49	APR. 15, 1953	10.17	JAN. 17, 1962	11.56	JAN. 11, 1966	12.60
NOV. 22	8.99	SEP. 9	9.77	SEP. 19	8.01	SEP. 15	9.60
JAN. 9, 1947	10.42	JAN. 6, 1954	11.17	JAN. 22, 1963	9.51	JAN. 16, 1967	11.15
SEP. 29	9.93	SEP. 1	9.77	SEP. 26	8.70	SEP. 15	10.20
JAN. 12, 1948	F	JAN. 7, 1955	11.67	JAN. 11, 1964	11.40	JAN. 15, 1968	11.50
SEP. 7	10.43	SEP. 1	10.41	OCT. 23	10.00	SEP. 16	8.90
JAN. 4, 1949	10.47	JAN. 30, 1961	11.57	JAN. 13, 1965	12.20	JULY 27, 1971	9.78

7S/23E-18N1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.5 FT IN 1971.
 LSD 253.31 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.67 BELOW LSD, OCT. 29, 1941,

LOWEST WATER LEVEL 8.27 BELOW LSD, JULY 20, 1929.

RECORDS AVAILABLE: 1922-26, 1929, 1936-44, 1946-48, 1950-71.

DATE	WATER LEVEL						
SEP. 11, 1922	4.01	OCT. 29, 1941	2.67	JAN. 29, 1953	5.79	SEP. 18, 1962	5.69
JULY 11, 1923	4.77	DEC. 23	3.57	SEP. 28	4.09	JAN. 17, 1963	5.89
NOV. 16	5.77	FEB. 20, 1942	3.27	JAN. 14, 1954	5.59	SEP. 19	5.69
JAN. 25, 1924	5.37	SEP. 11	3.37	SEP. 28	4.69	JAN. 11, 1964	5.65
SEP. 22	6.27	JAN. 12, 1943	3.67	JAN. 29, 1955	6.49	SEP. 9	4.35
FEB. 27, 1925	6.07	MAY 4	3.27	SEP. 27	3.39	JAN. 8, 1965	6.10
OCT. 21	6.57	OCT. 19, 1944	4.47	JAN. 27, 1956	5.59	SEP. 10	3.50
JAN. 11, 1926	6.77	JULY 9, 1946	3.57	SEP. 26	3.99	JAN. 10, 1966	6.95
MAR. 26	5.97	SEP. 4	5.00	JAN. 8, 1957	4.89	SEP. 13	3.70
MAY 9, 1929	8.17	DEC. 4	4.10	SEP. 2	4.39	JAN. 12, 1967	6.30
JULY 20	8.27	JAN. 27, 1947	4.38	JAN. 14, 1958	4.89	SEP. 13	4.30
NOV. 19, 1936	6.87	SEP. 27	4.11	SEP. 17	4.54	JAN. 12, 1968	6.60
JAN. 30, 1937	6.32	JAN. 12, 1948	4.92	JAN. 7, 1959	5.29	SEP. 14	4.15
SEP. 17	5.82	JAN. 5, 1950	4.82	SEP. 9	4.89	JAN. 18, 1969	6.75
JAN. 4, 1938	5.62	SEP. 12	4.14	JAN. 4, 1960	5.04	SEP. 19	4.90
SEP. 15	5.62	JAN. 23, 1951	5.01	SEP. 13	5.09	JAN. 20, 1970	7.70
JAN. 4, 1939	5.62	SEP. 11	4.86	FEB. 18, 1961	4.69	SEP. 16	5.65
SEP. 28	5.72	JAN. 23, 1952	5.76	SEP. 23	4.69	JAN. 13, 1971	7.00
FEB. 28, 1940	4.92	OCT. 1	4.56	JAN. 15, 1962	4.69	SEP. 1	5.44
SEP. 26	4.72						

7S/23E-21H1 S. DEPTH 400 FT IN 1955.

LSD 260 FT ABOVE MSL.

HIGHEST WATER LEVEL 12.00 BELOW LSD, FEB. 15, 1962,

LOWEST WATER LEVEL 12.00 BELOW LSD, FEB. 15, 1962.

RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1962	12. G	JULY 26, 1972	N				

7S/23E-21H1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 18 FT IN 1957, 16.3 FT IN 1971.

LSU 259.77 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.88 BELOW LSD, SEP. 11, 1965,

LOWEST WATER LEVEL 14.60 BELOW LSD, FEB. 12, 1971.

RECORDS AVAILABLE: 1958-71.

DATE	WATER LEVEL						
APR. 22, 1958	9.13	SEP. 8, 1961	7.23	JAN. 9, 1965	10.63	SEP. 18, 1968	9.53
SEP. 18	9.08	JAN. 15, 1962	10.73	SEP. 11	6.88	JAN. 21, 1969	10.53
JAN. 7, 1959	10.88	SEP. 20	9.48	JAN. 12, 1966	10.63	SEP. 20	8.78
SEP. 10	9.18	JAN. 17, 1963	10.38	SEP. 16	7.23	JAN. 23, 1970	12.33
JAN. 4, 1960	10.73	SEP. 19	8.98	JAN. 17, 1967	9.98	SEP. 21	10.18
SEP. 13	9.78	JAN. 9, 1964	10.28	SEP. 16	7.93	FEB. 12, 1971	14.60
JAN. 3, 1961	9.88	SEP. 9	7.43	JAN. 16, 1968	10.58	SEP. 1	13.32

7S/23E-22N1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.0 FT IN 1971.
 LSD 260.47 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.95 BELOW LSD, SEP. 18, 1968,
 LOWEST WATER LEVEL 10.35 BELOW LSD, JAN. 23, 1970.
 RECORDS AVAILABLE: 1946-56, 1960-71.

DATE	WATER LEVEL						
SEP. 13, 1946	5.59	JAN. 23, 1952	9.18	JAN. 3, 1961	8.14	SEP. 16, 1966	5.44
NOV. 30	6.68	OCT. 1	5.93	SEP. 8	8.04	JAN. 17, 1967	6.19
JAN. 10, 1947	7.39	JAN. 29, 1953	8.53	JAN. 12, 1962	7.94	SEP. 16	5.94
OCT. 27	5.56	SEP. 28	7.03	SEP. 20	7.94	JAN. 16, 1968	9.34
JAN. 12, 1948	6.48	JAN. 15, 1954	8.43	JAN. 17, 1963	8.14	SEP. 18	4.95
SEP. 7	5.89	SEP. 30	6.73	SEP. 19	8.24	JAN. 21, 1969	9.40
JAN. 4, 1949	7.17	JAN. 31, 1955	8.83	JAN. 9, 1964	8.04	SEP. 20	7.40
SEP. 8	6.52	SEP. 29	6.03	SEP. 9	5.94	JAN. 23, 1970	10.35
JAN. 5, 1950	7.96	JAN. 28, 1956	7.73	JAN. 9, 1965	8.54	SEP. 21	5.90
SEP. 13	5.82	SEP. 26	5.78	SEP. 11	4.99	JAN. 19, 1971	10.10
FEB. 26, 1951	6.13	JAN. 15, 1960	7.24	JAN. 12, 1966	8.89	SEP. 1	7.48
SEP. 12	7.28	SEP. 13	7.04				

7S/23E-27A1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.9 FT IN 1971.
 LSD 264.28 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.84 BELOW LSD, SEP. 13, 1950,
 LOWEST WATER LEVEL 12.53 BELOW LSD, SEP. 1, 1971.
 RECORDS AVAILABLE: 1948-51, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1948	9.67	SEP. 8, 1949	6.55	SEP. 13, 1950	5.84	SEP. 12, 1951	8.45
SEP. 7	8.02	JAN. 5, 1950	8.79	JAN. 25, 1951	10.65	SEP. 1, 1971	12.53
JAN. 4, 1949	9.73						

7S/23E-27N1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.1 FT IN 1971.
 LSD 257.01 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.08 BELOW LSD, SEP. 10, 1957,
 LOWEST WATER LEVEL 8.31 BELOW LSD, JAN. 28, 1956.
 RECORDS AVAILABLE: 1946, 1948-51, 1956-71.

DATE	WATER LEVEL						
JUNE 9, 1946	6.00	SEP. 26, 1956	5.86	JAN. 15, 1962	6.83	JAN. 17, 1967	6.48
JULY 18	6.28	JAN. 8, 1957	8.26	SEP. 18	6.83	SEP. 16	5.78
JAN. 12, 1948	5.83	SEP. 10	5.08	JAN. 17, 1963	7.03	JAN. 16, 1968	6.53
SEP. 7	5.76	JAN. 14, 1958	5.73	SEP. 19	6.33	SEP. 18	6.28
JAN. 4, 1949	5.53	SEP. 15	5.83	JAN. 10, 1964	6.73	JAN. 21, 1969	6.98
SEP. 8	6.37	JAN. 7, 1959	7.03	SEP. 10	6.13	SEP. 20	6.43
JAN. 5, 1950	5.56	SEP. 10	5.38	JAN. 9, 1965	6.78	JAN. 23, 1970	7.03
SEP. 13	6.66	JAN. 5, 1960	7.33	SEP. 11	5.73	SEP. 22	6.88
JAN. 25, 1951	7.88	SEP. 14	5.93	JAN. 12, 1966	6.33	JAN. 19, 1971	7.28
SEP. 12	6.98	JAN. 3, 1961	6.63	SEP. 16	5.63	SEP. 1	6.93
JAN. 28, 1956	8.31	SEP. 8	5.63				

7S/23E-27N2 S. PERFORATED 120-130 FT.
 LSD 260 FT ABOVE MSL.
 HIGHEST WATER LEVEL 12.00 BELOW LSD, DEC. 12, 1960,
 LOWEST WATER LEVEL 12.00 BELOW LSD, DEC. 12, 1960.
 RECORDS AVAILABLE: 1960, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 12, 1960	12. G	AUG. 9, 1972	N				

7S/23E-29D1 S. PERFORATED 350-353 FT.

LSD 255 FT ABOVE MSL.

HIGHEST WATER LEVEL 10.00 BELOW LSD, MAY 25, 1961,

LOWEST WATER LEVEL 10.00 BELOW LSD, MAY 25, 1961.

RECORDS AVAILABLE: 1961, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 25, 1961	10. G	JULY 27, 1972	N				

75/23E-29N1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16.8 FT IN 1971.

LSD 255.42 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.43 BELOW LSD, SEP. 11, 1965,

DRY, WATER LEVEL NOT MEASUREABLE, FEB. 27, 1945, APR. 6, 1945, JUNE 9, 1946.

RECORDS AVAILABLE: 1945-46, 1950-58, 1960-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 27, 1945	F	SEP. 30, 1954	9.44	JAN. 3, 1961	10.97	SEP. 16, 1966	8.63
APR. 6	F	JAN. 8, 1955	11.36	SEP. 8	9.47	JAN. 19, 1967	11.78
JUNE 9, 1946	F	OCT. 13	9.94	JAN. 15, 1962	10.97	SEP. 16	9.33
JAN. 5, 1950	9.76	JAN. 28, 1956	10.14	SEP. 18	10.58	JAN. 16, 1968	12.08
SEP. 13	9.43	SEP. 26	8.34	JAN. 17, 1963	11.18	SEP. 18	12.69
JAN. 25, 1951	10.02	JAN. 12, 1957	10.86	SEP. 19	8.78	JAN. 21, 1969	13.79
SEP. 12	9.47	SEP. 10	8.31	JAN. 10, 1964	11.23	SEP. 20	13.19
JAN. 24, 1952	11.44	JAN. 14, 1958	10.96	SEP. 10	9.38	JAN. 23, 1970	13.84
DCT. 2	8.74	SEP. 18	9.96	JAN. 11, 1965	11.28	SEP. 22	13.20
JAN. 1, 1953	11.84	JAN. 16, 1960	11.67	SEP. 11	6.83	JAN. 19, 1971	15.90
SEP. 28	10.04	SEP. 14	10.97	JAN. 12, 1966	11.38	SEP. 1	14.7
JAN. 15, 1954	11.44						

75/23E-30A1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.9 FT IN 1971.

LSD 255.46 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.47 BELOW LSD, SEP. 19, 1963,

LOWEST WATER LEVEL 12.60 BELOW LSD, JAN. 19, 1971.

RECORDS AVAILABLE: 1960-64, 1968-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1960	9.44	SEP. 20, 1962	8.34	JAN. 16, 1968	10.02	JAN. 21, 1970	12.40
SEP. 13	7.64	APR. 4, 1963	8.07	SEP. 18	7.67	SEP. 21	9.15
JAN. 3, 1961	9.14	SEP. 19	6.47	JAN. 21, 1969	10.27	JAN. 19, 1971	12.60
SEP. 8	7.24	JAN. 9, 1964	8.82	SEP. 20	10.17	SEP. 1	10.47
JAN. 15, 1962	8.64						

75/23E-31N1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 19.3 FT IN 1971.

LSD 252.93 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.19 BELOW LSD, SEP. 20, 1963,

LOWEST WATER LEVEL 15.70 BELOW LSD, JAN. 19, 1971.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 21, 1957	11.29	FEB. 22, 1961	11.89	JAN. 11, 1965	11.89	SEP. 18, 1968	12.54
SEP. 11	8.99	SEP. 8	9.99	SEP. 11	9.14	JAN. 21, 1969	14.09
JAN. 14, 1958	11.69	JAN. 16, 1962	11.49	JAN. 12, 1966	12.44	SEP. 22	13.54
SEP. 18	10.19	SEP. 20	11.19	SEP. 16	9.54	JAN. 23, 1970	14.19
JAN. 8, 1959	11.99	FEB. 16, 1963	11.59	JAN. 23, 1967	12.44	SEP. 22	13.35
SEP. 11	9.99	SEP. 20	8.19	SEP. 16	10.49	JAN. 19, 1971	15.70
JAN. 6, 1960	11.79	JAN. 10, 1964	11.59	JAN. 19, 1968	13.54	SEP. 2	14.56
SEP. 15	10.69	SEP. 10	9.09				

75/23E-32R1 S. DEPTH 122 FT IN 1951.
LSU 258 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, AUG. 2, 1951,
LOWEST WATER LEVEL 7.00 BELOW LSD, AUG. 2, 1951.
RECORDS AVAILABLE: 1951, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1951	7. G	AUG. 9, 1972	N				

75/23E-33D1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1964, 12.8 FT IN 1971.
LSD 259.06 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.00 BELOW LSD, SEP. 16, 1966,
LOWEST WATER LEVEL 11.85 BELOW LSD, JAN. 23, 1970.
RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1964	11.05	JAN. 12, 1966	10.65	JAN. 16, 1968	11.45	JAN. 23, 1970	11.85
SEP. 10	7.50	SEP. 16	7.00	SEP. 18	8.25	SEP. 22	8.65
JAN. 9, 1965	10.40	JAN. 17, 1967	10.20	JAN. 21, 1969	11.80	JAN. 19, 1971	11.75
SEP. 11	7.30	SEP. 16	7.90	SEP. 20	9.45	SEP. 1	10.75

85/21E-1Q1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
DEPTH 13.4 FT IN 1971.

LSD 243.97 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.00 BELOW LSD, OCT. 14, 1969,
LOWEST WATER LEVEL 13.25 BELOW LSD, JAN. 13, 1971.
RECORDS AVAILABLE: 1923-27, 1929, 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1923	9.39	JULY 20, 1929	9.99	JAN. 18, 1962	10.59	JAN. 14, 1967	11.99
NOV. 22	9.29	JAN. 9, 1957	10.14	SEP. 20	11.14	SEP. 18	7.79
JAN. 29, 1924	9.49	SEP. 11	8.54	JAN. 19, 1963	12.04	JAN. 19, 1968	11.59
SEP. 5	9.29	JAN. 14, 1958	10.84	SEP. 20	10.84	SEP. 17	10.59
MAR. 3, 1925	8.59	SEP. 18	9.24	JAN. 10, 1964	12.04	JAN. 18, 1969	11.99
OCT. 23	8.39	JAN. 8, 1959	10.84	SEP. 10	8.44	OCT. 14	4.00
JAN. 13, 1926	8.79	SEP. 10	9.54	JAN. 11, 1965	11.79	JAN. 20, 1970	13.20
MAR. 30	8.39	JAN. 5, 1960	12.04	SEP. 11	9.59	SEP. 21	12.25
MAY 19, 1927	9.29	SEP. 15	10.54	JAN. 13, 1966	11.94	JAN. 13, 1971	13.25
JUNE 4	9.79	JAN. 4, 1961	10.64	SEP. 16	9.79	AUG. 31	13.22
MAY 16, 1929	9.89	SEP. 9	10.04				

85/21E-13A1 S. PERFORATED 39-55, 88-92, 108-115, 395-415, 424-430 FT; DEPTH 321.7 FT IN 1972.
LSD 240 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.80 BELOW LSD, AUG. 14, 1963,
LOWEST WATER LEVEL 10.60 BELOW LSD, AUG. 28, 1963.
RECORDS AVAILABLE: 1963, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 14, 1963	8.8	AUG. 28, 1963	10.6	AUG. 15, 1972	9.45		

BS/21E-13C1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.7 FT IN 1971.
 LSD 240.50 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.25 BELOW LSD, OCT. 19, 1964,
 LOWEST WATER LEVEL 11.94 BELOW LSD, AUG. 31, 1971.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 10, 1957	8.40	JAN. 4, 1961	9.47	OCT. 19, 1964	5.25	SEP. 21, 1968	7.75
SEP. 11	6.95	SEP. 12	9.47	JAN. 16, 1965	11.60	JAN. 25, 1969	8.85
JAN. 24, 1958	10.02	JAN. 15, 1962	9.97	SEP. 14	10.00	SEP. 23	8.55
SEP. 9	6.57	SEP. 5	10.37	JAN. 15, 1966	11.85	JAN. 27, 1970	10.65
JAN. 22, 1959	10.07	JAN. 24, 1963	10.87	SEP. 19	9.05	SEP. 25	11.45
SEP. 18	9.27	SEP. 20	9.77	JAN. 21, 1967	11.20	JAN. 22, 1971	11.40
JAN. 7, 1960	10.57	JAN. 15, 1964	11.67	JAN. 23, 1968	10.90	AUG. 31	11.94
SEP. 16	9.47						

BS/21E-13P1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.6 FT IN 1971.
 LSD 237.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.22 BELOW LSD, SEP. 11, 1959,
 LOWEST WATER LEVEL 10.50 BELOW LSD, JAN. 25, 1971.
 RECORDS AVAILABLE: 1923-26, 1959-71.

DATE	WATER LEVEL						
OCT. 9, 1923	6.73	JAN. 8, 1960	9.62	JAN. 24, 1964	9.92	JAN. 23, 1968	9.15
NOV. 22	7.03	SEP. 15	9.22	SEP. 15	7.32	SEP. 21	7.25
JAN. 29, 1924	7.23	JAN. 6, 1961	10.12	JAN. 16, 1965	9.87	JAN. 25, 1969	9.60
SEP. 6	6.73	SEP. 15	9.42	SEP. 14	7.10	SEP. 23	8.15
JAN. 2, 1925	7.63	JAN. 20, 1962	10.42	JAN. 15, 1966	10.40	JAN. 27, 1970	9.80
OCT. 28	6.43	SEP. 5	10.02	SEP. 19	7.20	SEP. 25	9.10
APR. 3, 1926	6.33	JAN. 24, 1963	10.22	JAN. 26, 1967	8.85	JAN. 25, 1971	10.50
FEB. 7, 1959	8.42	SEP. 20	8.12	SEP. 20	8.10	AUG. 31	9.18
SEP. 11	6.22						

BS/21E-13R1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1964, 11.6 FT IN 1971.
 LSD 236.80 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.61 BELOW LSD, SEP. 14, 1965,
 LOWEST WATER LEVEL 10.46 BELOW LSD, JAN. 15, 1966.
 RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL						
MAR. 18, 1964	7.76	JAN. 15, 1966	10.46	JAN. 23, 1968	8.86	JAN. 27, 1970	9.05
SEP. 15	6.91	SEP. 12	7.06	SEP. 21	7.15	SEP. 25	8.30
JAN. 16, 1965	9.91	JAN. 26, 1967	9.11	JAN. 25, 1969	9.70	JAN. 25, 1971	9.60
SEP. 14	6.61	SEP. 20	7.81	SEP. 23	6.85	AUG. 31	8.77

BS/21E-24N1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.30 FT IN 1971.
 LSD 236.45 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.70 BELOW LSD, SEP. 15, 1961,
 LOWEST WATER LEVEL 10.68 BELOW LSD, SEP. 2, 1971.
 RECORDS AVAILABLE: 1960-63, 1971.

DATE	WATER LEVEL						
JAN. 20, 1960	9.10	SEP. 15, 1961	6.70	SEP. 6, 1962	8.00	SEP. 21, 1963	9.40
SEP. 19	9.10	JAN. 23, 1962	9.80	FEB. 21, 1963	8.40	SEP. 2, 1971	10.68
JAN. 6, 1961	10.00						

8S/21E-24R1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION. DEPTH 10.30 FT IN 1971.

LSD 232.60 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.50 BELOW LSD, SEP. 14, 1965,

LOWEST WATER LEVEL 8.35 BELOW LSD, JAN. 25, 1971.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 10, 1957	3.75	JAN. 6, 1961	6.70	JAN. 16, 1965	7.50	SEP. 21, 1968	5.50
SEP. 15	4.90	SEP. 15	5.60	SEP. 14	3.50	JAN. 27, 1969	6.90
JAN. 15, 1958	5.30	JAN. 23, 1962	6.50	JAN. 17, 1966	7.35	SEP. 23	5.15
SEP. 20	4.00	SEP. 5	6.50	SEP. 19	4.25	JAN. 27, 1970	6.75
JAN. 9, 1959	5.60	JAN. 25, 1963	6.30	JAN. 26, 1967	6.95	SEP. 25	6.60
SEP. 11	4.50	SEP. 21	6.70	SEP. 22	4.40	JAN. 25, 1971	8.35
JAN. 8, 1960	6.50	JAN. 17, 1964	6.80	JAN. 24, 1968	6.50	SEP. 1	6.92
SEP. 17	4.00	SEP. 15	5.75				

8S/21E-25D1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.53 FT IN 1971.

LSD 236.99 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.75 BELOW LSD, SEP. 19, 1966,

LOWEST WATER LEVEL 11.85 BELOW LSD, JAN. 25, 1971.

RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL						
JULY 16, 1965	10.45	JAN. 26, 1967	10.30	JAN. 27, 1969	8.90	SEP. 25, 1970	9.15
SEP. 14	9.75	SEP. 22	8.80	SEP. 23	9.10	JAN. 25, 1971	11.85
JAN. 17, 1966	10.85	JAN. 24, 1968	9.10	JAN. 27, 1970	9.15	SEP. 2	11.33
SEP. 19	6.75	SEP. 21	8.80				

8S/21E-36A1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.5 FT IN 1971.

LSD 232.85 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.50 BELOW LSD, JAN. 15, 1958,

LOWEST WATER LEVEL 10.73 BELOW LSD, SEP. 2, 1971.

RECORDS AVAILABLE: 1957-66, 1968-71.

DATE	WATER LEVEL						
JAN. 10, 1957	5.45	SEP. 17, 1960	6.80	JAN. 17, 1964	7.40	SEP. 23, 1968	6.30
SEP. 2	7.20	JAN. 10, 1961	6.70	SEP. 16	7.70	JAN. 27, 1969	9.20
JAN. 15, 1958	4.50	MAY 15	7.00	JAN. 18, 1965	8.60	SEP. 24	7.10
SEP. 20	5.60	JAN. 23, 1962	7.10	SEP. 14	6.80	JAN. 28, 1970	8.60
JAN. 10, 1959	6.00	SEP. 6	7.20	JAN. 19, 1966	9.55	SEP. 28	5.70
SEP. 4	5.75	JAN. 29, 1963	7.10	JUNE 18	7.35	JAN. 25, 1971	9.40
JAN. 8, 1960	6.50	SEP. 22	7.50	JAN. 24, 1968	8.35	SEP. 2	10.73

8S/22E-4E1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16.5 FT IN 1971.

LSD 245.55 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.82 BELOW LSD, SEP. 11, 1965,

LOWEST WATER LEVEL 11.10 BELOW LSD, MAY 26, 1970.

RECORDS AVAILABLE: 1961-71.

DATE	WATER LEVEL						
MAR. 30, 1961	7.12	JAN. 11, 1964	7.07	SEP. 16, 1966	7.32	JAN. 21, 1969	9.42
SEP. 5	6.22	SEP. 10	6.32	JAN. 14, 1967	8.12	SEP. 12	8.77
JAN. 12, 1962	7.92	JAN. 11, 1965	8.32	SEP. 19	9.47	JAN. 21, 1970	9.72
SEP. 7	6.02	SEP. 11	5.82	JAN. 19, 1968	9.32	MAY 26	11.10
JAN. 23, 1963	8.22	JAN. 13, 1966	9.07	SEP. 17	9.72	SEP. 2, 1971	7.86
SEP. 23	6.22						

8S/22E-4M1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.5 FT IN 1971.

LSD 244.29 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.30 BELOW LSD, SEP. 11, 1965,

LOWEST WATER LEVEL 12.45 BELOW LSD, JAN. 21, 1970.

RECORDS AVAILABLE: 1961-71.

DATE	WATER LEVEL						
MAR. 30, 1961	6.20	JAN. 11, 1964	7.10	SEP. 16, 1966	6.95	JAN. 21, 1969	11.70
SEP. 5	5.50	SEP. 10	5.55	JAN. 14, 1967	10.40	SEP. 12	8.10
JAN. 12, 1962	7.80	JAN. 11, 1965	7.85	SEP. 19	9.50	JAN. 21, 1970	12.45
SEP. 7	5.50	SEP. 11	5.30	JAN. 19, 1968	10.65	MAY 26	10.40
JAN. 4, 1963	7.70	JAN. 13, 1966	9.45	SEP. 17	9.45	SEP. 2, 1971	9.56
SEP. 23	6.10						

8S/22E-4N1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.8 FT IN 1971.

LSD 242.31 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.19 BELOW LSD, SEP. 21, 1961,

LOWEST WATER LEVEL 12.00 BELOW LSD, JAN. 21, 1970.

RECORDS AVAILABLE: 1961-71.

DATE	WATER LEVEL						
MAR. 27, 1961	6.29	JAN. 11, 1964	4.44	SEP. 16, 1966	6.49	JAN. 21, 1969	10.95
SEP. 21	4.19	SEP. 10	4.24	JAN. 14, 1967	10.69	SEP. 12	7.50
JAN. 12, 1962	6.59	JAN. 11, 1965	6.89	SEP. 19	9.14	JAN. 21, 1970	12.00
SEP. 7	4.49	SEP. 11	4.44	JAN. 19, 1968	11.19	MAY 26	10.10
JAN. 23, 1963	5.59	JAN. 13, 1966	6.09	SEP. 17	8.75	SEP. 2, 1971	9.76
SEP. 23	5.79						

8S/22E-4N2 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.6 FT IN 1971.

LSD 242.18 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.11 BELOW LSD, SEP. 10, 1959,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 19, 1968.

RECORDS AVAILABLE: 1923-26, 1936-37, 1948-71.

DATE	WATER LEVEL						
OCT. 5, 1923	7.71	JAN. 5, 1950	6.59	SEP. 10, 1957	4.64	SEP. 10, 1964	4.46
NOV. 20	7.81	SEP. 13	5.72	JAN. 14, 1958	6.49	JAN. 11, 1965	7.41
JAN. 29, 1924	8.71	JAN. 24, 1951	6.87	SEP. 18	4.41	SEP. 11	4.76
SEP. 5	8.21	SEP. 12	6.22	JAN. 8, 1959	7.01	JAN. 13, 1966	7.81
MAR. 3, 1925	8.31	JAN. 31, 1952	7.65	SEP. 10	4.11	SEP. 16	7.31
OCT. 23	8.61	OCT. 2	5.55	JAN. 6, 1960	7.51	JAN. 14, 1967	10.11
JAN. 13, 1926	8.71	JAN. 7, 1953	7.25	SEP. 15	6.21	SEP. 19	9.61
FEB. 30	8.91	SEP. 28	4.65	JAN. 4, 1961	5.61	JAN. 19, 1968	F
NOV. 20, 1936	9.04	JAN. 15, 1954	7.25	SEP. 9	5.81	SEP. 17	9.15
JAN. 4, 1937	8.84	OCT. 1	4.65	JAN. 18, 1962	5.71	JAN. 21, 1969	12.15
SEP. 12	8.09	JAN. 2, 1955	6.35	SEP. 20	5.81	SEP. 20	8.00
JAN. 12, 1948	7.03	SEP. 29	5.25	JAN. 19, 1963	6.21	JAN. 21, 1970	12.75
SEP. 8	6.38	JAN. 28, 1956	5.15	SEP. 20	5.61	JAN. 19, 1971	12.65
JAN. 5, 1949	7.58	OCT. 2	4.95	JAN. 10, 1964	5.51	AUG. 31	8.83
SEP. 9	6.35	JAN. 9, 1957	6.18				

8S/22E-4P1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.8 FT IN 1971.
 LSD 243.97 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.71 BELOW LSD, SEP. 7, 1962.
 LOWEST WATER LEVEL 13.65 BELOW LSD, JAN. 21, 1970.
 RECORDS AVAILABLE: 1961-71.

DATE	WATER LEVEL						
MAR. 27, 1961	5.77	JAN. 11, 1964	7.56	SEP. 16, 1966	7.40	JAN. 21, 1969	13.40
SEP. 5	5.21	SEP. 10	5.55	JAN. 14, 1967	12.75	SEP. 12	8.70
JAN. 12, 1962	8.51	JAN. 11, 1965	8.90	SEP. 19	11.85	JAN. 21, 1970	13.65
SEP. 7	4.71	SEP. 11	6.05	JAN. 19, 1968	13.20	MAY 26	11.50
JAN. 4, 1963	8.01	JAN. 13, 1966	10.45	SEP. 17	11.00	SEP. 2, 1971	11.10
SEP. 23	5.31						

8S/22E-5G1 S. DEPTH 11.5 FT IN 1971.
 LSD 245 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.72 BELOW LSD, AUG. 19, 1971,
 LOWEST WATER LEVEL 9.72 BELOW LSD, AUG. 19, 1971.
 RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 19, 1971	9.72						

8S/22E-6N1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.6 FT IN 1971.
 LSD 242.53 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.62 BELOW LSD, SEP. 11, 1957,
 LOWEST WATER LEVEL 10.50 BELOW LSD, JAN. 13, 1966, JAN. 14, 1967, JAN. 18, 1969, JAN. 20, 1970.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 9, 1957	7.62	JAN. 4, 1961	7.81	JAN. 11, 1965	9.35	SEP. 17, 1968	8.90
SEP. 11	5.62	SEP. 21	8.30	SEP. 11	7.95	JAN. 18, 1969	10.50
JAN. 14, 1958	8.42	JAN. 18, 1962	9.00	JAN. 13, 1966	10.50	SEP. 20	8.95
SEP. 18	6.52	SEP. 20	8.30	SEP. 16	8.25	JAN. 20, 1970	10.50
JAN. 8, 1959	8.72	JAN. 19, 1963	9.00	JAN. 14, 1967	10.50	SEP. 21	9.90
SEP. 24	7.71	SEP. 20	7.90	SEP. 18	7.75	JAN. 13, 1971	10.45
JAN. 19, 1960	8.11	JAN. 10, 1964	9.25	JAN. 19, 1968	9.25	AUG. 31	8.74
SEP. 15	7.81	SEP. 10	6.95				

8S/22E-7P1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.0 FT IN 1971.
 LSD 239.09 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.73 BELOW LSD, SEP. 11, 1957,
 LOWEST WATER LEVEL 10.25 BELOW LSD, JAN. 22, 1971.
 RECORDS AVAILABLE: 1923-27, 1929, 1957-71.

DATE	WATER LEVEL						
OCT. 12, 1923	6.96	JULY 20, 1929	7.96	SEP. 12, 1961	4.61	SEP. 19, 1966	6.10
NOV. 22	7.06	JAN. 10, 1957	7.03	JAN. 18, 1962	8.21	JAN. 26, 1967	9.20
JAN. 29, 1924	7.36	SEP. 11	3.73	SEP. 5	8.81	SEP. 20	6.20
SEP. 6	6.96	JAN. 15, 1958	6.78	JAN. 24, 1963	9.21	JAN. 23, 1968	9.05
JAN. 2, 1925	7.56	SEP. 19	4.03	SEP. 20	7.11	SEP. 21	6.55
OCT. 28	6.66	JAN. 8, 1959	6.73	JAN. 15, 1964	7.56	SEP. 23, 1969	7.30
JAN. 13, 1926	8.06	SEP. 18	5.33	SEP. 15	6.36	JAN. 27, 1970	6.60
APR. 3	7.46	JAN. 7, 1960	7.93	JAN. 16, 1965	8.51	SEP. 25	7.00
MAY 19, 1927	8.56	SEP. 16	7.61	SEP. 14	3.80	JAN. 22, 1971	10.25
JUNE 4	8.76	MAR. 10, 1961	8.61	JAN. 15, 1966	9.60	AUG. 31	8.34
MAY 18, 1929	8.06						

85/22E-802 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.8 FT IN 1971.
 LSD 243.81 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.66 BELOW LSD, SEP. 8, 1948,
 LOWEST WATER LEVEL 11.42 BELOW LSD, AUG. 31, 1971.
 RECORDS AVAILABLE: 1948-51, 1971.

DATE	WATER LEVEL						
JAN. 12, 1948	8.65	SEP. 23, 1949	8.22	JAN. 24, 1951	9.06	DEC. 14, 1951	9.50
SEP. 8	7.66	JAN. 7, 1950	8.84	SEP. 12	8.45	AUG. 31, 1971	11.42
JAN. 5, 1949	9.60	SEP. 13	7.76				

85/22E-9P1 S. RECORDS FURNISHED BY PALO VERDE IRRIGATION DISTRICT.
 LSD 237.95 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.90 BELOW LSD, SEP. 23, 1963,
 LOWEST WATER LEVEL 12.30 BELOW LSD, JAN. 22, 1969.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
OCT. 20, 1959	5.22	JAN. 19, 1962	6.57	SEP. 13, 1965	6.25	SEP. 20, 1968	11.60
DEC. 17	6.17	JAN. 23, 1963	6.67	JAN. 14, 1966	11.25	JAN. 22, 1969	12.30
JAN. 7, 1960	6.37	SEP. 23	3.90	SEP. 17	9.85	SEP. 12	11.90
SEP. 16	5.57	JAN. 16, 1964	6.05	JAN. 21, 1967	10.80	MAY 26, 1970	12.05
JAN. 5, 1961	6.77	SEP. 11	4.45	SEP. 19	10.55	AUG. 31, 1971	N
SEP. 19	5.17	JAN. 11, 1965	7.30	JAN. 22, 1968	11.60		

85/22E-10B1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.8 FT IN 1971.
 LSD 242.24 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.05 BELOW LSD, SEP. 9, 1949,
 LOWEST WATER LEVEL 13.40 BELOW LSD, JAN. 23, 1970.
 RECORDS AVAILABLE: 1948-55, 1959-71.

DATE	WATER LEVEL						
JAN. 12, 1948	6.06	SEP. 29, 1953	6.42	SEP. 9, 1961	6.26	SEP. 16, 1966	7.45
SEP. 22	5.35	JAN. 1, 1954	7.62	JAN. 19, 1962	6.06	JAN. 19, 1967	10.50
JAN. 6, 1949	6.21	OCT. 30	6.52	SEP. 1	5.86	SEP. 16	10.60
SEP. 9	5.05	JAN. 2, 1955	7.02	JAN. 23, 1963	6.96	JAN. 19, 1968	11.05
JAN. 6, 1950	6.65	SEP. 29	5.52	SEP. 23	5.56	SEP. 18	11.10
SEP. 13	5.82	OCT. 23, 1959	6.56	JAN. 11, 1964	5.51	JAN. 21, 1969	12.60
JAN. 24, 1951	6.97	DEC. 16	7.66	SEP. 10	6.40	SEP. 12	11.50
SEP. 12	5.87	JAN. 6, 1960	8.06	JAN. 11, 1965	8.05	JAN. 23, 1970	13.40
JAN. 24, 1952	6.07	SEP. 15	6.76	SEP. 11	6.30	MAY 26	12.70
OCT. 2	6.32	JAN. 4, 1961	8.46	JAN. 12, 1966	8.85	AUG. 31, 1971	12.64
JAN. 3, 1953	6.92						

85/22E-10D1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14.5 FT IN 1971.
 LSD 241.62 FT ABOVE MSL.
 HIGHEST WATER LEVEL 11.55 BELOW LSD, SEP. 22, 1970,
 LOWEST WATER LEVEL 14.45 BELOW LSD, JAN. 21, 1969, JAN. 23, 1970.
 RECORDS AVAILABLE: 1968-71.

DATE	WATER LEVEL						
JAN. 19, 1968	13.04	JAN. 21, 1969	14.45	JAN. 23, 1970	14.45	JAN. 19, 1971	14.35
SEP. 18	13.05	SEP. 20	12.40	SEP. 22	11.55	AUG. 31	12.88

6S/22E-10N1 S. PERFORATED 90-130 FT; DEPTH 120 FT IN 1972.
 LSD 238 FT ABOVE MSL.
 HIGHEST WATER LEVEL 10.92 BELOW LSD, AUG. 16, 1972.
 LOWEST WATER LEVEL 12.00 BELOW LSD, JUNE 5, 1969.
 RECORDS AVAILABLE: 1969, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 5, 1969	12. G	AUG. 16, 1972	10.92				

6S/22E-1001 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.2 FT IN 1971.
 LSD 243.43 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.60 BELOW LSD, SEP. 15, 1960, SEP. 23, 1963,
 LOWEST WATER LEVEL 12.95 BELOW LSD, JAN. 24, 1970.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1959	8.75	SEP. 1, 1962	8.90	SEP. 13, 1965	8.40	JULY 22, 1968	10.30
DEC. 3	9.27	JAN. 23, 1963	8.00	JAN. 14, 1966	11.10	JAN. 22, 1969	11.60
JAN. 2, 1960	9.17	SEP. 23	7.60	SEP. 16	8.05	SEP. 12	11.35
SEP. 15	7.60	JAN. 15, 1964	10.25	JAN. 23, 1967	11.00	JAN. 24, 1970	12.95
JAN. 6, 1961	11.00	SEP. 11	8.15	SEP. 19	9.15	MAY 26	11.75
SEP. 12	8.70	JAN. 11, 1965	10.15	JAN. 22, 1968	11.45	AUG. 31, 1971	12.24
JAN. 19, 1962	10.50						

6S/22E-11D1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16 FT IN 1937, 14.6 FT IN 1971.
 LSD 242.33 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.28 BELOW LSD, OCT. 20, 1944,
 LOWEST WATER LEVEL 12.15 BELOW LSD, AUG. 31, 1971.
 RECORDS AVAILABLE: 1937-47, 1964-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 10, 1937	5.28	JULY 15, 1941	5.38	JAN. 13, 1947	5.45	SEP. 16, 1967	7.11
DEC. 10	6.38	MAY 29, 1942	6.73	SEP. 12	4.94	JAN. 9, 1968	7.11
JAN. 11, 1938	6.98	SEP. 10	6.78	JAN. 10, 1964	7.39	SEP. 18	8.71
SEP. 15	7.06	JAN. 12, 1943	7.18	SEP. 10	5.61	JAN. 21, 1969	7.36
JAN. 6, 1939	6.58	OCT. 20, 1944	3.28	JAN. 11, 1965	7.11	SEP. 20	8.26
SEP. 30	6.18	FEB. 28, 1945	4.24	SEP. 11	4.86	JAN. 23, 1970	8.66
JAN. 15, 1940	6.28	JULY 5	5.54	JAN. 12, 1966	6.66	SEP. 22	9.41
SEP. 26	6.18	MAY 18, 1946	4.84	SEP. 16	5.26	JAN. 19, 1971	11.81
JAN. , 1941	5.28	SEP. 4	5.10	JAN. 19, 1967	5.11	AUG. 31	12.15

6S/22E-12D1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16.4 FT IN 1971.
 LSD 247.12 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.63 BELOW LSD, SEP. 16, 1966,
 LOWEST WATER LEVEL 13.44 BELOW LSD, JAN. 19, 1971.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1957	8.78	JAN. 4, 1961	9.08	JAN. 11, 1965	8.98	SEP. 18, 1968	8.64
SEP. 11	6.93	SEP. 9	6.78	SEP. 11	7.58	JAN. 21, 1969	12.84
JAN. 14, 1958	9.23	JAN. 18, 1962	8.68	JAN. 12, 1966	9.38	SEP. 20	10.69
SEP. 18	6.78	SEP. 7	7.28	SEP. 16	3.63	JAN. 23, 1970	13.39
JAN. 8, 1959	6.96	JAN. 19, 1963	8.18	JAN. 19, 1967	9.98	SEP. 22	12.54
SEP. 11	8.18	SEP. 20	6.78	SEP. 16	6.68	JAN. 19, 1971	13.44
JAN. 6, 1960	9.38	JAN. 10, 1964	7.78	JAN. 19, 1968	10.73	AUG. 31	12.50
SEP. 15	7.98	SEP. 10	4.88				

85/22E-12N1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.0 FT IN 1971.
 LSD 245.11 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.19 BELOW LSD, SEP. 19, 1958,
 LOWEST WATER LEVEL 10.90 BELOW LSD, JAN. 19, 1971.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 8, 1957	6.51	MAR. 7, 1961	6.62	JAN. 11, 1965	7.88	SEP. 18, 1968	7.45
SEP. 2	4.61	SEP. 9	5.02	SEP. 13	5.48	JAN. 22, 1969	9.90
JAN. 15, 1958	6.31	JAN. 19, 1962	7.52	FEB. 16, 1966	9.05	SEP. 22	7.60
SEP. 19	3.19	SEP. 5	6.82	SEP. 17	5.05	JAN. 24, 1970	10.40
JAN. 8, 1959	7.24	JAN. 21, 1963	6.88	JAN. 23, 1967	8.35	SEP. 22	6.35
SEP. 11	5.94	SEP. 20	4.88	SEP. 19	5.65	JAN. 19, 1971	10.90
JAN. 6, 1960	7.84	JAN. 16, 1964	7.88	JAN. 20, 1968	9.00	AUG. 31	9.43
SEP. 16	5.34	SEP. 11	5.83				

85/22E-13R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 15 FT IN 1967, 7.43 FT IN 1972.
 LSD 249.58 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.73 BELOW LSD, AUG. 25, 1972,
 LOWEST WATER LEVEL 13.36 BELOW LSD, JAN. 14, 1966.
 RECORDS AVAILABLE: 1946-67, 1972.

DATE	WATER LEVEL						
JAN. 21, 1946	9.58	JAN. 31, 1952	9.96	SEP. 2, 1957	10.07	JAN. 21, 1963	10.12
JAN. 2, 1947	8.80	OCT. 3	8.76	JAN. 15, 1958	9.52	SEP. 21	9.22
OCT. 1	9.57	FEB. 3, 1953	9.75	SEP. 19	9.67	JAN. 16, 1964	10.22
JAN. 13, 1948	8.49	SEP. 29	7.51	JAN. 8, 1959	11.37	SEP. 11	8.02
SEP. 9	7.88	JAN. 8, 1954	9.70	SEP. 11	8.32	JAN. 11, 1965	11.57
JAN. 5, 1949	9.09	NOV. 3	11.11	JAN. 2, 1960	11.72	SEP. 13	10.21
SEP. 9	8.16	FEB. 1, 1955	11.72	SEP. 15	7.82	JAN. 14, 1966	13.36
FEB. 18, 1950	9.59	SEP. 29	9.31	JAN. 4, 1961	11.72	SEP. 17	9.01
SEP. 10	9.57	FEB. 2, 1956	13.31	SEP. 9	8.72	FEB. 14, 1967	11.60
JAN. 26, 1951	11.52	OCT. 4	11.51	JAN. 29, 1962	10.92	SEP. 19	10.60
SEP. 13	10.47	JAN. 8, 1957	12.02	SEP. 5	9.62	AUG. 25, 1972	6.73

85/22E-14D1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.5 FT IN 1971.
 LSD 244.01 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.17 BELOW LSD, SEP. 11, 1964,
 LOWEST WATER LEVEL 11.70 BELOW LSD, JAN. 24, 1970.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
JAN. 8, 1959	7.43	SEP. 5, 1962	8.12	JAN. 14, 1966	10.27	JAN. 22, 1969	10.62
SEP. 11	6.32	JAN. 18, 1963	7.62	SEP. 17	6.77	SEP. 22	8.60
JAN. 6, 1960	9.42	SEP. 20	9.12	JAN. 23, 1967	9.92	JAN. 24, 1970	11.70
SEP. 15	7.32	JAN. 16, 1964	8.17	SEP. 19	6.52	SEP. 22	8.20
JAN. 4, 1961	8.42	SEP. 11	5.17	JAN. 10, 1968	10.52	JAN. 20, 1971	11.65
SEP. 13	7.62	JAN. 11, 1965	8.77	SEP. 18	8.57	AUG. 31	10.70
JAN. 19, 1962	8.22	SEP. 13	7.47				

8S/22E-14N1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.03 FT IN 1972.

LSD 244.80 FT ABOVE MSL.

HIGHEST WATER LEVEL 9.60 BELOW LSD, SEP. 23, 1970,

LOWEST WATER LEVEL 12.95 BELOW LSD, JAN. 20, 1971.

RECORDS AVAILABLE: 1968-72.

DATE	WATER LEVEL						
JAN. 20, 1968	12.50	SEP. 22, 1969	11.50	SEP. 23, 1970	9.60	JUNE 21, 1971	11.80
SEP. 20	10.80	JAN. 24, 1970	12.70	JAN. 20, 1971	12.95	AUG. 16, 1972	10.3
JAN. 22, 1969	12.55						

8S/22E-1501 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14.50 FT IN 1971.

LSD 237.36 FT ABOVE MSL.

HIGHEST WATER LEVEL 3.30 BELOW LSD, SEP. 11, 1959,

LOWEST WATER LEVEL 11.48 BELOW LSD, AUG. 31, 1971.

RECORDS AVAILABLE: 1919, 1922-24, 1929, 1936-37, 1959-71.

DATE	WATER LEVEL						
APR. 9, 1919	7.4	JULY 1, 1937	6.69	JAN. 24, 1963	5.80	SEP. 19, 1967	7.75
JUNE 11	7.9	JAN. 8, 1959	3.57	SEP. 20	3.80	JAN. 22, 1968	8.55
FEB. 23, 1922	7.04	SEP. 11	3.30	JAN. 16, 1964	6.30	SEP. 20	7.75
DEC. 13, 1923	7.34	JAN. 7, 1960	6.00	SEP. 11	3.85	JAN. 22, 1969	8.60
FEB. 1, 1924	6.94	SEP. 16	4.00	JAN. 11, 1965	6.45	SEP. 22	8.58
JUNE 21	7.04	JAN. 5, 1961	6.30	SEP. 13	4.55	JAN. 24, 1970	10.38
MAY 18, 1929	7.44	SEP. 12	4.50	JAN. 14, 1966	7.90	SEP. 22	7.28
JULY 22	6.04	JAN. 19, 1962	6.30	SEP. 17	6.65	JAN. 20, 1971	10.68
NOV. 20, 1936	6.84	SEP. 5	5.70	JAN. 24, 1967	8.05	AUG. 31	11.48
FEB. 13, 1937	6.24						

8S/22E-16R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.84 FT IN 1972.

LSD 239.41 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.56 BELOW LSD, SEP. 2, 1957,

LOWEST WATER LEVEL 10.37 BELOW LSD, JAN. 14, 1966.

RECORDS AVAILABLE: 1924-27, 1937-72.

DATE	WATER LEVEL						
JULY 18, 1924	9.89	SEP. 2, 1943	7.20	SEP. 29, 1953	7.21	JAN. 24, 1963	9.27
SEP. 8	10.19	NOV. 2, 1944	7.05	JAN. 1, 1954	8.71	SEP. 20	8.47
MAR. 4, 1925	9.49	JAN. 29, 1945	6.05	OCT. 1	6.41	JAN. 16, 1964	8.32
OCT. 24	9.59	JULY 6	6.95	JAN. 2, 1955	8.21	SEP. 11	7.62
APR. 9, 1926	8.09	APR. 2, 1946	6.30	SEP. 30	7.11	JAN. 11, 1965	9.57
JUNE 6, 1927	8.59	SEP. 4	7.08	FEB. 1, 1956	7.81	SEP. 13	8.87
NOV. 10, 1937	9.30	JAN. 13, 1947	5.89	OCT. 2	6.61	JAN. 14, 1966	10.37
DEC. 10	9.40	SEP. 12	6.65	JAN. 9, 1957	6.71	SEP. 17	7.80
JAN. 11, 1938	9.10	JAN. 13, 1948	5.92	SEP. 2	4.56	JAN. 24, 1967	10.20
OCT. 18	9.30	SEP. 22	6.28	JAN. 15, 1958	7.76	SEP. 19	8.60
JAN. 6, 1939	8.45	JAN. 6, 1949	6.81	SEP. 18	6.01	JAN. 22, 1968	9.60
SEP. 30	7.50	SEP. 9	7.40	JAN. 8, 1959	7.21	SEP. 20	7.90
JAN. 15, 1940	7.30	JAN. 6, 1950	7.28	SEP. 11	6.81	JAN. 22, 1969	9.90
SEP. 26	7.80	SEP. 14	8.85	JAN. 7, 1960	8.87	SEP. 22	9.50
JAN. 1, 1941	6.90	JAN. 26, 1951	7.85	SEP. 16	7.97	JAN. 24, 1970	10.20
SEP. 26	7.30	SEP. 28	7.09	JAN. 5, 1961	9.27	SEP. 22	8.35
FEB. 20, 1942	6.60	JAN. 24, 1952	6.39	SEP. 12	8.47	JAN. 20, 1971	10.10
SEP. 10	8.00	OCT. 2	6.04	JAN. 19, 1962	9.17	JUNE 21	10.05
JAN. 12, 1943	6.90	JAN. 3, 1953	8.11	SEP. 6	8.47	AUG. 23, 1972	9.87

85/22E-1701 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
13.3 FT IN 1971.

LSU 241.01 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.52 BELOW LSD, OCT. 2, 1952.

DY, WATER LEVEL NOT MEASUREABLE, MAY 5, 1948.

RECORDS AVAILABLE: 1918-19, 1924-27, 1937-55, 1957-71.

DATE	WATER LEVEL						
NOV. 14, 1918	10.87	SEP. 26, 1941	9.58	SEP. 13, 1951	8.28	SEP. 5, 1962	12.53
APR. 5, 1919	11.57	FEB. 20, 1942	9.38	JAN. 25, 1952	7.23	JAN. 24, 1963	12.68
MAY 31	11.37	SEP. 10	9.68	OCT. 2	5.52	SEP. 20	13.04
JULY 21, 1924	9.53	JAN. 12, 1943	9.68	FEB. 3, 1953	8.13	JAN. 17, 1964	13.64
OCT. 28	10.13	MAY 13	9.58	SEP. 29	6.13	SEP. 15	11.84
JAN. 2, 1925	10.93	OCT. 23, 1944	9.19	JAN. 1, 1954	8.83	JAN. 16, 1965	12.54
OCT. 28	9.83	JAN. 18, 1945	9.19	OCT. 1	6.43	SEP. 14	10.94
APR. 3, 1926	9.73	MAR. 26	7.19	JAN. 2, 1955	8.43	JAN. 15, 1966	12.24
MAY 14, 1927	11.53	APR. 2, 1946	7.52	JAN. 9, 1957	8.51	SEP. 19	10.84
JUNE 4	11.73	SEP. 5	8.99	SEP. 11	5.81	JAN. 26, 1967	12.09
NOV. 10, 1937	10.48	JAN. 2, 1947	8.58	JAN. 15, 1958	8.96	SEP. 20	10.34
DEC. 10	10.38	OCT. 1	8.75	SEP. 19	6.11	JAN. 23, 1968	12.04
JAN. 11, 1938	10.48	MAY 5, 1948	F	JAN. 5, 1959	9.11	SEP. 21	10.74
SEP. 15	10.68	SEP. 8	8.01	SEP. 11	9.27	JAN. 25, 1969	12.04
JAN. 13, 1939	10.88	JAN. 5, 1949	8.67	JAN. 7, 1960	11.67	SEP. 23	10.69
AUG. 19	10.08	SEP. 10	8.44	SEP. 20	9.77	JAN. 27, 1970	12.69
JAN. 15, 1940	8.98	JAN. 7, 1950	8.72	MAR. 10, 1961	10.67	SEP. 25	12.10
NOV. 30	9.58	SEP. 14	8.12	SEP. 12	10.13	JAN. 22, 1971	13.05
JAN. , 1941	9.38	JAN. 26, 1951	8.18	JAN. 20, 1962	11.83	AUG. 31	11.98

85/22E-18P1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
11 FT IN 1956, 10.8 FT IN 1971.

LSD 236.75 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.32 BELOW LSD, SEP. 19, 1958.

LOWEST WATER LEVEL 10.75 BELOW LSD, FEB. 19, 1971.

RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 10, 1957	6.77	JAN. 6, 1961	10.00	JAN. 16, 1965	9.85	SEP. 21, 1968	7.95
SEP. 11	6.57	SEP. 15	8.60	SEP. 14	6.30	JAN. 25, 1969	10.65
JAN. 15, 1956	8.07	JAN. 23, 1962	10.00	JAN. 15, 1966	9.95	SEP. 23	8.00
SEP. 19	5.32	SEP. 5	10.00	SEP. 19	7.30	JAN. 27, 1970	10.45
JAN. 8, 1959	8.32	JAN. 24, 1963	10.20	JAN. 26, 1967	9.80	SEP. 25	9.40
SEP. 11	7.12	SEP. 20	8.50	SEP. 20	7.40	FEB. 19, 1971	10.75
FEB. 12, 1960	9.70	JAN. 15, 1964	8.95	JAN. 23, 1968	9.50	SEP. 1	10.36
SEP. 16	9.30	SEP. 15	6.90				

85/22E-18R1 S. DEPTH 14 FT IN 1970, 13.1 FT IN 1971.

LSU 236.85 FT ABOVE MSL.

HIGHEST WATER LEVEL 11.25 BELOW LSD, SEP. 23, 1970.

LOWEST WATER LEVEL 12.10 BELOW LSD, JAN. 25, 1971.

RECORDS AVAILABLE: 1970-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 17, 1970	11.65G	SEP. 23, 1970	11.25G	JAN. 25, 1971	12.10G	SEP. 1, 1971	11.33

85/22E-19J1 S. RECORDS PRIOR TO 1971 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.2 FT IN 1971.
 LSD 234.54 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.94 BELOW LSD, SEP. 4, 1956.
 LOWEST WATER LEVEL 11.60 BELOW LSD, SEP. 3, 1971.
 RECORDS AVAILABLE: 1958-71.

DATE	WATER LEVEL						
Sep. 4, 1958	4.94	Sep. 19, 1961	8.20	JAN. 16, 1965	9.53	SEP. 21, 1968	7.83
DEC. 8	7.42	JAN. 30, 1962	9.90	SEP. 14	7.83	JAN. 25, 1969	10.38
JAN. 10, 1959	7.57	Sep. 1	8.63	JAN. 17, 1966	10.63	SEP. 13	8.20
Sep. 18	7.0	FEB. 5, 1963	8.03	SEP. 19	8.68	JAN. 27, 1970	10.15
JAN. 8, 1960	9.35	Sep. 24	7.73	JAN. 26, 1967	10.38	MAY 27	10.05
Sep. 21	8.10	JAN. 17, 1964	8.83	SEP. 22	8.53	SEP. 3, 1971	11.60
JAN. 10, 1961	9.10	Sep. 15	7.13	JAN. 23, 1968	10.13		

85/22E-19P1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13 FT IN 1956, 10.9 FT IN 1971.
 LSD 234.97 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.74 BELOW LSD, SEP. 20, 1958,
 LOWEST WATER LEVEL 11.45 BELOW LSD, JAN. 25, 1971.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 10, 1957	6.74	JAN. 16, 1961	8.41	JAN. 16, 1965	10.85	SEP. 21, 1968	8.85
SEP. 15	6.54	OCT. 12	9.60	SEP. 14	8.20	JAN. 27, 1969	11.40
JAN. 17, 1958	5.79	JAN. 30, 1962	10.20	JAN. 17, 1966	11.40	SEP. 23	9.00
SEP. 20	5.74	Sep. 6	9.70	SEP. 19	8.10	JAN. 27, 1970	11.30
MAR. 11, 1959	8.51	JAN. 25, 1963	9.90	JAN. 26, 1967	11.10	SEP. 25	10.40
SEP. 26	7.91	SEP. 21	9.10	SEP. 22	8.85	JAN. 25, 1971	11.45
JAN. 9, 1960	8.01	JAN. 17, 1964	10.85	JAN. 24, 1968	10.70	SEP. 1	10.76
SEP. 20	8.61	Sep. 15	8.30				

85/22E-19R1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14.0 FT IN 1971.
 LSD 235.04 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.15 BELOW LSD, SEP. 15, 1964,
 LOWEST WATER LEVEL 11.90 BELOW LSD, JAN. 25, 1971.
 RECORDS AVAILABLE: 1964-71.

DATE	WATER LEVEL						
APR. 11, 1964	9.60	JAN. 17, 1966	11.65	JAN. 23, 1968	9.20	JAN. 27, 1970	9.20
SEP. 15	6.15	Sep. 19	8.55	SEP. 21	8.20	SEP. 15	10.75
JAN. 16, 1965	11.40	JAN. 26, 1967	10.60	JAN. 25, 1969	9.35	JAN. 25, 1971	11.90
SEP. 14	7.85	SEP. 22	8.60	SEP. 23	9.00	SEP. 1	11.65

85/22E-20A1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16.2 FT IN 1971.
 LSD 235.91 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.47 BELOW LSD, JAN. 15, 1966,
 LOWEST WATER LEVEL 14.47 BELOW LSD, JAN. 21, 1967.
 RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL						
APR. 19, 1965	9.07	JAN. 21, 1967	14.47	JAN. 25, 1969	14.12	SEP. 23, 1970	13.30
SEP. 14	12.17	SEP. 20	13.32	SEP. 23	13.22	JAN. 22, 1971	13.90
JAN. 15, 1966	3.47	JAN. 23, 1968	14.02	JAN. 27, 1970	14.22	SEP. 1	13.21
SEP. 19	12.97	SEP. 21	13.07				

BS/22E-20A2 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
14.0 FT IN 1971.
LSD 235.75 FT ABOVE MSL.
HIGHEST WATER LEVEL 5.90 BELOW LSD, SEP. 16, 1960,
LOWEST WATER LEVEL 13.75 BELOW LSD, JAN. 27, 1970.
RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 8, 1959	7.54	SEP. 5, 1962	7.19	JAN. 15, 1966	13.20	JAN. 25, 1969	13.70
SEP. 11	6.35	JAN. 24, 1963	7.29	SEP. 19	12.15	SEP. 23	12.30
JAN. 8, 1960	7.50	SEP. 20	7.39	JAN. 26, 1967	13.70	JAN. 27, 1970	13.75
SEP. 16	5.90	JAN. 17, 1964	7.39	SEP. 20	12.50	SEP. 23	11.45
JAN. 5, 1961	7.50	SEP. 15	8.79	JAN. 23, 1968	13.45	JAN. 22, 1971	12.70
SEP. 15	6.40	JAN. 16, 1965	10.94	SEP. 21	12.40	SEP. 1	12.85
JAN. 31, 1962	7.20	SEP. 14	10.50				

BS/22E-20B1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.8 FT IN 1971.
LSD 236.46 FT ABOVE MSL.
HIGHEST WATER LEVEL 9.10 BELOW LSD, SEP. 23, 1969,
LOWEST WATER LEVEL 12.45 BELOW LSD, JAN. 22, 1971.
RECORDS AVAILABLE: 1965-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 12, 1965	10.65	JAN. 21, 1967	12.40	JAN. 25, 1969	12.30	SEP. 23, 1970	11.00
DEC. 21	11.90	SEP. 20	10.45	SEP. 23	9.10	JAN. 22, 1971	12.45
JAN. 15, 1966	12.00	JAN. 23, 1968	12.20	JAN. 27, 1970	12.40	SEP. 1	11.17
SEP. 19	11.00	SEP. 21	10.00				

BS/22E-20E1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.0 FT IN 1971.
LSD 236.42 FT ABOVE MSL.
HIGHEST WATER LEVEL 7.50 BELOW LSD, SEP. 11, 1959,
LOWEST WATER LEVEL 13.05 BELOW LSD, JAN. 25, 1967.
RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 8, 1959	7.76	SEP. 5, 1962	10.00	JAN. 17, 1966	12.95	JAN. 25, 1969	12.50
SEP. 11	7.50	JAN. 24, 1963	8.80	SEP. 19	11.65	NOV. 25	9.90
JAN. 8, 1960	9.70	SEP. 21	8.10	JAN. 25, 1967	13.05	JAN. 27, 1970	9.75
SEP. 20	9.60	JAN. 17, 1964	10.05	SEP. 22	10.90	SEP. 23	9.50
JAN. 6, 1961	9.90	SEP. 15	9.05	JAN. 23, 1968	12.65	JAN. 22, 1971	7.75
SEP. 19	8.80	JAN. 16, 1965	12.30	SEP. 21	10.85	SEP. 1	10.83
JAN. 31, 1962	10.50	SEP. 14	10.05				

BS/22E-20N1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.1 FT IN 1971.
LSD 234.20 FT ABOVE MSL.
HIGHEST WATER LEVEL 6.93 BELOW LSD, JAN. 9, 1960,
LOWEST WATER LEVEL 11.25 BELOW LSD, JAN. 27, 1970.
RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1959	8.53	SEP. 6, 1962	10.03	JAN. 17, 1966	10.95	JAN. 25, 1969	11.05
SEP. 11	7.73	JAN. 25, 1963	8.30	SEP. 19	9.15	SEP. 23	9.40
JAN. 9, 1960	6.93	SEP. 21	7.70	JAN. 25, 1967	11.10	JAN. 27, 1970	11.25
SEP. 20	8.78	JAN. 17, 1964	8.55	SEP. 22	9.30	SEP. 23	10.90
JAN. 10, 1961	9.33	SEP. 15	7.35	JAN. 23, 1968	10.85	JAN. 22, 1971	11.10
SEP. 19	8.73	JAN. 16, 1965	10.80	SEP. 21	8.75	SEP. 1	11.10
JAN. 31, 1962	10.03	SEP. 14	8.50				

8S/22E-20R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.73 FT IN 1972.
 LSD 234.91 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.66 BELOW LSD, OCT. 3, 1956,
 LOWEST WATER LEVEL 11.21 BELOW LSD, AUG. 16, 1972.
 RECORDS AVAILABLE: 1919, 1922-27, 1929, 1936-59, 1964-67, 1972.

DATE	WATER LEVEL						
APR. 9, 1919	7.04	JAN. 11, 1938	7.33	SEP. 13, 1947	5.31	FEB. 1, 1956	4.76
JUNE 11	7.74	SEP. 15	7.08	JAN. 13, 1948	3.37	OCT. 3	2.66
SEP. 22, 1922	7.01	JAN. 6, 1939	6.88	NOV. 12	7.26	JAN. 18, 1957	3.16
NOV. 21, 1923	7.01	SEP. 30	6.28	JAN. 6, 1949	6.40	SEP. 15	4.26
FEB. 2, 1924	6.61	JAN. 15, 1940	5.18	SEP. 10	5.73	JAN. 15, 1958	5.46
SEP. 25	8.61	SEP. 26	6.18	JAN. 7, 1950	5.89	SEP. 19	4.46
MAR. 4, 1925	7.51	NOV. , 1941	10.18	SEP. 14	5.52	JAN. 9, 1959	4.26
OCT. 24	6.41	DEC. 23	8.88	JAN. 26, 1951	6.68	FEB. 5	4.36
APR. 10, 1926	6.41	FEB. 20, 1942	9.98	SEP. 13	6.28	JAN. 16, 1964	6.51
MAY 25, 1927	7.41	SEP. 10	9.78	JAN. 25, 1952	5.98	SEP. 12	6.81
JUNE 6	7.61	JAN. 12, 1943	9.88	OCT. 3	6.18	JAN. 15, 1965	8.81
MAY 17, 1929	8.31	SEP. 2	9.88	JAN. 1, 1953	5.98	SEP. 13	8.81
JULY 20	8.41	OCT. 30, 1944	6.57	SEP. 29	5.68	JAN. 15, 1966	9.85
JULY 2, 1936	7.73	JULY 6, 1945	5.67	JAN. 1, 1954	5.98	SEP. 17	8.40
OCT. 14	7.63	APR. 19, 1946	5.89	OCT. 1	4.98	JAN. 25, 1967	10.45
JAN. 4, 1937	6.63	SEP. 9	5.77	JAN. 2, 1955	5.16	SEP. 20	8.45
SEP. 17	6.78	JAN. 2, 1947	4.32	SEP. 30	4.26	AUG. 16, 1972	11.21

8S/22E-22N1 S. DEPTH 100 FT IN 1950.
 LSD 239 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.50 BELOW LSD, AUG. 23, 1950,
 LOWEST WATER LEVEL 5.50 BELOW LSD, AUG. 23, 1950.
 RECORDS AVAILABLE: 1950, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 23, 1950	5.5 G	AUG. 16, 1972	N				

8S/22E-22N2 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 6.53 FT IN 1972.
 LSD 237.15 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.76 BELOW LSD, JAN. 13, 1948,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 10, 1942, AUG. 23, 1972.
 RECORDS AVAILABLE: 1924-27, 1937-39, 1941-60, 1972.

DATE	WATER LEVEL						
JULY 18, 1924	7.15	OCT. 29, 1941	7.70	JAN. 13, 1948	2.76	OCT. 1, 1954	5.24
SEP. 25	8.05	DEC. 23	6.70	SEP. 9	4.59	JAN. 2, 1955	6.24
MAR. 4, 1925	7.35	FEB. 20, 1942	5.60	JAN. 6, 1949	5.44	SEP. 30	5.14
OCT. 24	7.15	SEP. 10	F	SEP. 10	5.64	FEB. 1, 1956	5.84
APR. 9, 1926	5.35	JAN. 12, 1943	7.40	JAN. 7, 1950	5.70	OCT. 2	4.34
MAY 25, 1927	5.55	SEP. 2	7.60	SEP. 14	5.84	JAN. 9, 1957	4.42
JUNE 6	5.75	NOV. 3, 1944	4.35	JAN. 26, 1951	5.64	SEP. 11	4.52
NOV. 10, 1937	7.50	JAN. 18, 1945	4.25	SEP. 13	5.74	JAN. 15, 1958	4.62
DEC. 10	7.40	JULY 6	4.35	JAN. 25, 1952	5.49	SEP. 19	4.62
JAN. 11, 1938	7.00	APR. 9, 1946	3.01	OCT. 3	5.54	JAN. 9, 1959	4.72
SEP. 15	7.10	SEP. 5	5.05	JAN. 7, 1953	6.34	SEP. 11	7.20
JAN. 6, 1939	6.00	JAN. 2, 1947	3.84	SEP. 29	5.74	JAN. 7, 1960	8.10
JULY 14	5.50	SEP. 13	3.75	JAN. 1, 1954	6.44	AUG. 23, 1972	F

8S/22E-2381 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.1 FT IN 1972.
 LSD 242.75 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.80 BELOW LSD, SEP. 21, 1963,
 LOWEST WATER LEVEL 9.45 BELOW LSD, JAN. 20, 1971.
 RECORDS AVAILABLE: 1957-72.

DATE	WATER LEVEL						
JAN. 17, 1957	5.85	JAN. 4, 1961	6.50	JAN. 11, 1965	7.40	JAN. 22, 1969	9.25
SEP. 2	5.05	OCT. 11	5.00	SEP. 13	6.60	SEP. 22	7.10
JAN. 15, 1958	6.50	JAN. 19, 1962	7.20	JAN. 14, 1966	8.85	JAN. 24, 1970	9.05
SEP. 14	5.50	SEP. 5	6.20	SEP. 17	5.80	SEP. 13	6.65
JAN. 8, 1959	7.20	JAN. 21, 1963	6.90	JAN. 23, 1967	8.25	JAN. 20, 1971	9.45
SEP. 24	5.30	SEP. 21	3.80	SEP. 19	5.10	JUNE 21	8.60
JAN. 6, 1960	7.40	JAN. 16, 1964	6.65	JAN. 20, 1968	7.90	AUG. 23, 1972	7.1
SEP. 15	5.10	SEP. 11	5.55	SEP. 18	6.15		

8S/22E-23J1 S. DEPTH 107.5 FT IN 1950.

LSU 245 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.00 BELOW LSD, MAR. 21, 1950,
 LOWEST WATER LEVEL 6.00 BELOW LSD, MAR. 21, 1950.

RECORDS AVAILABLE: 1950, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1950	6. G	AUG. 16, 1972	N				

8S/22E-24N1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 18.83 FT IN 1972.

LSU 249.97 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.66 BELOW LSD, OCT. 21, 1946,
 DRY, WATER LEVEL NOT MEASURABLE, SEP. 9, 1948, JAN. 11, 1965.
 RECORDS AVAILABLE: 1946-72.

DATE	WATER LEVEL						
OCT. 21, 1946	6.66	FEB. 27, 1953	12.93	MAR. 19, 1959	12.72	FEB. 16, 1966	16.53
DEC. 1	12.16	SEP. 29	12.03	JAN. 19, 1960	12.77	SEP. 17	12.63
JAN. 2, 1947	12.32	JAN. 18, 1954	13.13	SEP. 16	12.47	JAN. 23, 1967	15.63
OCT. 2	12.77	OCT. 1	12.43	JAN. 5, 1961	13.07	SEP. 19	12.68
JUNE 16, 1948	11.16	FEB. 1, 1955	14.01	SEP. 12	12.57	JAN. 20, 1968	15.83
SEP. 9	F	SEP. 29	10.71	JAN. 23, 1962	12.57	SEP. 20	13.63
JAN. 5, 1949	11.20	FEB. 1, 1956	14.41	SEP. 6	12.77	JAN. 22, 1969	16.85
SEP. 22	11.16	OCT. 3	12.51	JAN. 21, 1963	12.57	SEP. 22	13.45
JAN. 5, 1950	13.37	JAN. 8, 1957	13.12	SEP. 21	12.87	JAN. 24, 1970	16.30
SEP. 14	11.67	SEP. 11	12.52	JAN. 16, 1964	12.62	SEP. 23	13.00
JAN. 26, 1951	13.12	JAN. 15, 1958	12.62	SEP. 11	10.87	JAN. 20, 1971	17.20
SEP. 13	12.72	SEP. 19	12.62	JAN. 11, 1965	F	JUNE 21	15.55
JAN. 25, 1952	13.47	JAN. 9, 1959	12.67	SEP. 13	12.32	AUG. 23, 1972	14.21
OCT. 23	12.63						

BS/22E-26D1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.03 FT IN 1972.
 LSD 242.50 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.05 BELOW LSD, JUNE 10, 1946,
 LOWEST WATER LEVEL 12.10 BELOW LSD, JAN. 20, 1971.
 RECORDS AVAILABLE: 1937-42, 1945-72.

DATE	WATER LEVEL						
NOV. 10, 1937	9.45	SEP. 13, 1947	8.03	FEB. 1, 1956	8.50	SEP. 11, 1964	7.40
DEC. 10	9.5	JAN. 13, 1948	6.93	OCT. 2	7.10	JAN. 15, 1965	10.60
JAN. 11, 1938	9.4	SEP. 9	7.81	JAN. 8, 1957	8.05	SEP. 15	8.45
SEP. 15	9.5	JAN. 5, 1949	8.27	SEP. 11	7.55	JAN. 14, 1966	11.05
JAN. 6, 1939	9.25	SEP. 10	8.30	JAN. 24, 1958	7.75	SEP. 17	6.80
SEP. 30	9.1	JAN. 5, 1950	8.27	SEP. 19	6.70	JAN. 24, 1967	10.60
JAN. 15, 1940	8.0	SEP. 14	8.02	JAN. 9, 1959	7.70	SEP. 19	7.20
SEP. 26	8.2	JAN. 21, 1951	8.19	SEP. 11	7.10	JAN. 20, 1968	10.45
JAN. , 1941	7.8	SEP. 13	7.34	JAN. 13, 1960	10.60	SEP. 20	8.20
SEP. 26	8.0	JAN. 31, 1952	7.74	SEP. 16	8.00	JAN. 22, 1969	11.40
FEB. 20, 1942	7.0	OCT. 3	7.30	JAN. 10, 1961	8.30	SEP. 22	9.30
SEP. 10	8.3	JAN. 7, 1953	8.20	SEP. 13	7.50	JAN. 24, 1970	11.55
FEB. 28, 1945	7.3	SEP. 29	7.90	JAN. 23, 1962	9.40	SEP. 23	9.20
JULY 6	7.3	JAN. 8, 1954	8.90	SEP. 6	7.80	JAN. 20, 1971	12.10
JUNE 10, 1946	6.05	OCT. 1	8.20	JAN. 18, 1963	9.70	JUNE 21	9.65
SEP. 24	8.10	JAN. 2, 1955	8.70	SEP. 21	6.90	AUG. 23, 1972	9.83
JAN. 2, 1947	6.97	SEP. 29	7.40	JAN. 16, 1964	9.65		

BS/22E-28D1 S. DEPTH 132 FT IN 1951.
 LSD 236 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.00 BELOW LSD, JULY 25, 1951,
 LOWEST WATER LEVEL 7.00 BELOW LSD, JULY 25, 1951.
 RECORDS AVAILABLE: 1951, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 25, 1951	7. G	AUG. 16, 1972	P				

BS/22E-29R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.05 FT IN 1972.
 LSD 235.57 FT ABOVE MSL.
 HIGHEST WATER LEVEL 8.00 BELOW LSD, SEP. 6, 1962,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 21, 1960.
 RECORDS AVAILABLE: 1960-63, 1972.

DATE	WATER LEVEL						
JAN. 21, 1960	F	SEP. 13, 1961	9.60	SEP. 6, 1962	8.00	SEP. 21, 1963	8.90
SEP. 20	8.61	JAN. 30, 1962	9.60	JAN. 29, 1963	8.80	AUG. 23, 1972	11.25
JAN. 11, 1961	9.41						

BS/22E-30A1 S. RECORDS PRIOR TO 9/3/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.2 FT IN 1971.
 LSD 235.47 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.20 BELOW LSD, SEP. 19, 1966.
 LOWEST WATER LEVEL 12.70 BELOW LSD, JAN. 25, 1971.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
APR. 8, 1959	9.06	SEP. 6, 1962	9.55	JAN. 17, 1966	12.45	JAN. 25, 1969	12.00
SEP. 26	9.05	JAN. 29, 1963	8.95	SEP. 19	7.20	AUG. 20	9.80
JAN. 9, 1960	10.00	SEP. 21	9.25	JAN. 26, 1967	12.45	JAN. 27, 1970	12.55
SEP. 20	10.05	JAN. 17, 1964	10.50	SEP. 22	10.00	SEP. 25	11.60
JAN. 10, 1961	10.65	SEP. 15	10.60	JAN. 23, 1968	12.05	JAN. 25, 1971	12.70
OCT. 24	9.95	JAN. 16, 1965	12.20	SEP. 21	9.55	SEP. 3	11.15
JAN. 31, 1962	7.85	SEP. 14	9.60				

8S/22E-30E1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.1 FT IN 1971.
 LSD 233.69 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.63 BELOW LSD, MAY 25, 1959,
 LOWEST WATER LEVEL 10.85 BELOW LSD, JAN. 25, 1971.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
MAY 25, 1959	5.63	SEP. 5, 1962	9.30	JAN. 19, 1966	10.20	JAN. 27, 1969	10.60
SEP. 26	6.58	JAN. 25, 1963	10.10	SEP. 19	6.50	SEP. 24	8.20
JAN. 8, 1960	7.88	SEP. 21	6.60	JAN. 26, 1967	10.30	JAN. 18, 1970	10.15
SEP. 21	7.28	JAN. 18, 1964	9.15	SEP. 22	7.70	SEP. 25	8.70
JAN. 10, 1961	9.20	SEP. 15	7.00	JAN. 24, 1968	10.05	JAN. 25, 1971	10.85
SEP. 15	8.00	JAN. 16, 1965	10.00	SEP. 28	8.00	SEP. 2	9.85
JAN. 30, 1962	9.80	SEP. 14	6.40				

8S/22E-30J1 S. RECORDS PRIOR TO 9/3/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.4 FT IN 1971.
 LSD 233.09 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.31 BELOW LSD, MAY 25, 1959,
 LOWEST WATER LEVEL 11.05 BELOW LSD, JAN. 19, 1966.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
MAY 25, 1959	6.31	SEP. 5, 1962	8.46	JAN. 19, 1966	11.05	JAN. 27, 1969	10.60
SEP. 19	6.71	JAN. 25, 1963	8.71	SEP. 19	8.50	SEP. 24	8.10
JAN. 8, 1960	7.81	SEP. 21	7.21	JAN. 26, 1967	10.60	JAN. 28, 1970	10.60
SEP. 20	7.91	JAN. 18, 1964	8.61	SEP. 22	8.25	SEP. 25	10.10
JAN. 10, 1961	7.91	SEP. 15	7.90	JAN. 24, 1968	10.50	JAN. 25, 1971	10.95
SEP. 15	7.61	JAN. 16, 1965	10.90	SEP. 23	10.60	SEP. 3	10.35
JAN. 30, 1962	8.46	SEP. 14	8.60				

8S/22E-30K1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.5 FT IN 1971.
 LSD 233.14 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.87 BELOW LSD, JUNE 1, 1959,
 LOWEST WATER LEVEL 11.75 BELOW LSD, FEB. 18, 1966.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
JUNE 1, 1959	5.67	SEP. 5, 1962	8.69	FEB. 18, 1966	11.75	JAN. 27, 1969	11.59
SEP. 26	6.72	JAN. 25, 1963	8.79	SEP. 20	9.25	OCT. 25	9.70
FEB. 17, 1960	9.27	OCT. 31	8.64	JAN. 27, 1967	11.20	JAN. 28, 1970	10.80
SEP. 21	8.87	JAN. 18, 1964	9.49	SEP. 22	9.10	SEP. 28	10.20
JAN. 10, 1961	8.27	SEP. 16	8.84	JAN. 24, 1968	10.95	JAN. 25, 1971	10.80
SEP. 19	7.87	JAN. 16, 1965	11.14	OCT. 19	10.09	SEP. 2	9.35
JAN. 31, 1962	9.37	SEP. 14	9.09				

8S/22E-30K2 S. RECORDS PRIOR TO 9/3/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.4 FT IN 1971.
 LSD 232.94 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.80 BELOW LSD, SEP. 19, 1966,
 LOWEST WATER LEVEL 10.05 BELOW LSD, JAN. 19, 1966.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
MAY 29, 1959	5.88	SEP. 5, 1962	8.28	JAN. 19, 1966	10.05	JAN. 27, 1969	9.80
SEP. 19	6.18	JAN. 25, 1963	8.38	SEP. 19	5.80	SEP. 24	6.70
JAN. 8, 1960	7.38	SEP. 21	6.98	JAN. 26, 1967	9.75	JAN. 28, 1970	9.35
SEP. 20	7.58	JAN. 18, 1964	8.28	SEP. 22	7.20	SEP. 25	8.60
JAN. 10, 1961	7.58	SEP. 15	6.70	JAN. 24, 1968	9.45	JAN. 25, 1971	9.90
SEP. 18	7.68	JAN. 16, 1965	9.40	SEP. 23	6.55	SEP. 3	9.45
JAN. 30, 1962	8.18	SEP. 14	6.80				

85/22E-30L1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.2 FT IN 1971.
 LSD 233.39 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.15 BELOW LSD, JUNE 11, 1959,
 LOWEST WATER LEVEL 11.54 BELOW LSD, JAN. 22, 1966.
 RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
JUNE 11, 1959	7.15	SEP. 5, 1962	9.11	JAN. 22, 1966	11.54	JAN. 27, 1969	10.84
SEP. 29	7.25	JAN. 29, 1963	9.71	SEP. 20	8.36	SEP. 24	8.29
JAN. 9, 1960	8.65	SEP. 21	9.41	JAN. 27, 1967	10.71	JAN. 28, 1970	10.54
SEP. 21	9.35	JAN. 18, 1964	10.06	SEP. 22	7.86	AUG. 21	7.64
JAN. 10, 1961	9.35	SEP. 16	8.69	JAN. 24, 1968	10.59	JAN. 25, 1971	10.80
SEP. 19	9.05	JAN. 16, 1965	11.34	SEP. 23	8.39	SEP. 2	10.22
JAN. 31, 1962	9.05	APR. 19	10.94				

85/22E-30N1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.9 FT IN 1971.
 LSD 234.78 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.55 BELOW LSD, SEP. 11, 1958,
 LOWEST WATER LEVEL 12.90 BELOW LSD, JAN. 22, 1966.
 RECORDS AVAILABLE: 1957-71.

DATE	WATER LEVEL						
JAN. 10, 1957	8.00	JAN. 10, 1961	9.75	JAN. 16, 1965	12.43	SEP. 23, 1968	9.85
SEP. 15	8.55	SEP. 19	9.85	SEP. 14	9.20	JAN. 27, 1969	12.40
JAN. 7, 1958	9.55	JAN. 31, 1962	9.75	JAN. 22, 1966	12.90	SEP. 24	8.65
SEP. 11	7.55	SEP. 6	11.93	SEP. 20	10.70	JAN. 28, 1970	12.30
JAN. 9, 1959	9.25	JAN. 29, 1963	12.23	JAN. 21, 1967	12.40	SEP. 28	11.40
SEP. 4	9.15	SEP. 22	10.73	SEP. 22	9.60	JAN. 25, 1971	12.20
JAN. 9, 1960	9.75	JAN. 18, 1964	10.33	JAN. 24, 1968	12.30	SEP. 2	11.7
SEP. 21	9.65	SEP. 16	9.53				

85/22E-30R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.40 FT IN 1972.
 LSD 231.24 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.65 BELOW LSD, JAN. 2, 1947,
 DRY, WATER LEVEL NOT MEASUREABLE, SEP. 5, 1946.
 RECORDS AVAILABLE: 1924-27, 1937-42, 1944-72.

DATE	WATER LEVEL						
JULY 18, 1924	5.93	MAR. 21, 1945	2.18	OCT. 1, 1954	3.16	SEP. 22, 1963	5.80
SEP. 9	5.93	MAY 20, 1946	3.13	JAN. 2, 1955	3.36	JAN. 17, 1964	5.75
JAN. 2, 1925	5.73	SEP. 5	F	SEP. 30	3.26	SEP. 12	8.30
OCT. 24	5.63	JAN. 2, 1947	1.65	FEB. 1, 1956	3.11	JAN. 15, 1965	10.10
APR. 10, 1926	4.83	SEP. 13	3.68	OCT. 3	2.86	SEP. 13	8.65
MAY 25, 1927	5.53	JAN. 13, 1948	2.38	JAN. 10, 1957	3.60	JAN. 15, 1966	10.40
JUNE 6	5.53	NOV. 12	3.46	SEP. 15	3.35	SEP. 19	8.55
JAN. 10, 1937	5.38	JAN. 6, 1949	3.21	JAN. 15, 1958	4.05	JAN. 25, 1967	10.00
DEC. 10	4.43	SEP. 10	4.26	SEP. 4	3.30	SEP. 20	8.35
JAN. 11, 1938	4.08	JAN. 7, 1950	3.83	JAN. 9, 1959	4.50	JAN. 23, 1968	9.70
SEP. 15	5.28	SEP. 14	3.96	SEP. 18	4.50	SEP. 21	8.35
JAN. 6, 1939	4.48	JAN. 26, 1951	3.66	JAN. 9, 1960	6.10	JAN. 25, 1969	9.40
OCT. 25	3.78	SEP. 13	4.16	SEP. 21	5.50	SEP. 23	8.60
JAN. 15, 1940	3.28	JAN. 25, 1952	3.66	JAN. 11, 1961	6.10	JAN. 27, 1970	9.85
SEP. 26	5.18	OCT. 3	3.46	SEP. 13	5.80	SEP. 22	9.30
JAN. , 1941	3.18	JAN. 7, 1953	3.31	JAN. 30, 1962	5.60	JAN. 20, 1971	9.85
SEP. 26	2.68	SEP. 30	2.16	SEP. 6	5.90	JUNE 22	9.25
MAY 29, 1942	2.58	JAN. 1, 1954	3.56	JAN. 29, 1963	6.50	AUG. 23, 1972	8.50
NOV. 2, 1944	3.18						

85/22E-31D1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
16.4 FT IN 1971.
LSD 233.87 FT ABOVE MSL.
HIGHEST WATER LEVEL 6.80 BELOW LSD, SEP. 16, 1964,
LOWEST WATER LEVEL 12.40 BELOW LSD, JAN. 22, 1966.
RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
JUNE 1, 1959	6.86	SEP. 5, 1962	10.36	JAN. 22, 1966	12.40	JAN. 27, 1969	9.90
SEP. 4	7.56	JAN. 28, 1963	10.46	SEP. 20	8.95	SEP. 24	9.65
JAN. 9, 1960	9.31	OCT. 31	10.21	JAN. 21, 1967	11.10	JAN. 28, 1970	10.00
SEP. 20	7.36	JAN. 18, 1964	8.70	SEP. 22	10.60	SEP. 28	10.20
JAN. 10, 1961	9.26	SEP. 16	6.80	JAN. 24, 1968	10.90	JAN. 25, 1971	11.60
SEP. 15	7.86	JAN. 16, 1965	12.20	SEP. 23	9.65	SEP. 2	10.88
JAN. 31, 1962	10.06	SEP. 14	9.00				

85/22E-31K1 S. RECORUS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
12.2 FT IN 1971.
LSD 232.85 FT ABOVE MSL.
HIGHEST WATER LEVEL 4.41 BELOW LSD, JUNE 1, 1959,
LOWEST WATER LEVEL 11.50 BELOW LSD, JAN. 22, 1966.
RECORUS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
JUNE 1, 1959	4.41	SEP. 5, 1962	7.61	JAN. 22, 1966	11.50	JAN. 27, 1969	11.20
SEP. 19	5.11	JAN. 28, 1963	7.71	SEP. 20	9.00	SEP. 24	9.25
JAN. 9, 1960	7.51	SEP. 22	7.41	JAN. 21, 1967	11.00	JAN. 28, 1970	10.90
SEP. 20	5.81	JAN. 18, 1964	10.46	SEP. 22	8.95	SEP. 18	10.25
JAN. 10, 1961	7.31	OCT. 20	9.50	JAN. 24, 1968	10.80	JAN. 25, 1971	11.10
SEP. 15	7.01	JAN. 16, 1965	11.35	SEP. 23	9.35	SEP. 2	9.99
JAN. 31, 1962	7.11	SEP. 14	8.85				

85/22E-31M1 S. RECORDS PRIOR TO 9/2/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH
13.3 FT IN 1971.
LSD 233.97 FT ABOVE MSL.
HIGHEST WATER LEVEL 7.39 BELOW LSD, JUNE 1, 1959, SEP. 4, 1959, JAN. 10, 1961,
LOWEST WATER LEVEL 13.45 BELOW LSD, JAN. 19, 1966.
RECORDS AVAILABLE: 1959-71.

DATE	WATER LEVEL						
JUNE 1, 1959	7.39	SEP. 5, 1962	9.59	JAN. 19, 1966	13.45	JAN. 27, 1969	11.85
SEP. 4	7.39	JAN. 28, 1963	9.79	SEP. 20	11.10	SEP. 24	10.25
JAN. 9, 1960	9.29	SEP. 24	8.69	JAN. 21, 1967	13.10	JAN. 28, 1970	10.50
SEP. 20	7.99	JAN. 18, 1964	8.84	SEP. 22	11.30	SEP. 28	10.65
JAN. 10, 1961	7.39	SEP. 16	9.24	JAN. 24, 1968	12.70	FEB. 22, 1971	12.45
SEP. 14	8.69	JAN. 16, 1965	9.69	SEP. 23	10.90	SEP. 2	12.05
JAN. 31, 1962	9.49	DEC. 23	13.05				

85/22E-32N1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.05
FT IN 1972.
LSD 235.46 FT ABOVE MSL.
HIGHEST WATER LEVEL 2.31 BELOW LSD, APR. 13, 1937,
DRY, WATER LEVEL NOT MEASUREABLE, SEP. 17, 1937.
RECORDS AVAILABLE: 1919, 1922-24, 1929, 1936-37, 1968-72.

DATE	WATER LEVEL						
APR. 10, 1919	9.97	JUNE 25, 1924	7.36	SEP. 17, 1937	F	JAN. 27, 1970	9.60
JUNE 11	8.17	MAY 29, 1929	6.36	JAN. 22, 1968	10.75	SEP. 23	12.00
FEB. 23, 1922	7.96	JULY 20	6.36	SEP. 21	8.95	JAN. 20, 1971	11.65
NOV. 21, 1923	8.66	NOV. 21, 1936	8.91	JAN. 25, 1969	12.45	JUNE 22	8.05
FEB. 1, 1924	8.26	APR. 13, 1937	2.31	SEP. 23	8.50	AUG. 23, 1972	9.15

BS/22E-32R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.92 FT IN 1972.
 LSD 235.78 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.73 BELOW LSD, APR. 10, 1926,
 LOWEST WATER LEVEL 12.20 BELOW LSD, JAN. 25, 1969.
 RECORDS AVAILABLE: 1924-26, 1957-72.

DATE	WATER LEVEL						
JULY 18, 1924	6.03	JAN. 22, 1959	6.78	SEP. 24, 1963	5.98	JAN. 22, 1968	10.40
SEP. 25	8.33	SEP. 18	7.28	JAN. 17, 1964	5.98	SEP. 21	11.05
JAN. 3, 1925	7.63	JAN. 7, 1960	7.98	SEP. 12	10.05	JAN. 25, 1969	12.20
OCT. 24	5.13	SEP. 31	7.78	JAN. 15, 1965	11.45	SEP. 23	10.95
APR. 10, 1926	3.73	JAN. 11, 1961	4.98	SEP. 13	9.40	JAN. 27, 1970	11.80
JAN. 10, 1957	6.09	SEP. 13	6.38	JAN. 15, 1966	11.15	SEP. 23	11.65
SEP. 15	5.89	JAN. 30, 1962	6.38	SEP. 19	9.40	JAN. 20, 1971	12.10
JAN. 15, 1958	5.49	SEP. 20	6.78	JAN. 21, 1967	11.00	JUNE 22	11.10
SEP. 4	5.39	JAN. 23, 1963	6.28	SEP. 20	9.00	AUG. 23, 1972	11.23

BS/22E-34D1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 15.27 FT IN 1972.
 LSD 236.77 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.83 BELOW LSD, SEP. 30, 1939,
 LOWEST WATER LEVEL 10.82 BELOW LSD, JULY 20, 1929.
 RECORDS AVAILABLE: 1919, 1921, 1923-24, 1929, 1936-43, 1945-72.

DATE	WATER LEVEL						
APR. 10, 1919	7.65	FEB. 20, 1942	3.23	JAN. 7, 1953	7.11	JAN. 25, 1963	7.49
JUNE 11	8.55	SEP. 10	3.43	SEP. 29	7.01	SEP. 22	6.99
MAY 31, 1921	N	JAN. 12, 1943	4.03	JAN. 1, 1954	7.71	JAN. 17, 1964	8.39
NOV. 21, 1923	8.72	SEP. 2	4.03	SEP. 30	5.81	SEP. 12	7.29
FEB. 1, 1924	7.52	MAR. 13, 1945	6.03	JAN. 10, 1955	7.11	JAN. 15, 1965	8.49
JUNE 25	7.02	JULY 3	5.23	SEP. 30	6.21	SEP. 13	8.24
MAY 28, 1929	10.72	MAY 18, 1946	3.78	FEB. 1, 1956	6.81	JAN. 15, 1966	9.19
JULY 20	10.82	SEP. 9	4.89	OCT. 2	5.51	SEP. 17	8.39
NOV. 21, 1936	3.23	JAN. 2, 1947	4.76	JAN. 10, 1957	5.54	JAN. 25, 1967	9.49
MAR. 13, 1937	3.33	SEP. 13	5.28	SEP. 11	5.14	SEP. 20	7.59
NOV. 10	3.33	JAN. 13, 1948	3.99	JAN. 15, 1958	5.54	JAN. 22, 1968	9.14
JAN. 11, 1938	3.43	SEP. 9	6.30	SEP. 19	5.84	SEP. 20	8.34
SEP. 15	4.83	JAN. 6, 1949	6.28	JAN. 9, 1959	5.89	JAN. 24, 1969	9.74
SEP. 15	4.83	SEP. 10	6.33	SEP. 12	5.59	SEP. 22	9.34
JAN. 6, 1939	3.43	JAN. 7, 1950	7.24	JAN. 7, 1960	7.44	JAN. 24, 1970	9.64
SEP. 30	2.63	SEP. 14	6.51	SEP. 21	7.49	SEP. 23	8.80
JAN. 15, 1940	2.93	JAN. 26, 1951	7.31	JAN. 11, 1961	7.79	JAN. 20, 1971	10.65
SEP. 26	3.03	SEP. 13	7.51	SEP. 13	7.29	JUNE 22	9.80
JAN. 1, 1941	3.13	JAN. 25, 1952	7.51	JAN. 30, 1962	8.09	AUG. 23, 1972	9.93
SEP. 26	3.03	OCT. 3	5.81	SEP. 6	7.49		

BS/22E-34N1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14.0 FT IN 1972.
 LSU 240.68 FT ABOVE MSL.
 HIGHEST WATER LEVEL 10.40 BELOW LSD, SEP. 23, 1970,
 LOWEST WATER LEVEL 13.80 BELOW LSD, JAN. 24, 1970.
 RECORDS AVAILABLE: 1968-72.

DATE	WATER LEVEL						
JAN. 22, 1968	13.35	SEP. 22, 1969	13.25	SEP. 23, 1970	10.40	JUNE 21, 1971	12.95
SEP. 20	12.65	JAN. 24, 1970	13.80	JAN. 20, 1971	13.60	AUG. 23, 1972	13.23
JAN. 24, 1969	13.70						

85/22E-34R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

10.56 FT IN 1972.

LSD 237.60 FT ABOVE MSL.

HIGHEST WATER LEVEL 2.62 BELOW LSD, JAN. 15, 1958,

LOWEST WATER LEVEL 10.10 BELOW LSD, JAN. 20, 1971.

RECORDS AVAILABLE: 1957-63, 1968-72.

DATE	WATER LEVEL						
JAN. 8, 1957	4.72	JAN. 20, 1960	7.54	JAN. 25, 1963	7.54	JAN. 24, 1970	9.75
SEP. 11	2.77	SEP. 16	5.74	SEP. 25	7.24	SEP. 23	8.80
JAN. 15, 1956	2.62	JAN. 5, 1961	8.14	JAN. 22, 1968	8.65	JAN. 20, 1971	10.10
SEP. 18	3.17	SEP. 12	7.54	SEP. 20	7.95	JUNE 21	8.25
JAN. 9, 1959	5.27	JAN. 20, 1962	7.14	JAN. 24, 1969	9.85	AUG. 16, 1972	8.50
MAR. 19	6.14	SEP. 6	7.64	SEP. 22	8.30		

85/22E-35A1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.33 FT IN 1972.

LSL 243.58 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.27 BELOW LSD, SEP. 19, 1958,

LOWEST WATER LEVEL 12.10 BELOW LSD, JAN. 14, 1966.

RECORDS AVAILABLE: 1950-72.

DATE	WATER LEVEL						
JAN. 5, 1950	7.55	FEB. 1, 1956	7.77	SEP. 19, 1961	8.06	JAN. 23, 1967	11.55
SEP. 14	7.55	OCT. 3	6.27	JAN. 20, 1962	9.96	SEP. 19	7.80
JAN. 26, 1951	7.75	JAN. 8, 1957	7.97	SEP. 5	7.50	JAN. 20, 1968	8.60
SEP. 12	7.30	SEP. 11	6.17	JAN. 21, 1963	8.00	SEP. 20	8.10
JAN. 25, 1952	7.20	JAN. 15, 1958	7.02	SEP. 22	8.20	JAN. 24, 1969	9.20
OCT. 3	6.05	SEP. 19	4.27	JAN. 16, 1964	9.40	SEP. 22	9.10
FEB. 27, 1953	6.50	JAN. 9, 1959	8.72	SEP. 11	7.50	JAN. 24, 1970	9.35
SEP. 29	7.87	SEP. 12	7.32	JAN. 15, 1965	11.05	SEP. 23	9.25
JAN. 18, 1954	7.67	JAN. 6, 1960	9.62	SEP. 13	5.00	JAN. 20, 1971	9.65
OCT. 1	8.27	SEP. 16	8.46	JAN. 14, 1966	12.10	MAY 18	9.80
FEB. 1, 1955	7.67	JAN. 5, 1961	10.16	SEP. 17	8.40	AUG. 23, 1972	11.23
SEP. 29	6.47						

85/22E-35D1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH

10.95 FT IN 1972.

LSD 239.73 FT ABOVE MSL.

HIGHEST WATER LEVEL 4.56 BELOW LSD, FEB. 1, 1956,

LOWEST WATER LEVEL 8.72 BELOW LSL, JAN. 8, 1955.

RECORDS AVAILABLE: 1946-49, 1952-59, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 8, 1946	6.39	SEP. 10, 1949	7.93	OCT. 1, 1954	6.76	SEP. 11, 1957	6.08
SEP. 9	7.40	JAN. 25, 1952	6.96	JAN. 8, 1955	8.72	JAN. 15, 1958	5.83
JAN. 2, 1947	5.29	OCT. 3	6.36	SEP. 29	5.76	SEP. 19	4.80
SEP. 13	6.34	JAN. 7, 1953	6.96	FEB. 1, 1956	4.56	JAN. 9, 1959	6.90
JAN. 13, 1948	5.50	SEP. 29	6.76	OCT. 2	5.56	MAR. 19	6.55
SEP. 9	5.69	JAN. 18, 1954	6.86	JAN. 8, 1957	6.46	AUG. 23, 1972	8.25
JAN. 5, 1949	6.65						

8S/22E-3SP1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.0 FT IN 1972.
 LSD 237.33 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.57 BELOW LSD, OCT. 8, 1958,
 LOWEST WATER LEVEL 9.71 BELOW LSD, JAN. 24, 1969.
 RECORDS AVAILABLE: 1958-70, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1958	4.57	SEP. 12, 1961	8.18	JAN. 15, 1965	8.29	SEP. 20, 1968	8.01
DEC. 9	6.87	JAN. 20, 1962	7.94	SEP. 13	7.86	JAN. 24, 1969	9.71
JAN. 9, 1959	6.77	SEP. 4	7.44	JAN. 14, 1966	9.31	SEP. 13	8.01
SEP. 12	6.27	JAN. 26, 1963	8.24	SEP. 17	7.06	JAN. 24, 1970	9.50
JAN. 6, 1960	7.73	SEP. 25	7.64	JAN. 21, 1967	8.81	MAY 27	8.90
SEP. 17	6.28	JAN. 16, 1964	7.94	SEP. 20	6.76	AUG. 16, 1972	8.98
JAN. 5, 1961	8.68	SEP. 12	6.79	JAN. 22, 1968	8.21		

8S/23E-3E1 S. RECORDS PRIOR TO 9/1/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16.5 FT IN 1971.
 LSD 257.71 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.45 BELOW LSD, SEP. 18, 1961,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 16, 1960.
 RECORDS AVAILABLE: 1960-71.

DATE	WATER LEVEL						
JAN. 16, 1960	F	MAR. 14, 1963	11.60	JAN. 12, 1966	14.08	JAN. 21, 1969	11.98
SEP. 15	10.45	SEP. 20	11.00	SEP. 16	9.48	SEP. 20	12.03
JAN. 3, 1961	12.55	JAN. 10, 1964	13.05	JAN. 17, 1967	13.28	JAN. 23, 1970	12.08
SEP. 18	9.45	SEP. 10	11.13	SEP. 16	11.48	SEP. 22	12.95
JAN. 16, 1962	12.35	JAN. 11, 1965	13.43	JAN. 16, 1968	14.13	FEB. 12, 1971	13.70
SEP. 8	11.55	SEP. 11	10.58	SEP. 18	11.08	SEP. 1	13.01

8S/23E-4E1 S. DEPTH 9.7 FT IN 1971.
 LSD 256 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.41 BELOW LSD, SEP. 3, 1971,
 LOWEST WATER LEVEL 7.41 BELOW LSD, SEP. 3, 1971.
 RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 3, 1971	7.41						

8S/23E-5E1 S. DEPTH 13.5 FT IN 1971.
 LSD 256 FT ABOVE MSL.
 HIGHEST WATER LEVEL 10.88 BELOW LSD, SEP. 3, 1971,
 LOWEST WATER LEVEL 10.88 BELOW LSD, SEP. 3, 1971.
 RECORDS AVAILABLE: 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 3, 1971	10.88						

8S/23E-6P1 S. PERFORATED 362-370 FT; DEPTH 390 FT IN 1962, 490.9 FT IN 1972; NO RECORD OF DEEPENING.
 LSD 250 FT ABOVE MSL.
 HIGHEST WATER LEVEL 10.32 BELOW LSD, FEB. 8, 1962,
 LOWEST WATER LEVEL 11.40 BELOW LSD, AUG. 1, 1972.
 RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 8, 1962	10.32	AUG. 1, 1972	11.8				

8S/23E-781 S. PERFORATED 370-382 FT.

LSD 254 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.00 BELOW LSD, MAY 16, 1953,

LOWEST WATER LEVEL 15.00 BELOW LSD, FEB. 13, 1962.

RECORDS AVAILABLE: 1953, 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 18, 1953	8. G	FEB. 13, 1962	15. G	AUG. 9, 1972	N		

8S/23E-7D1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 16.9 FT IN 1971.

LSD 251.37 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.87 BELOW LSD, JAN. 18, 1962,

DRY, WATER LEVEL NOT MEASUREABLE, OCT. 30, 1954.

RECORDS AVAILABLE: 1950-71.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1950	10.50	SEP. 29, 1955	9.76	SEP. 8, 1961	10.07	JAN. 23, 1967	12.53
SEP. 13	10.54	FEB. 1, 1956	10.96	JAN. 18, 1962	7.87	SEP. 16	11.38
JAN. 24, 1951	11.20	OCT. 2	10.48	SEP. 7	8.17	JAN. 19, 1968	13.08
SEP. 28	10.50	JAN. 8, 1957	11.15	JAN. 19, 1963	8.27	SEP. 18	11.48
JAN. 24, 1952	10.85	SEP. 11	9.75	SEP. 20	8.37	JAN. 21, 1969	13.18
OCT. 2	9.56	JAN. 14, 1958	11.30	JAN. 10, 1964	11.43	SEP. 20	13.33
FEB. 26, 1953	10.47	SEP. 18	11.20	SEP. 10	9.93	JAN. 23, 1970	13.18
OCT. 2	9.71	JAN. 8, 1959	11.55	JAN. 11, 1965	11.68	SEP. 22	12.68
JAN. 15, 1954	10.31	SEP. 11	10.90	SEP. 11	10.23	JAN. 19, 1971	13.68
OCT. 30	F	JAN. 6, 1960	11.70	JAN. 12, 1966	12.88	AUG. 31	14.63
FEB. 1, 1955	11.56	SEP. 15	9.70	SEP. 16	9.83		

8S/23E-7N1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 15.66 FT IN 1972.

LSD 250.77 FT ABOVE MSL.

HIGHEST WATER LEVEL 8.47 BELOW LSD, SEP. 16, 1960,

LOWEST WATER LEVEL 13.80 BELOW LSD, JAN. 14, 1966.

RECORDS AVAILABLE: 1957-67, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1957	11.57	JAN. 6, 1960	11.97	JAN. 21, 1963	10.75	JAN. 14, 1966	13.80
SEP. 11	9.77	SEP. 16	8.47	SEP. 20	9.25	SEP. 17	10.60
JAN. 15, 1958	10.67	APR. 10, 1961	11.15	JAN. 16, 1964	12.25	JAN. 23, 1967	13.40
SEP. 18	10.87	SEP. 9	10.25	SEP. 11	10.55	SEP. 19	11.90
JAN. 8, 1959	12.07	JAN. 19, 1962	10.85	JAN. 11, 1965	12.50	AUG. 25, 1972	13.26
SEP. 11	11.07	SEP. 5	10.85	SEP. 13	10.75		

8S/23E-7R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.73 FT IN 1972.

LSD 252.53 FT ABOVE MSL.

HIGHEST WATER LEVEL 7.87 BELOW LSD, SEP. 9, 1949,

LOWEST WATER LEVEL 13.40 BELOW LSD, JAN. 14, 1966.

RECORDS AVAILABLE: 1946-67, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1946	9.00	JAN. 25, 1952	9.09	SEP. 11, 1957	8.97	JAN. 21, 1963	12.23
DEC. 21	8.83	OCT. 3	8.34	JAN. 15, 1958	8.27	SEP. 20	8.23
JAN. 2, 1947	8.58	JAN. 7, 1953	8.74	SEP. 27	9.62	JAN. 16, 1964	11.85
OCT. 7	9.45	SEP. 29	8.64	JAN. 8, 1959	10.72	SEP. 11	9.70
JAN. 12, 1948	8.10	JAN. 15, 1954	9.84	SEP. 11	9.82	JAN. 11, 1965	12.55
SEP. 8	8.62	OCT. 1	8.94	JAN. 6, 1960	12.02	SEP. 13	8.90
JAN. 5, 1949	8.78	JAN. 8, 1955	10.60	SEP. 16	9.88	JAN. 14, 1966	13.40
SEP. 9	7.87	SEP. 29	8.40	JAN. 4, 1961	11.83	SEP. 17	9.65
FEB. 17, 1950	6.56	FEB. 2, 1956	11.90	SEP. 9	9.93	JAN. 23, 1967	12.75
SEP. 14	10.54	OCT. 2	10.20	JAN. 19, 1962	12.33	SEP. 19	10.15
JAN. 26, 1951	11.34	JAN. 8, 1957	12.02	SEP. 5	11.93	AUG. 25, 1972	11.00
SEP. 13	9.14						

8S/23E-6D1 S. RECORDS PRIOR TO 8/31/71 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 18 FT IN 1942, 16.3 FT IN 1971.
 LSD 256.75 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.22 BELOW LSD, SEP. 11, 1957,
 DRY, WATER LEVEL NOT MEASUREABLE, OCT. 20, 1944, JAN. 30, 1945, APR. 2, 1946.
 RECORDS AVAILABLE: 1944-46, 1948-59, 1964-71.

DATE	WATER LEVEL						
OCT. 20, 1944	F	SEP. 12, 1951	10.01	JAN. 8, 1957	11.05	JAN. 23, 1967	13.47
JAN. 30, 1945	F	JAN. 31, 1952	11.96	SEP. 11	7.22	SEP. 16	10.12
FEB. 28	9.75	OCT. 2	9.96	JAN. 23, 1958	10.87	JAN. 16, 1968	14.27
APR. 2, 1946	F	JAN. 3, 1953	11.47	SEP. 18	8.57	SEP. 18	9.62
JUNE 15, 1948	9.20	SEP. 29	9.67	JAN. 8, 1959	12.07	JAN. 21, 1969	14.27
SEP. 7	8.88	JAN. 18, 1954	12.55	JAN. 10, 1964	9.22	SEP. 20	10.72
JAN. 5, 1949	9.12	OCT. 1	9.55	SEP. 10	8.32	JAN. 23, 1970	14.12
SEP. 9	9.78	JAN. 10, 1955	12.15	JAN. 11, 1965	12.37	SEP. 22	10.77
JAN. 5, 1950	11.56	SEP. 29	9.35	SEP. 11	8.07	JAN. 19, 1971	15.60
SEP. 13	10.30	FEB. 1, 1956	12.25	JAN. 12, 1966	12.77	AUG. 31	13.33
JAN. 24, 1951	11.96	OCT. 2	8.35	SEP. 16	8.77		

8S/23E-1YN1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 21 FT IN 1965, 17.63 FT IN 1972.
 LSD 251.59 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.98 BELOW LSD, JAN. 15, 1958,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 31, 1957, JAN. 11, 1965.
 RECORDS AVAILABLE: 1957-72.

DATE	WATER LEVEL						
JAN. 31, 1957	F	JAN. 5, 1961	14.73	JAN. 11, 1965	F	JAN. 22, 1969	17.55
SEP. 11	11.93	SEP. 12	12.13	SEP. 13	13.53	SEP. 22	15.35
JAN. 15, 1958	9.98	JAN. 23, 1962	13.13	JAN. 14, 1966	16.70	JAN. 24, 1970	17.05
SEP. 19	12.73	SEP. 6	12.63	SEP. 17	12.60	SEP. 23	14.45
JAN. 9, 1959	13.43	JAN. 21, 1963	12.23	JAN. 23, 1967	16.55	JAN. 20, 1971	17.30
SEP. 11	12.83	SEP. 21	12.73	SEP. 19	14.05	JUNE 21	14.95
JAN. 6, 1960	14.63	JAN. 16, 1964	10.18	JAN. 20, 1968	16.60	AUG. 25, 1972	14.73
SEP. 16	11.53	SEP. 11	12.18	SEP. 20	14.80		

9S/21E-1R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.1 FT IN 1972.
 LSD 233.93 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.97 BELOW LSD, JAN. 7, 1958,
 LOWEST WATER LEVEL 10.47 BELOW LSD, JAN. 27, 1969.
 RECORDS AVAILABLE: 1955-72.

DATE	WATER LEVEL						
SEP. 12, 1955	8.17	SEP. 4, 1959	4.87	JAN. 18, 1964	7.82	SEP. 23, 1968	8.42
DEC. 30	7.67	JAN. 8, 1960	6.77	SEP. 16	5.72	JAN. 27, 1969	10.47
APR. 4, 1956	5.82	SEP. 17	4.37	JAN. 18, 1965	8.62	SEP. 24	8.52
OCT. 3	6.67	JAN. 5, 1961	6.97	SEP. 15	5.62	JAN. 28, 1970	10.17
JAN. 10, 1957	7.47	SEP. 12	6.07	JAN. 22, 1966	9.82	SEP. 28	8.32
SEP. 15	5.12	JAN. 23, 1962	7.17	SEP. 20	7.32	JAN. 25, 1971	10.02
JAN. 7, 1958	3.97	SEP. 31	5.77	JAN. 27, 1967	9.82	JUNE 25	7.90
SEP. 20	4.37	JAN. 24, 1963	6.97	SEP. 23	7.07	AUG. 22, 1972	8.72
JAN. 9, 1959	5.47	SEP. 25	6.07	JAN. 26, 1968	10.37		

9S/21E-2C1 S. PERFORATED 420-440 FT; DEPTH 419.8 FT IN 1972.
 LSD 235 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.47 BELOW LSD, AUG. 22, 1972,
 LOWEST WATER LEVEL 12.00 BELOW LSD, SEP. 25, 1969.
 RECORDS AVAILABLE: 1969, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 25, 1969	12. G	AUG. 22, 1972	9.47				

9S/21E-2C3 S.
LSD 235 FT ABOVE MSL.
RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 22, 1972	8.97A						

9S/21E-2N1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.73 FT IN 1972.
LSD 230.82 FT ABOVE MSL.
HIGHEST WATER LEVEL 2.44 BELOW LSD, AUG. 29, 1956,
LOWEST WATER LEVEL 10.50 BELOW LSD, JAN. 18, 1964.
RECORDS AVAILABLE: 1952-56, 1959-72.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1952	4.73	JAN. 9, 1959	8.50	SEP. 25, 1963	9.65	JAN. 26, 1968	8.60
OCT. 3	4.93	SEP. 4	8.45	JAN. 18, 1964	10.50	SEP. 23	8.95
MAR. 6, 1953	6.76	JAN. 8, 1960	9.40	SEP. 16	8.30	JAN. 27, 1969	9.65
SEP. 29	5.66	SEP. 17	7.95	JAN. 18, 1965	9.55	SEP. 24	8.10
JAN. 1, 1954	5.56	JAN. 6, 1961	9.75	SEP. 14	7.90	JAN. 28, 1970	9.25
OCT. 1	3.79	SEP. 15	9.45	JAN. 19, 1966	9.50	SEP. 28	8.55
JAN. 2, 1955	4.29	JAN. 23, 1962	10.05	SEP. 20	8.10	JAN. 25, 1971	9.05
SEP. 12	4.24	SEP. 21	9.75	JAN. 21, 1967	9.30	JUNE 25	8.25
FEB. 1, 1956	4.54	JAN. 29, 1963	9.75	SEP. 22	8.00	AUG. 22, 1972	8.63
AUG. 29	2.44						

9S/21E-3H1 S. DEPTH 55 FT IN 1961, 11.9 FT IN 1972.
LSD 235 FT ABOVE MSL.
HIGHEST WATER LEVEL 9.50 BELOW LSD, JULY 28, 1961,
LOWEST WATER LEVEL 11.39 BELOW LSD, AUG. 17, 1972.
RECORDS AVAILABLE: 1961-63, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1961	10.34	OCT. 18, 1961	10.09	APR. 23, 1962	10.51	OCT. 15, 1962	10.11
MAY 23	9.73	NOV. 21	10.55	MAY 25	10.24	NOV. 8	10.56
JULY 6	9.55	DEC. 20	10.74	JUNE 21	10.00	DEC. 13	10.57
JULY 28	9.50	JAN. 23, 1962	10.89	JULY 20	10.05	JAN. 9, 1963	10.59
AUG. 24	10.73	FEB. 19	10.84	AUG. 16	9.75	AUG. 17, 1972	11.39
SEP. 25	10.25	MAR. 26	10.59	SEP. 20	9.82		

9S/21E-3Q1 S. PERFORATED 40-60 FT; DEPTH 52.0 FT IN 1972.
LSD 244 FT ABOVE MSL.
HIGHEST WATER LEVEL 16.28 BELOW LSD, AUG. 22, 1972,
LOWEST WATER LEVEL 20.00 BELOW LSD, FEB. 7, 1962.
RECORDS AVAILABLE: 1962, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 7, 1962	20. G	AUG. 22, 1972	16.28				

9S/21E-3R1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.47 FT IN 1972.

LSD 231.64 FT ABOVE MSL.

HIGHEST WATER LEVEL 6.54 BELOW LSD, FEB. 1, 1956,

DRY, WATER LEVEL NOT MEASUREABLE, JAN. 8, 1960.

RECORDS AVAILABLE: 1956-72.

DATE	WATER LEVEL						
FEB. 1, 1956	6.54	SEP. 17, 1960	8.95	SEP. 16, 1964	8.95	SEP. 23, 1968	9.10
OCT. 3	6.74	JAN. 6, 1961	10.35	JAN. 18, 1965	10.10	JAN. 27, 1969	10.10
JAN. 10, 1957	6.61	SEP.	9.95	SEP. 14	8.20	SEP. 24	8.90
SEP. 21	6.61	JAN. 23, 1962	10.65	JAN. 19, 1966	8.80	JAN. 28, 1970	9.05
JAN. 7, 1958	7.21	SEP. 21	9.65	SEP. 20	9.10	SEP. 28	8.70
SEP. 20	8.25	JAN. 24, 1963	10.35	JAN. 21, 1967	9.20	JAN. 25, 1971	9.30
JAN. 9, 1959	9.20	SEP. 25	9.30	SEP. 22	8.35	JUNE 25	8.65
SEP. 4	7.75	JAN. 18, 1964	9.90	JAN. 26, 1968	9.65	AUG. 22, 1972	9.28
JAN. 8, 1960	F						

9S/21E-4J1 S. DEPTH 9.7 FT IN 1972.

LSD 260 FT ABOVE MSL.

DRY, WATER LEVEL NOT MEASUREABLE, AUG. 29, 1972.

RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 29, 1972	F						

9S/21E-11A3 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 12.3 FT IN 1972.

LSD 231.98 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.70 BELOW LSD, AUG. 31, 1955, OCT. 3, 1956.

LOWEST WATER LEVEL 9.03 BELOW LSD, AUG. 17, 1972.

RECORDS AVAILABLE: 1955-56, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 31, 1955	5.70	FEB. 1, 1956	6.00	OCT. 3, 1956	5.70	AUG. 17, 1972	9.03
SEP. 12	6.00						

9S/21E-12H1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.05 FT IN 1972.

LSD 232.81 FT ABOVE MSL.

HIGHEST WATER LEVEL 5.55 BELOW LSD, SEP. 15, 1965,

LOWEST WATER LEVEL 10.20 BELOW LSD, JAN. 27, 1969.

RECORDS AVAILABLE: 1964-70, 1972.

DATE	WATER LEVEL						
FEB. 9, 1964	8.00	JAN. 22, 1966	9.40	JAN. 26, 1968	9.95	JAN. 28, 1970	9.30
SEP. 16	5.60	SEP. 10	7.40	SEP. 23	8.30	MAY 29	8.00
JAN. 18, 1965	8.65	JAN. 27, 1967	9.20	JAN. 27, 1969	10.20	AUG. 22, 1972	8.35
SEP. 15	5.55	SEP. 23	6.95	SEP. 13	7.85		

9S/21E-12C1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.26 FT IN 1972.
 LSD 234.70 FT ABOVE MSL.
 HIGHEST WATER LEVEL 7.40 BELOW LSD, SEP. 16, 1964,
 LOWEST WATER LEVEL 11.75 BELOW LSD, JAN. 27, 1969.
 RECORDS AVAILABLE: 1964-70, 1972.

DATE	WATER LEVEL						
FEB. 19, 1964	9.95	JAN. 22, 1966	10.50	JAN. 26, 1968	11.65	JAN. 28, 1970	11.10
SEP. 16	7.40	SEP. 20	9.30	SEP. 23	10.55	MAY 29	10.40
JAN. 18, 1965	10.40	JAN. 21, 1967	11.20	JAN. 27, 1969	11.75	AUG. 22, 1972	8.86
OCT. 18	8.15	SEP. 23	9.10	SEP. 13	10.20		

9S/21E-14B1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.72 FT IN 1972.
 LSD 230.53 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.44 BELOW LSD, JAN. 17, 1958,
 DRY, WATER LEVEL NOT MEASUREABLE, JAN. 24, 1966.
 RECORDS AVAILABLE: 1957-59, 1962-70, 1972.

DATE	WATER LEVEL						
JULY 30, 1957	6.49	JAN. 24, 1963	8.26	JAN. 24, 1966	F	JAN. 28, 1969	9.55
SEP. 15	6.24	SEP. 25	6.36	SEP. 21	8.41	SEP. 13	7.70
JAN. 17, 1958	3.84	JAN. 18, 1964	7.71	JAN. 28, 1967	8.11	JAN. 28, 1970	9.05
OCT. 1	5.99	SEP. 17	6.51	SEP. 23	8.40	MAY 29	8.80
MAY 9, 1962	6.56	JAN. 18, 1965	8.71	JAN. 26, 1968	9.40	AUG. 22, 1972	8.78
SEP. 8	6.96	SEP. 15	7.21	SEP. 23	9.00		

9S/21E-14P1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 13.25 FT IN 1972.
 LSD 230.29 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.55 BELOW LSD, SEP. 25, 1963,
 LOWEST WATER LEVEL 11.30 BELOW LSD, SEP. 15, 1957.
 RECORDS AVAILABLE: 1957-59, 1962-70, 1972.

DATE	WATER LEVEL						
AUG. 5, 1957	11.15	SEP. 8, 1962	7.85	SEP. 15, 1965	6.90	SEP. 23, 1968	6.70
SEP. 15	11.30	JAN. 24, 1963	7.95	JAN. 24, 1966	6.90	JAN. 28, 1969	7.80
JAN. 17, 1958	7.60	SEP. 25	3.55	SEP. 21	7.10	SEP. 13	5.60
OCT. 1	10.50	JAN. 18, 1964	6.75	JAN. 28, 1967	7.55	JAN. 28, 1970	7.00
JAN. 10, 1959	9.00	SEP. 17	5.40	OCT. 21	7.55	MAY 29	6.70
APR. 13	8.60	JAN. 18, 1965	7.35	JAN. 26, 1968	8.15	AUG. 22, 1972	8.4
MAY 9, 1962	5.35						

9S/21E-15A1 S. PERFORATED 42-56 FT.
 LSD 235 FT ABOVE MSL.
 HIGHEST WATER LEVEL 19.00 BELOW LSD, DEC. 27, 1955.
 LOWEST WATER LEVEL 19.00 BELOW LSD, DEC. 27, 1955.
 RECORDS AVAILABLE: 1955, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 27, 1955	19. 6	AUG. 22, 1972	P				

95/21E-23C1 S. PERFORATED 15-100 FT. DEPTH 95.9 FT IN 1972.
 LSD 224 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.27 BELOW LSD, AUG. 22, 1972,
 LOWEST WATER LEVEL 8.00 BELOW LSD, NOV. 13, 1966.
 RECORDS AVAILABLE: 1966, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 13, 1966	8.00	AUG. 22, 1972	6.27				

95/21E-23Q1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1964, 8.35 FT IN 1972.
 LSD 226.39 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.60 BELOW LSD, JAN. 28, 1967,
 LOWEST WATER LEVEL 6.45 BELOW LSD, JAN. 18, 1965.
 RECORDS AVAILABLE: 1964-67, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1964	5.95	SEP. 15, 1965	6.15	SEP. 21, 1966	5.95	SEP. 23, 1967	5.70
DEC. 17	6.65	JAN. 24, 1966	6.40	JAN. 28, 1967	5.60	AUG. 23, 1972	5.68
JAN. 18, 1965	6.85						

95/21E-24E1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1964, 10.32 FT IN 1972.
 LSD 228.91 FT ABOVE MSL.
 HIGHEST WATER LEVEL 5.49 BELOW LSD, SEP. 24, 1968,
 LOWEST WATER LEVEL 8.84 BELOW LSD, JAN. 24, 1966.
 RECORDS AVAILABLE: 1964-72.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1964	5.89	SEP. 21, 1966	7.04	SEP. 24, 1968	5.49	SEP. 28, 1970	5.80
NOV. 19	7.39	JAN. 28, 1967	7.59	JAN. 28, 1969	8.54	JAN. 26, 1971	7.40
JAN. 18, 1965	7.74	SEP. 23	7.59	SEP. 26	6.59	JUNE 25	6.05
SEP. 15	6.54	JAN. 27, 1968	8.54	JAN. 30, 1970	7.19	AUG. 22, 1972	6.37
JAN. 24, 1966	8.84						

95/21E-24N1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.30 FT IN 1972.
 LSD 227.15 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.10 BELOW LSD, JAN. 28, 1967,
 LOWEST WATER LEVEL 7.30 BELOW LSD, JAN. 24, 1966.
 RECORDS AVAILABLE: 1962-67, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 2, 1962	7.15	JAN. 18, 1964	5.61	SEP. 15, 1965	4.90	JAN. 28, 1967	4.10
SEP. 21	4.91	SEP. 17	4.81	JAN. 24, 1966	7.30	SEP. 23	5.30
JAN. 14, 1963	5.61	JAN. 18, 1965	6.60	SEP. 21	4.60	AUG. 23, 1972	4.14
SEP. 25	4.31						

9S/21E-25E1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1964, 10.95 FT IN 1972.
 LSU 226.86 FT ABOVE MSL.
 HIGHEST WATER LEVEL 3.20 BELOW LSD, SEP. 23, 1967.
 LOWEST WATER LEVEL 6.67 BELOW LSD, JAN. 18, 1965.
 RECORDS AVAILABLE: 1964-72.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1964	4.92	SEP. 21, 1966	5.15	SEP. 14, 1968	4.75	SEP. 28, 1970	5.55
NOV. 20	5.97	JAN. 28, 1967	5.80	JAN. 28, 1969	6.50	JAN. 26, 1971	5.10
JAN. 18, 1965	6.67	SEP. 23	3.20	SEP. 26	5.05	JUNE 25	4.20
SEP. 15	5.02	JAN. 27, 1968	4.70	JAN. 30, 1970	5.50	AUG. 23, 1972	5.41
FEB. 21, 1966	6.20						

9S/21E-25H1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 14 FT IN 1964, 12.16 FT IN 1972.
 LSU 230.12 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.72 BELOW LSD, SEP. 15, 1965.
 LOWEST WATER LEVEL 12.15 BELOW LSD, JAN. 28, 1969.
 RECORDS AVAILABLE: 1964-72.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1964	8.47	SEP. 21, 1966	7.60	SEP. 24, 1968	9.20	SEP. 28, 1970	10.15
DEC. 17	9.82	JAN. 28, 1967	11.40	JAN. 28, 1969	12.15	JAN. 26, 1971	12.00
JAN. 18, 1965	9.92	SEP. 23	9.27	SEP. 26	8.75	JUNE 25	9.75
SEP. 15	6.72	JAN. 27, 1968	11.20	JAN. 31, 1970	11.15	AUG. 23, 1972	8.16
FEB. 21, 1966	7.95						

9S/21E-25N1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1964, 9.95 FT IN 1972.
 LSD 229.07 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.21 BELOW LSD, SEP. 23, 1967.
 LOWEST WATER LEVEL 9.11 BELOW LSD, JAN. 25, 1966.
 RECORDS AVAILABLE: 1964-72.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1964	5.86	SEP. 21, 1966	5.66	SEP. 24, 1968	5.61	SEP. 29, 1970	5.60
NOV. 20	7.46	JAN. 28, 1967	7.16	JAN. 28, 1969	8.51	JAN. 26, 1971	7.75
JAN. 18, 1965	7.91	SEP. 23	4.21	SEP. 27	7.06	JUNE 25	6.85
SEP. 15	5.16	JAN. 27, 1968	7.76	JAN. 31, 1970	7.41	AUG. 23, 1972	6.34
JAN. 25, 1966	9.11						

9S/21E-25Q1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.95 FT IN 1972.
 LSD 227.87 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.25 BELOW LSD, SEP. 15, 1965.
 LOWEST WATER LEVEL 12.45 BELOW LSD, MAY 2, 1962.
 RECORDS AVAILABLE: 1962-72.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 2, 1962	12.45	JAN. 18, 1965	7.75	SEP. 23, 1967	5.10	JAN. 31, 1970	7.20
SEP. 21	M	SEP. 15	4.25	JAN. 28, 1968	9.20	SEP. 29	7.15
JAN. 24, 1963	M	JAN. 25, 1966	8.50	SEP. 24	6.10	JAN. 26, 1971	7.50
SEP. 25	9.85	SEP. 21	4.75	JAN. 28, 1969	6.80	JUNE 25	7.60
JAN. 18, 1964	11.65	JAN. 28, 1967	7.10	SEP. 27	6.75	AUG. 23, 1972	6.00
SEP. 17	10.70						

9S/21E-36F1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 10.5 FT IN 1964, 9.45 FT IN 1972.
 LSD 226.23 FT ABOVE MSL.
 HIGHEST WATER LEVEL 4.20 BELOW LSD, SEP. 23, 1967,
 LOWEST WATER LEVEL 8.80 BELOW LSD, JAN. 26, 1971.
 RECORDS AVAILABLE: 1964-72.

DATE	WATER LEVEL						
OCT. 22, 1964	5.55	SEP. 21, 1966	5.65	SEP. 24, 1968	4.85	SEP. 29, 1970	7.90
NOV. 20	7.20	JAN. 28, 1967	6.75	JAN. 28, 1969	7.80	JAN. 26, 1971	8.80
JAN. 18, 1965	7.30	SEP. 23	4.20	SEP. 27	6.80	JUNE 29	7.05
SEP. 15	5.55	JAN. 27, 1968	7.95	JAN. 31, 1970	8.15	AUG. 23, 1972	6.35
JAN. 25, 1966	8.45						

9S/21E-36G1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.05 FT IN 1972.
 LSD 227.78 FT ABOVE MSL.
 HIGHEST WATER LEVEL 6.75 BELOW LSD, SEP. 21, 1966,
 LOWEST WATER LEVEL 11.00 BELOW LSD, JAN. 26, 1971.
 RECORDS AVAILABLE: 1964-72.

DATE	WATER LEVEL						
OCT. 22, 1964	7.05	SEP. 21, 1966	6.75	SEP. 24, 1968	7.30	SEP. 29, 1970	10.60
DEC. 17	8.40	JAN. 28, 1967	8.30	JAN. 28, 1969	10.15	JAN. 26, 1971	11.00
JAN. 18, 1965	9.30	SEP. 23	6.90	AUG. 23	9.00	JUNE 25	8.45
SEP. 15	6.65	JAN. 27, 1968	9.95	JAN. 31, 1970	10.45	AUG. 23, 1972	9.03
JAN. 25, 1966	9.70						

9S/21E-36H1 S. PERFORATED 15-100 FT.
 LSD 225 FT ABOVE MSL.
 HIGHEST WATER LEVEL 9.00 BELOW LSD, NOV. 13, 1966.
 LOWEST WATER LEVEL 9.00 BELOW LSD, NOV. 13, 1966.
 RECORDS AVAILABLE: 1966, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 13, 1966	9.00G	AUG. 23, 1972	P				

9S/22E-3A1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 11.0 FT IN 1972.
 LSD 239.79 FT ABOVE MSL.
 HIGHEST WATER LEVEL 2.63 BELOW LSD, APR. 10, 1919.
 LOWEST WATER LEVEL 10.80 BELOW LSD, JAN. 20, 1971.
 RECORDS AVAILABLE: 1919, 1959, 1968-72.

DATE	WATER LEVEL						
APR. 10, 1919	2.63	JAN. 22, 1968	9.50	SEP. 22, 1969	8.75	JAN. 20, 1971	10.80
JAN. 9, 1959	6.53	SEP. 20	7.65	JAN. 24, 1970	9.80	JUNE 21	9.80
MAR. 19	5.93	JAN. 24, 1969	10.40	SEP. 23	8.85	AUG. 23, 1972	9.29

9S/22E-9A1 S. DEPTH 17.75 FT IN 1972.
 LSD 246 FT ABOVE MSL.
 HIGHEST WATER LEVEL 11.47 BELOW LSD, AUG. 24, 1972,
 LOWEST WATER LEVEL 11.47 BELOW LSD, AUG. 24, 1972.
 RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 24, 1972	11.47						

105/21E-1A1 S. RECORDS PRIOR TO 1972 FURNISHED BY PALO VERDE IRRIGATION DISTRICT. DEPTH 9.70 FT IN 1972.
 LSD 222.46 FT ABOVE MSL.
 HIGHEST WATER LEVEL 1.55 BELOW LSD, MAY 5, 1962,
 LOWEST WATER LEVEL 8.95 BELOW LSD, JAN. 26, 1971.
 RECORDS AVAILABLE: 1962-72.

DATE	WATER LEVEL						
MAY 5, 1962	1.55	JAN. 18, 1965	5.00	SEP. 23, 1967	4.45	JAN. 30, 1970	6.65
SEP. 21	2.45	SEP. 15	3.45	JAN. 27, 1968	5.90	SEP. 29	8.00
JAN. 24, 1963	3.55	JAN. 25, 1966	5.80	SEP. 24	4.90	JAN. 26, 1971	8.95
SEP. 23	2.15	SEP. 21	3.55	JAN. 28, 1969	6.45	JUNE 25	7.55
JAN. 18, 1964	4.50	JAN. 28, 1967	3.50	SEP. 27	5.85	AUG. 23, 1972	7.03
SEP. 17	3.50						

105/21E-29E1 S. DEPTH 134.4 FT IN 1972.
 LSD 460 FT ABOVE MSL.
 HIGHEST WATER LEVEL 50.45 BELOW LSD, AUG. 24, 1972,
 LOWEST WATER LEVEL 50.45 BELOW LSD, AUG. 24, 1972.
 RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 24, 1972	50.45						

105/21E-30C1 S. DEPTH 73.0 FT IN 1972.
 LSD 485 FT ABOVE MSL.
 HIGHEST WATER LEVEL 42.42 BELOW LSD, AUG. 24, 1972,
 LOWEST WATER LEVEL 42.42 BELOW LSD, AUG. 24, 1972.
 RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 24, 1972	42.42						

105/21E-30H1 S. DEPTH 29.85 FT IN 1972.
 LSD 480 FT ABOVE MSL.
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 24, 1972.
 RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 24, 1972	F						

105/21E-30J1 S. DEPTH 39.9 FT IN 1972.
 LSD 480 FT ABOVE MSL.
 DRY, WATER LEVEL NOT MEASUREABLE, AUG. 24, 1972.
 RECORDS AVAILABLE: 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 24, 1972	F						

TABLE 4.--Chemical

[Any column: MO, Trace is present, and quantity rounds to whole numbers;

LOCAL IDEN7- I- FIER	DATE OF SAMPLE	DEPTH TO TQP OF INTER- SAMPLE	DEPTH TO BOT- OF INTER- SAMPLE	DIS- SOLVED				DIS- SOLVED					
				DIS- SOLVED (MG/L)	DIS- SOLVED (UG/L)	DIS- SOLVED (MG/L)	DIS- SOLVED (MG/L)	DIS- SOLVED (MG/L)	TAS- (MG/L)	BICAR- (MC03) (K)	CAR- BONATE (C03) (MG/L)		
005S022E28C015	60-06-27	270	601	--	--	--	240	8.9	420	--	21	0	
	60-11-17	270	601	--	--	--	260	--	420	--	20	--	
	62-02-08	270	601	11	--	--	260	12	--	--	22	--	
	62-10-25	270	601	16	--	--	270	8.9	--	--	38	0	
005S022E28C025	59-03-16	256	400	--	--	--	270	8.1	410	--	21	0	
	63-09-27	256	400	--	--	--	260	13	420	--	20	0	
005S022E33J015	62-03-16	260	380	29	--	--	130	2.1	--	--	58	0	
	62-04-16	260	380	--	--	--	120	2.7	300	--	49	0	
005S022E35A015	64-11-05	220	450	--	--	--	120	7.4	--	--	50	0	
	66-02-10	220	450	18	--	--	63	7.5	--	--	120	0	
005S022E35H015	64-01-27	290	400	19	--	--	84	2.1	--	--	82	0	
	66-02-10	290	400	20	--	--	98	4.7	--	--	64	0	
005S023E34Q015	63-02-15	246	266	--	--	--	95	2.7	330	--	85	M0	
	63-02-15	246	266	17	--	--	140	30	--	--	300	0	
005S024E30B015	64-06-18	112	130	19	--	--	150	42	--	--	350	0	
006S021E36R015	54-07-15	520	620	--	--	--	150	--	930	--	100	0	
	61-06-13	520	620	32	--	--	36	8.5	440	5.5	120	0	
	64-05-14	520	620	27	--	--	38	8.1	470	6.5	120	0	
006S022E01F015	66-11-10	150	350	--	--	--	110	24	180	8.0	230	0	
006S022E01N015	66-02-09	410	426	16	--	--	20	8.8	--	--	240	0	
006S022E02P015	64-05-14	150	250	--	--	--	21	6.0	210	4.0	180	0	
	64-07-01	150	250	--	--	--	--	29	230	--	200	0	
006S022E03B015	66-02-10	150	250	15	--	--	16	5.8	--	--	210	0	
	66-10-27	275	414	--	--	--	--	--	--	--	--	--	
006S022E08J015	66-07-00	172	302	--	--	--	60	84	14	250	12	82	0
006S022E08L015	66-09-09	180	300	--	--	--	400	210	29	310	12	85	0
006S022E09L015	66-06-00	172	332	--	--	--	100	76	7.0	240	2.0	100	0
006S022E09M015	66-07-00	162	292	--	--	--	160	84	5.0	280	14	100	0
006S022E09P015	67-06-13	230	250	16	--	--	150	9.4	--	--	34	0	
006S022E09Q015	66-07-00	172	302	--	--	--	40	84	14	260	6.0	82	0
006S022E10H015	66-07-00	174	304	--	--	--	140	32	17	240	8.0	210	0
006S022E11M015	58-10-23	170	235	--	--	--	220	--	140	--	330	0	
	63-03-26	170	235	--	--	--	170	--	250	--	230	0	
	64-06-19	170	235	22	--	--	110	39	--	--	220	0	
006S022E11R015	67-03-27	75	77	21	--	--	140	56	--	--	290	0	
006S022E11R025	67-03-21	18	21	39	--	--	120	84	--	--	440	0	
006S022E12E015	58-06-16	160	220	--	--	--	84	36	280	--	260	0	
	60-09-23	160	220	--	--	--	94	37	300	--	240	0	
	60-10-22	160	220	--	--	--	170	--	330	--	240	0	
006S022E12F015	52-08-29	--	--	--	--	--	--	--	380	--	200	M0	
	60-10-22	--	--	--	--	--	170	--	330	--	240	0	
	61-01-05	--	--	--	--	--	50	--	100	35	310	4.8	
006S022E12L025	62-01-22	--	--	--	--	--	45	13	150	--	220	0	
	64-05-22	--	--	--	--	--	50	11	140	--	230	0	
006S022E13Q015	67-03-23	114	116	22	--	--	110	39	--	--	320	0	
006S022E13Q025	67-03-24	20	22	20	--	--	130	69	--	--	300	0	
006S022E14L015	67-03-31	90	94	24	--	--	140	59	--	--	300	0	
006S022E14L025	67-03-31	30	34	22	--	--	130	60	--	--	300	0	
006S022E15M015	59-11-23	171	315	--	--	--	32	9.8	240	--	200	0	
	62-02-06	171	315	10	--	--	35	8.0	--	--	200	0	
	62-03-27	171	315	--	--	--	34	8.8	250	--	200	0	
	62-06-20	171	315	20	--	--	33	10	--	--	190	0	
	63-06-12	171	315	19	--	--	35	8.9	--	--	200	0	
006S022E15Q015	63-09-07	346	572	14	--	--	22	27	--	--	200	0	
	63-09-16	346	572	17	--	--	23	.1	260	--	240	0	
006S022E17L015	66-04-01	180	445	--	--	--	120	10	300	8.0	67	0	
006S022E17L025	66-09-09	171	323	--	--	--	40	160	10	320	10	95	0
006S022E18A015	66-06-00	168	298	--	--	--	40	140	12	320	9.0	61	0
006S022E18J015	66-09-00	172	302	--	--	--	300	260	14	360	12	67	0
006S022E20A015	67-06-15	230	250	30	--	--	55	10	--	--	76	0	
006S022E21B015	66-09-19	178	378	--	--	--	40	50	7.0	240	6.0	160	0
006S022E21K015	66-06-00	182	323	--	--	--	40	44	10	280	2.0	140	0
006S022E22B015	66-04-26	192	372	--	--	--	40	18	4.0	290	5.0	200	0
006S022E26E015	67-03-28	62	64	16	--	--	140	59	--	--	240	0	
006S022E26E025	67-03-28	19	21	16	--	--	120	41	--	--	280	0	
006S022E26G015	67-03-28	77	79	20	--	--	160	60	--	--	330	0	
006S022E26G025	67-03-28	19	21	22	--	--	150	74	--	--	250	0	
006S022E28G015	66-02-09	282	535	18	--	--	38	7.1	--	--	210	0	
006S022E29G015	47-01-08	202	350	--	--	--	50	11	240	--	97	0	
006S022E32F015	59-09-24	195	230	--	--	--	34	--	250	--	110	0	
	61-05-23	195	230	32	--	--	240	24	11	240	3.6	120	0
006S022E32K015	54-03-12	112	464	--	--	--	75	--	280	--	62	0	
	54-07-15	112	464	--	--	--	70	--	280	--	100	M0	
	59-02-13	112	464	--	--	--	140	--	460	--	100	0	
	59-09-23	112	464	--	--	--	120	--	420	--	100	0	
	61-05-23	112	464	24	--	--	62	17	320	--	86	0	
	61-12-04	112	464	--	--	--	100	--	370	--	100	0	
	64-05-14	112	464	22	--	--	66	16	340	5.5	96	0	
	67-00-00	112	464	--	--	--	84	18	360	5.0	100	0	

M.00, Trace is present, and quantity rounds to hundredths of a whole number]

OIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CMLD- RIOE (CL)	OIS- SOLVED FLUO- (F)	TOTAL (NO3) (MG/L)	DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)	NON- HARD- NESS (CA, MG) (MG/L)	CAR- BONATE NESS (MG/L)	SPE- CIFIC CON- DUCT- ANCE PERCENT 5001UM (MICRD- MMOS)	PH	TEMPER- ATURE (DEG C)	OIS- SOLVED BORON (B) (UG/L)	LOCAL IOENT- I- FIER	
(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(UNITS)					
950	400	--	3.7	2150	--	640	620	--	2980	7.3	--	1570	005S022E28C01S
--	420	2.8	--	2160	--	--	--	--	3030	--	--	1570	
1000	420	--	--	--	2190	680	670	--	3160	7.7	32.2	--	
970	440	--	3.8	--	2160	700	670	--	3090	7.7	32.8	--	
1000	390	2.8	3.1	2190	--	710	690	--	2940	7.8	--	1530	005S022E28C02S
970	430	--	3.1	2220	--	700	690	--	3060	7.3	--	1600	
380	400	2.2	9.7	--	--	330	280	--	2090	7.2	31.1	--	005S022E33J01S
380	380	--	9.3	1320	--	310	270	--	2080	7.6	--	1280	
380	400	1.7	--	--	--	340	298	--	2200	7.4	--	--	
330	390	--	.62	1260	--	180	82	81	2060	8.0	--	1060	005S022E35A01S
350	900	1.6	--	--	--	190	90	--	2160	7.4	30.6	--	
340	340	1.9	--	--	--	220	150	--	1940	7.6	30.6	1000	005S022E35M01S
400	410	1.6	--	--	--	260	210	--	2160	7.1	30.6	--	
350	390	--	2.5	1250	--	250	180	--	2030	--	--	1060	
290	130	--	.20	--	868	480	230	--	1330	8.0	--	40	005S023E34001S
420	130	.5	--	--	1100	560	270	--	1740	7.7	22.2	--	005S024E30801S
1060	640	4.0	M.00	3100	--	--	--	--	4700	7.6	--	1540	006S021E36R01S
410	400	1.1	14	1390	1390	120	30	88	2350	7.8	33.3	620	
440	420	3.0	4.5	1420	1470	130	30	88	2300	7.9	--	1070	
210	240	--	.00	912	--	370	180	51	1440	8.0	--	100	006S022E01F01S
150	160	1.2	--	--	--	86	0	--	1210	7.7	--	--	006S022E01N01S
120	180	--	.00	721	640	76	0	85	1150	8.2	--	M0	006S022E02P01S
150	170	--	.62	710	--	--	--	--	1190	8.3	--	220	
150	180	1.7	--	--	711	64	0	--	1220	8.2	--	340	
--	--	--	--	--	--	--	--	--	--	--	--	1400	006S022E03801S
250	360	2.0	6.0	1120	--	270	200	66	1700	7.5	--	1100	006S022E08J01S
600	440	2.1	6.0	1730	--	640	570	51	2600	7.6	--	2000	006S022E08L01S
230	290	2.2	6.0	941	--	220	140	70	1520	7.4	--	800	006S022E09Q01S
250	370	2.1	6.0	1140	--	230	150	71	1800	7.6	--	900	006S022E09M01S
480	580	--	--	--	1670	430	390	--	2920	7.5	32.2	--	006S022E09P01S
220	390	3.4	1.0	1040	--	270	200	67	1700	7.4	--	1600	006S022E09Q01S
160	220	5.0	.00	825	--	150	0	77	1400	7.7	--	700	006S022E10H01S
430	120	--	M.00	1130	--	--	--	--	1600	7.8	--	160	006S022E11M01S
300	310	--	19	1220	--	--	--	--	1870	--	--	390	
310	330	1.0	--	--	1180	430	240	--	2060	7.2	27.2	200	
450	360	.9	--	--	1470	580	340	--	2420	7.7	24.4	--	006S022E11R01S
580	200	.9	--	--	1510	660	300	--	2400	7.5	24.4	--	006S022E11R02S
340	280	.9	8.7	1250	--	360	150	--	1940	7.7	--	400	006S022E12E01S
300	310	.9	15	1340	--	390	190	--	2060	8.2	--	480	
--	370	--	--	1500	1370	--	--	--	2300	--	--	720	
--	410	--	--	--	--	--	--	--	2420	--	--	830	006S022E12F01S
--	370	--	--	1500	--	--	--	--	2300	--	--	720	
400	320	.8	4.1	1360	--	400	190	63	--	8.0	--	--	006S022E12L02S
120	120	.9	M.00	567	--	170	0	--	966	8.1	--	120	006S022E12L02S
110	120	.8	.62	580	--	170	0	--	980	8.1	--	80	
260	140	.5	--	--	867	430	160	--	1450	7.5	22.2	--	006S022E13001S
800	210	1.3	--	--	1730	600	350	--	2630	7.7	21.1	--	006S022E13002S
500	350	1.0	--	--	1540	580	330	--	2600	7.7	24.4	--	006S022E14L01S
500	360	.9	--	--	1540	580	330	--	2590	7.7	23.9	--	006S022E14L02S
190	210	3.2	1.2	797	--	120	0	--	1370	8.0	--	570	006S022E15M01S
220	220	--	--	--	863	120	0	--	1440	8.0	20.0	--	
190	220	3.5	1.2	811	--	120	0	--	1380	--	--	560	
190	220	3.8	--	--	820	120	0	--	1400	7.4	26.7	--	
190	220	--	.20	--	822	120	0	--	1400	8.1	--	450	
180	210	3.2	--	--	796	66	0	--	1390	8.0	32.6	--	006S022E15Q01S
150	180	2.3	--	--	752	58	0	--	1320	7.9	33.3	--	
400	380	--	11	1410	--	350	300	65	2060	7.7	--	1400	006S022E17L01S
600	320	2.0	7.0	1580	--	430	350	61	2350	7.5	--	1500	006S022E17L02S
500	370	1.6	6.0	1100	--	400	350	63	2000	7.7	--	1200	006S022E18A01S
720	480	1.8	4.0	2190	--	720	670	52	2950	7.6	--	2000	006S022E18J01S
210	270	1.8	--	--	838	180	120	--	1510	8.0	31.1	--	006S022E20A01S
210	230	2.7	.00	945	--	150	2	76	1450	7.8	--	1200	006S022E21B01S
200	270	3.6	.00	935	--	150	35	79	1500	7.6	--	900	006S022E21K01S
200	200	.2	1.0	831	--	62	0	90	1300	8.3	--	--	006S022E22B01S
350	210	.8	--	--	1020	580	380	--	1740	7.8	23.3	--	006S022E26E01S
310	110	.7	--	--	857	470	240	--	1420	7.4	24.4	--	006S022E26E02S
500	190	.8	--	--	1790	640	370	--	2080	7.7	21.7	--	006S022E26G01S
500	180	1.3	--	--	1180	670	470	--	1930	7.5	21.7	--	006S022E26G02S
230	240	2.0	--	--	937	120	0	--	1550	7.7	30.6	130	006S022E28G01S
250	260	2.2	1.0	917	--	170	91	--	1510	7.7	--	1160	006S022E29G01S
230	210	--	.86	809	--	--	--	--	1360	7.8	--	1280	006S022E32F01S
220	210	2.5	11	823	813	100	9	83	1340	8.1	--	--	
300	300	--	.62	1030	--	--	--	--	1690	7.5	--	1080	006S022E32K01S
--	300	--	--	--	--	--	--	--	1670	--	--	1180	
670	410	--	1.9	1780	--	--	--	--	2700	7.9	--	1970	
580	380	--	1.2	1590	--	--	--	--	2480	8.0	--	1630	
370	330	--	3.7	--	1180	220	150	--	1960	8.2	--	1200	
460	360	1.8	1.2	1400	--	--	--	--	2230	--	--	1410	
400	370	2.0	.00	1260	1290	280	200	72	2000	8.0	--	1440	
440	380	2.3	2.0	1420	--	290	200	73	2220	7.9	--	1500	

LOCAL IDENT- I- FIER	DATE OF SAMPLE	DEPTH TO TOP OF INTER- VAL (FT)	DEPTH TO BOT- OM OF SAMPLE (FT)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	TOTAL IRON (Fe) (UG/L)	DIS- SOLVED IRON (Fe) (UG/L)	DIS- SOLVED CAL- CIUM (Ca) (MG/L)	DIS- SOLVED MAG- NESIUM (Mg) (MG/L)	DIS- SOLVED SIUH (Na) (MG/L)	DIS- SOLVED PO- TAS- SIUM (K) (MG/L)	BICAR- BONATE (MCO ₃) (MG/L)	CAR- BONATE (C03) (MG/L)	
006S022E32R01S	S6-03-01	120	488	--	--	--	160	--	440	--	140	0	
	63-06-11	120	488	27	--	--	65	19	--	--	210	0	
006S022E34L01S	61-05-25	350	360	16	--	0	81	26	370	4.8	270	0	
006S022E35H01S	62-02-07	295	310	8.0	--	--	57	20	--	--	250	0	
006S022E35R02S	62-10-23	304	328	19	--	--	79	28	--	--	260	0	
006S023E29N01S	62-02-07	252	266	14	--	--	140	34	--	--	290	0	
006S023E29N02S	S6-10-23	20	25	--	--	--	220	--	220	--	210	0	
006S023E29R01S	61-02-07	264	368	20	--	10	130	28	110	3.6	270	0	
	62-10-23	264	368	17	--	--	120	30	--	--	250	0	
006S023E31G02S	S1-09-13	125	135	--	--	--	170	49	240	--	430	0	
006S023E31J01S	62-02-06	350	380	7.0	--	--	40	11	--	--	220	0	
006S023E32D01S	62-10-23	122	296	21	--	--	140	38	--	--	340	0	
006S023E32N01S	61-02-07	310	335	21	--	10	44	12	130	2.6	220	0	
006S023E32P01S	60-03-11	245	324	--	--	200	68	11	100	5.0	230	0	
	61-02-07	245	324	21	--	10	91	22	120	3.0	250	0	
006S023E32R001S	62-10-23	245	324	18	--	--	100	27	--	--	260	0	
006S023E33G01S	60-09-14	342	366	--	--	--	46	11	120	2.0	220	0	
006S023E33k01S	62-02-07	351	408	11	--	--	80	17	--	--	250	0	
006S023E33H01S	S8-06-16	70	100	--	--	240	--	70	17	96	.0	230	0
006S023E35R01S	62-02-07	70	100	11	--	--	70	19	--	--	250	0	
006S023E36N01S	S6-03-08	--	--	--	--	--	160	52	140	5.5	340	0	
	52-02-14	235	240	--	--	--	260	90	810	--	310	0	
	S6-03-08	235	248	--	--	--	220	63	440	8.6	320	0	
	S6-05-30	235	248	25	--	--	--	--	420	--	320	0	
007S021E14801S	61-05-15	235	248	25	--	--	120	29	120	4.0	300	0	
	62-05-23	235	248	19	--	--	110	34	120	3.2	310	0	
	63-05-22	235	240	13	--	--	130	28	11	5.9	320	0	
	67-05-16	235	248	--	--	--	140	42	140	4.0	330	0	
	66-02-00	--	--	24	--	--	85	2.9	--	--	59	0	
007S022E03001S	67-03-27	45	49	19	--	--	47	17	--	--	240	0	
007S022E03002S	67-03-29	18	20	22	--	--	56	35	--	--	320	0	
007S022E03H01S	67-03-30	114	118	23	--	--	160	91	--	--	400	0	
007S022E03M02S	67-03-30	20	22	20	--	--	98	55	150	--	220	0	
007S022E04P01S	S9-08-13	118	136	25	--	300	41	14	280	5.1	180	0	
007S022E111Q01S	60-02-29	118	136	--	--	--	53	18	350	--	200	0	
	61-05-25	118	136	30	--	--	110	29	500	--	160	0	
	62-10-22	118	136	25	--	--	120	46	--	--	170	--	
007S022E11J01S	62-02-14	--	--	12	--	--	44	12	--	--	240	0	
	S7-05-15	.00	120	20	--	--	170	46	130	8.4	280	0	
007S022E34H01S	57-05-15	.00	114	30	--	--	270	81	540	7.0	400	0	
007S022E34H02S	S1-03-24	.00	101	--	--	--	80	29	180	4.8	260	0	
	S7-05-15	.00	101	30	--	--	97	33	200	5.0	300	0	
007S023E04M01S	S6-12-12	--	--	--	--	--	170	43	180	3.9	350	0	
007S023E05S001S	62-02-07	104	190	14	--	--	110	26	--	--	290	0	
007S023E05E01S	62-02-15	--	--	16	--	--	63	17	--	--	230	0	
007S023E09C01S	S6-12-12	--	--	--	--	--	130	42	210	3.7	170	0	
007S023E17D01S	62-02-14	112	147	17	--	--	130	36	--	--	300	0	
007S023E17E01S	62-02-14	--	--	13	--	--	170	54	--	--	320	0	
007S023E18A01S	62-02-14	465	486	12	--	--	120	34	--	--	220	0	
007S023E21H01S	62-02-15	--	--	11	--	--	36	9.0	--	--	240	0	
007S023E29D001S	61-05-25	350	353	19	3700	30	160	37	280	6.3	280	0	
007S023E32M01S	62-02-14	--	--	15	--	--	68	19	--	--	240	0	
008S021E13A01S	63-08-14	39	430	28	--	--	260	43	--	--	160	0	
	63-08-28	39	430	30	--	0	29	12	740	7.0	250	12	
008S022E19A01S	63-03-00	--	--	24	--	--	150	73	--	--	390	0	
008S022E22N01S	57-05-17	.00	100	20	--	--	140	56	200	4.1	380	0	
008S022E24A01S	63-02-13	--	--	23	--	--	180	55	--	--	350	0	
008S023E06P01S	62-02-00	362	370	10	--	--	71	18	--	--	220	0	
008S023E07B01S	62-02-14	370	382	11	--	--	69	26	--	--	220	0	
009S021E01N01S	63-02-07	--	--	19	--	--	160	63	--	--	570	0	
009S021E02C01S	69-10-06	420	440	--	--	0	520	72	3800	32	300	0	
009S021E02C02S	58-10-14	--	--	--	3600	--	160	60	410	14	440	--	
009S021E02C03S	S0-05-11	--	--	--	--	--	99	29	220	--	300	0	
009S021E02001S	S4-03-09	--	--	--	300	--	100	60	510	8.0	320	0	
009S021E02002S	61-04-06	--	--	--	860	--	170	54	540	7.5	--	0	
	61-06-09	--	--	--	2500	--	140	44	400	8.0	--	--	
009S021E02J01S	62-03-27	229	231	20	--	--	510	150	--	--	430	0	
009S021E02J03S	62-03-27	92	94	25	--	--	57	24	--	--	610	0	
009S021E02J04S	62-05-15	50	52	8.0	--	--	98	79	--	--	570	0	
009S021E02P01S	63-05-07	103	104	23	--	--	470	160	--	--	600	0	
009S021E03N01S	S3-03-13	--	--	25	--	--	190	62	--	--	120	0	
009S021E03Q01S	59-10-20	40	60	--	--	--	260	--	570	--	320	0	
	62-02-07	40	60	--	--	--	160	35	790	4.7	330	0	
009S021E11A01S	63-03-27	119	120	21	--	--	250	99	--	--	520	0	
009S021E11A02S	63-05-08	99	100	21	--	--	41	13	--	--	520	0	
009S021E11K01S	63-03-26	109	110	24	--	--	110	43	--	--	330	0	
009S021E15A01S	55-12-27	42	56	--	--	--	250	--	1400	16	320	0	
009S021E24D001S	63-05-09	102	104	20	--	--	7.0	2.3	--	--	360	0	

DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CNLDO- RIDE (CL) (MG/L)	DIS-SOLVED FLUO- RIDE (F) (MG/L)	DIS-SOLVED TOTAL (NO3) (MG/L)	DIS-SOLVED SOLID SOLID105 (RESI- DUE AT 180 C) (MG/L)	DIS-SOLVED (SUM OF CONSTITUENTS) (MG/L)	NON-CAR- BONATE (CA, MB) (MG/L)	HARD- NESS (Mg/L)	SPECIFIC CONDUC- TANCE (MICRO- MH05)	PH	TEMPER- ATURE (DEG C)	DIS- SOLVED BORON (B) (UG/L)	LOCAL IDENT- I- FIER
490	500	1.8	35	1760	--	--	--	2750	7.8	--	970	0065022E32R015
530	260	--	8.1	--	1420	240	65	2200	6.3	31.1	1300	
350	370	.6	.30	--	1350	310	68	72	2220	7.8	--	0065022E34L015
180	200	--	--	--	797	220	19	--	1490	8.0	20.0	--
170	180	.5	--	--	752	310	100	--	1320	7.4	26.1	--
450	110	--	--	--	1060	500	260	--	1480	7.7	20.0	--
320	360	.6	14	1330	--	--	--	2050	6.0	--	300	0065023E29N025
300	110	.4	.50	--	847	450	230	35	1290	7.6	--	0065023E29R015
280	120	.5	--	--	786	430	230	--	1290	7.4	--	
560	190	--	1.9	1480	--	630	280	--	2140	7.3	--	270
100	100	--	--	--	498	150	0	--	852	8.0	15.6	--
380	140	.6	--	--	1050	510	240	--	1610	7.4	24.4	--
94	110	.6	.50	--	522	160	0	64	881	7.7	30.8	--
90	120	.1	M.00	620	525	220	28	50	900	7.6	--	0065023E32N015
150	150	.4	3.1	--	690	320	110	45	1150	7.6	--	0065023E32P015
190	160	.5	--	--	787	370	160	--	1370	7.4	25.6	--
90	110	.2	.00	--	--	160	0	62	817	7.8	--	--
160	120	--	--	--	621	270	68	--	997	7.7	24.4	--
92	93	--	--	--	478	230	38	--	874	6.0	23.9	--
99	110	.2	.00	625	--	250	61	46	--	7.7	23.9	--
160	120	--	--	--	634	270	66	--	1010	7.7	23.9	--
480	120	.6	3.7	1210	--	610	340	33	1720	7.5	--	220
870	1100	.4	--	3530	--	1000	750	--	--	7.6	--	0065023E36N015
540	660	.1	1.2	2250	--	810	550	54	3510	7.6	--	630
--	660	--	--	--	--	790	530	--	3380	7.6	20.0	--
240	120	.5	.50	830	806	410	160	36	1260	7.8	21.7	120
240	140	.0	.00	874	819	420	170	38	1320	7.9	--	180
260	140	.2	.00	934	746	450	190	5	1350	7.8	--	220
280	210	.6	1.5	1110	--	540	270	37	1610	7.7	--	200
460	1200	6.4	--	2800	--	220	180	--	4490	7.9	--	1600
400	180	2.0	--	--	1090	190	0	--	1810	7.7	25.6	--
520	340	1.8	--	--	--	280	22	--	2650	7.7	25.0	--
700	660	.9	--	--	2390	810	480	--	3900	7.4	23.3	--
400	140	.9	--	--	969	470	290	--	1570	7.4	22.8	--
230	270	1.5	.81	--	860	160	12	79	1750	7.9	--	0075022E04P015
290	350	2.2	8.1	1200	--	210	42	--	1950	7.9	--	550
520	520	--	52	--	1840	390	240	--	2950	7.4	28.3	650
700	600	--	--	--	2140	510	360	--	3790	7.3	27.8	--
140	130	--	--	--	623	160	0	--	1080	7.9	18.9	--
470	140	.4	.00	1200	1130	620	390	31	1690	7.3	--	180
540	920	.6	4.0	2790	2590	1000	680	54	3700	7.9	--	280
130	250	--	.99	856	--	320	110	55	1290	7.9	21.1	180
180	260	.5	2.0	1010	953	380	130	53	1680	8.0	--	160
410	190	.5	4.3	1260	--	600	310	39	1850	8.0	--	70
220	150	--	--	--	806	380	140	--	1290	7.8	23.3	--
130	120	--	--	--	592	230	41	--	997	7.6	21.7	--
550	160	.5	3.6	1260	--	500	360	48	1820	7.7	--	320
380	250	--	--	--	1200	470	220	--	1880	7.7	24.4	--
580	340	--	--	--	1640	650	390	--	2410	7.5	23.9	--
230	290	--	--	--	976	440	260	--	1700	7.7	25.6	--
140	110	--	--	--	604	120	0	--	1020	8.1	19.4	--
340	400	.2	3.0	--	1380	540	310	52	2250	7.5	--	0075022E29D015
100	97	--	--	--	507	250	48	--	897	7.8	20.0	--
1600	3000	--	--	--	7490	820	660	--	11700	7.6	28.3	--
730	520	8.0	.30	--	2200	120	0	92	3420	8.6	23.9	1000
410	130	1.4	--	--	1110	680	360	--	1770	7.3	--	--
400	210	.5	1.0	1260	1220	580	270	43	1820	8.0	--	260
600	180	1.1	--	--	1440	680	400	--	2160	7.6	22.2	--
130	99	--	--	--	534	250	66	--	887	7.8	21.7	--
190	120	--	--	--	635	330	150	--	1040	7.6	22.2	--
1200	1700	--	--	--	5160	660	190	--	8170	7.9	--	0095021E01N015
2600	5300	4.8	--	13100	--	1600	1300	63	20000	7.5	--	0095021E02C015
570	410	--	.00	1360	--	660	300	57	--	--	--	0095021E02C025
360	160	--	--	1170	--	370	120	--	1540	--	--	690
850	570	1.1	M.00	2380	--	690	430	61	--	7.0	--	0095021E02C035
510	660	--	1.1	2310	--	650	--	64	--	8.1	--	0095021E02C045
520	410	1.2	.28	1810	--	520	--	62	--	8.1	--	
4200	5200	--	--	--	14900	1700	1600	--	21100	8.2	24.4	--
1200	1300	--	--	--	4400	240	0	--	6950	8.0	24.4	--
1100	660	--	--	--	3100	570	100	--	4820	8.0	--	0095021E02J045
3400	5400	--	--	--	14400	1800	1400	--	21100	7.4	23.9	--
850	1700	--	--	--	4040	730	630	--	6630	7.6	26.1	--
890	490	--	10	2460	--	--	--	--	3530	7.8	--	1480
990	660	5.0	35	2900	--	540	270	76	4360	8.0	--	1960
2000	2800	--	--	--	8040	1000	590	--	12300	7.6	22.6	--
850	840	--	--	--	3110	160	0	--	5060	8.0	22.6	--
320	120	.7	--	--	920	450	180	--	1470	7.7	21.1	--
970	1800	--	.62	4650	--	--	--	61	7340	8.1	--	3370
320	140	2.4	--	--	1040	29	0	--	1670	8.1	22.2	--

TABLE 5.--*Public water supply criteria*

[Data from U.S. Environmental Protection Agency, 1972]

Constituent	Recommended limit (milligrams per liter except silver, which is in micrograms per liter)
Arsenic (As)	0.1
Ammonia (NH_4)	.5
Barium (Ba)	1.0
Cadmium (Cd)	.010
Chloride (Cl)	250
Chromium (Cr^{+6})	.05
Copper (Cu)	1.0
Fluoride (F)	¹ 1.4-2.4
Iron (Fe)	.3
Lead (Pb)	.05
Manganese (Mn)	.05
Mercury (Hg)	.002
Nitrate-Nitrogen (N)	10
Nitrate (NO_3)	44
Selenium (Se)	.01
Silver (Ag)	1.0
Sulfate (SO_4)	250
Zinc (Zn)	5

¹Depends on annual average of maximum daily air temperature.

TABLE 6.--*Pumping tests*

Time: Time of measurement, in minutes, after pump was started.

Static water level: Depth to water, in feet below or above (+) land-surface datum, prior to start of test.

Pumping water level: Depth to water, in feet below or above (+) land-surface datum, at end of test.

Drawdown: Difference, in feet, between the static and pumping water levels.

Yield: Yield of the well, in gallons per minute, for drawdown indicated.

Specific capacity: Yield, in gallons per minute per foot of drawdown.

In a fully efficient and fully penetrating well, specific capacity directly reflects aquifer transmissivity. A declining specific capacity, with time, indicates deteriorating well condition. An increasing specific capacity indicates continuing development of the aquifer near the well. For a given amount of available drawdown, a well with a large specific capacity will have a greater yield than a well with a small specific capacity.

STATE NUMBER	DATE	TIME	STATIC WATER LEVEL (MIN)	PUMPING WATER LEVEL (FT)	DRAW- DOWN (FT)	YIELD (GAL/ MIN)	SPECIFIC CAPACITY [(GAL/ MIN)/FT]
05S/22E-28C01 S	06 27 60		220.0	265.0	45.0	1445.0	32.11
05S/22E-28C01 S	11 17 60		220.0	265.0	45.0	2000.0	44.44
05S/22E-28C01 S	02 13 62	1800			26.6	1000.0	37.59
05S/22E-28C02 S	03 16 59		239.0	264.0	25.0	890.0	35.60
05S/22E-28C02 S	09 27 63		230.0	260.0	30.0	900.0	30.00
05S/22E-31E01 S	07 26 65	720	222.0	263.0	41.0	560.0	13.66
05S/22E-33J01 S	03 16 62	600			70.0	1050.0	15.00
05S/22E-33J01 S	04 16 62					1049.0	
05S/22E-33J01 S	01 23 69					1021.0	
05S/22E-33J02 S	03 01 68	1080	183.0	244.0	61.0	1020.0	16.72
05S/22E-33J02 S	01 16 69					1090.0	
05S/22E-35A01 S	10 23 64		175.5	220.0	44.5	1950.0	43.82
05S/22E-35M01 S	01 64		165.0	181.6	16.6	500.0	30.12
05S/22E-35M01 S	06 21 66		180.0			900.0	
05S/22E-35M02 S	12 23 66	360	158.0	232.0	74.0	1850.0	25.00
05S/22E-36G01 S	07 13 67	540			55.0	2000.0	36.36
05S/22E-36H01 S	03 12 68	720	165.0	210.0	45.0	1800.0	40.00
05S/23E-35M01 S	04 27 66	180	7.0	13.0	6.0	60.0	10.00
05S/24E-18L01 S	11 12 50	180	12.5	22.5	10.0	35.0	3.50
05S/24E-30B01 S	06 18 64	45	11.4			2040.0	

STATE NUMBER	DATE	TIME (MIN)	STATIC WATER LEVEL	PUMPING WATER LEVEL	DRAW- DOWN (FT)	YIELD (GAL/ MIN)	SPECIFIC CAPACITY [(GAL/ MIN)/FT]
			(FT)	(FT)	(FT)		
05S/24E-30B01	S 06 18 64	180	11.4	-		2200.0	
05S/24E-30B01	S 06 18 64	360	11.4			2200.0	
06S/21E-25A01	S 42		145.0	153.0	8.0	300.0	37.50
06S/21E-25A01	S 42		145.0	157.0	12.0	400.0	33.33
06S/21E-25A01	S 42	180	145.0	161.0	16.0	450.0	28.13
06S/21E-36R01	S 04 46	600	138.0	148.0	10.0	800.0	80.00
06S/22E-01F01	S 06 02 66	720	142.0	180.0	38.0	2275.0	59.87
06S/22E-01F01	S 10 06 66		145.0	156.0	11.0	2560.0	232.73
06S/22E-01F01	S 10 06 66		145.0	154.5	9.5	1928.0	202.90
06S/22E-02F01	S 08 03 71	240	140.0	197.0	57.0	2000.0	35.09
06S/22E-02P01	S 02 06 64	1440	137.5	165.5	28.0	1500.0	53.57
06S/22E-02P01	S 05 13 64		148.4	186.2	37.8	1269.0	33.60
06S/22E-02P01	S 05 13 64		148.4	185.5	37.1	1238.0	33.37
06S/22E-02P01	S 05 13 64		148.4	185.2	36.8	1179.0	32.04
06S/22E-02P01	S 05 13 64		148.4	172.6	24.2	1044.0	43.14
06S/22E-02P02	S 08 20 68		149.0	188.0	39.0	1800.0	46.15
06S/22E-03B01	S 01 20 64	1440	161.0	199.0	38.0	1550.0	40.79
06S/22E-03R01	S 04 12 66	1380	142.0	187.0	45.0	2000.0	44.44
06S/22E-03R01	S 10 06 66		146.8			1502.0	
06S/22E-03R02	S 05 17 66	750	143.0	184.0	41.0	2500.0	60.98
06S/22E-03R02	S 10 06 66		146.9			2042.0	
06S/22E-08J01	S 06 25 66		155.0	195.0	40.0	1500.0	37.50
06S/22E-08J01	S 06 25 66		155.0	200.0	45.0	1600.0	35.56
06S/22E-08J01	S 06 25 66	480	155.0	210.0	50.0	1700.0	34.00
06S/22E-08J01	S 08 24 66		164.0	188.5	24.5	1587.0	64.80
06S/22E-08L01	S 08 03 66	900	151.0	203.0	52.0	2300.0	44.23
06S/22E-08L01	S 08 24 66			202.0		1503.0	
06S/22E-09L01	S 05 15 66	540	143.0	193.0	50.0	2400.0	48.00
06S/22E-09L01	S 08 24 66		158.7	191.7	33.0	1774.0	53.80
06S/22E-09M01	S 06 20 66	480	151.0	215.0	64.0	1750.0	27.34
06S/22E-09M01	S 08 24 66		161.3	195.7	34.4	1496.0	43.50
06S/22E-09P01	S 06 10 67	120			10.0	15.0	1.50
06S/22E-09Q01	S 07 08 66		155.0	180.0	25.0	1200.0	48.00
06S/22E-09Q01	S 07 08 66		155.0	186.0	31.0	1400.0	45.16
06S/22E-09Q01	S 07 08 66		155.0	197.0	42.0	1650.0	39.29
06S/22E-09Q01	S 07 08 66	480	155.0	210.0	55.0	2000.0	36.36
06S/22E-09Q01	S 08 23 66			200.5		1923.0	
06S/22E-10H01	S 07 23 66	480			62.0	2100.0	33.87
06S/22E-10H01	S 08 23 66		156.0	200.2	44.2	2113.0	47.80
06S/22E-11H01	S 06 18 64				9.0	665.0	73.89

STATE NUMBER	DATE	TIME (MIN)	STATIC WATER LEVEL	PUMPING WATER LEVEL	DRAW- DOWN (FT)	YIELD (GAL/ MIN)	SPECIFIC CAPACITY [(GAL/ MIN)/FT]
			(FT)	(FT)	(FT)		
06S/22E-11N01 S	07 10 68	300	145.0	185.0	40.0	3000.0	75.00
06S/22E-12C01 S	05 29 69	300	145.0	230.0	85.0	900.0	10.59
06S/22E-12E01 S	11 04 70		153.2	174.8	21.6	1256.0	58.20
06S/22E-12L02 S	05 22 64		18.0	39.0	21.0	150.0	7.14
06S/22E-15M01 S	06 12 63				21.0	475.0	22.62
06S/22E-15Q01 S	09 16 63				12.0	712.0	59.33
06S/22E-15Q01 S	06 28 67		132.0			639.0	
06S/22E-16A01 S	03 29 66		124.0	137.0	13.0	1500.0	115.38
06S/22E-16A01 S	03 29 66		124.0	144.0	20.0	1800.0	90.00
06S/22E-16A01 S	03 29 66		124.0	151.0	27.0	2100.0	77.78
06S/22E-16A01 S	03 29 66		124.0	154.0	30.0	2300.0	76.67
06S/22E-16A01 S	03 29 66		124.0	157.0	33.0	2500.0	75.76
06S/22E-16A01 S	03 29 66		124.0	160.0	36.0	2700.0	75.00
06S/22E-16A01 S	03 29 66		124.0	164.0	40.0	2750.0	68.75
06S/22E-16A01 S	04 04 67		124.0			2400.0	
06S/22E-16D01 S	04 12 66		148.0	170.0	22.0	850.0	38.64
06S/22E-16D01 S	04 12 66		148.0	172.0	24.0	900.0	37.50
06S/22E-16D01 S	04 12 66		148.0	182.0	34.0	1150.0	33.82
06S/22E-16D01 S	04 12 66		148.0	185.0	47.0	1550.0	32.98
06S/22E-16D01 S	04 12 66		148.0	206.0	58.0	1950.0	33.62
06S/22E-16D01 S	04 12 66	480	148.0	206.0	58.0	1900.0	32.76
06S/22E-16D01 S	08 22 66			218.2		1725.0	
06S/22E-16E01 S	01 16 69					2030.0	
06S/22E-16P01 S	01 16 69					2233.0	
06S/22E-17B01 S	05 26 66		149.0	183.0	34.0	1000.0	29.41
06S/22E-17B01 S	05 26 66		149.0	189.0	40.0	1100.0	27.50
06S/22E-17B01 S	05 26 66		149.0	194.0	45.0	1200.0	26.67
06S/22E-17B01 S	05 26 66		149.0	200.0	51.0	1300.0	25.49
06S/22E-17B01 S	05 26 66	900	149.0	205.0	56.0	1400.0	25.00
06S/22E-17B01 S	08 22 66		149.0	200.5	51.5	1576.0	30.60
06S/22E-17L01 S	04 01 66	540	144.0	210.0	66.0	2500.0	37.88
06S/22E-17L01 S	08 23 66		159.2	199.0	39.8	2170.0	54.50
06S/22E-17L02 S	04 25 66	480	149.0	204.0	55.0	2350.0	42.73
06S/22E-17L02 S	08 23 66		156.0	195.0	39.0	2219.0	56.90
06S/22E-18A01 S	06 02 66		155.0	185.0	30.0	1100.0	36.67
06S/22E-18A01 S	06 02 66		155.0	192.0	37.0	1300.0	35.14
06S/22E-18A01 S	06 02 66		155.0	200.0	45.0	1500.0	33.33
06S/22E-18A01 S	06 02 66	360	155.0	208.0	53.0	1600.0	30.19
06S/22E-18A01 S	08 22 66			190.3		1419.0	
06S/22E-18A01 S	08 23 66					1470.0	

STATE NUMBER	DATE	TIME (MIN)	STATIC WATER LEVEL	PUMPING WATER LEVEL	DRAW- DOWN (FT)	YIELD (GAL/ MIN)	SPECIFIC CAPACITY [(GAL/ MIN)/FT]
			(FT)	(FT)	(FT)		
06S/22E-18J01	S 06 14 66		156.0	188.0	32.0	1100.0	34.38
06S/22E-18J01	S 06 14 66		156.0	193.0	37.0	1200.0	32.43
06S/22E-18J01	S 06 14 66		156.0	195.0	39.0	1300.0	33.33
06S/22E-18J01	S 06 14 66		156.0	200.0	44.0	1500.0	34.09
06S/22E-18J01	S 06 14 66	240	156.0	208.0	52.0	1800.0	34.62
06S/22E-18J01	S 08 23 66			201.1		1568.0	
06S/22E-21B01	S 04 28 66	510	117.0	162.0	45.0	2600.0	57.78
06S/22E-21B01	S 08 23 66		120.7	178.4	57.7	3107.0	53.85
06S/22E-21K01	S 05 11 66	480	126.0	169.0	43.0	2700.0	62.79
06S/22E-21K01	S 08 24 66		121.3	162.4	41.1	2773.0	67.47
06S/22E-22B01	S 04 18 66	480	120.0	147.0	27.0	2700.0	100.00
06S/22E-22B01	S 08 23 66					3111.0	
06S/22E-22B01	S 08 24 66		115.0	151.0	36.0	3229.0	89.69
06S/22E-28G01	S 02 19 65	360	112.0	143.0	31.0	1609.0	51.90
06S/22E-29D01	S 07 06 42	1470	142.0	180.0	38.0	470.0	12.37
06S/22E-29G01	S 01 08 47		147.0	158.0	11.0	800.0	72.73
06S/22E-29J01	S 10 43		137.5	148.8	11.3	375.0	33.19
06S/22E-32F01	S 08 43		137.0	149.0	12.0	200.0	16.67
06S/22E-32F01	S 08 43		137.0	152.0	15.0	300.0	20.00
06S/22E-32F01	S 08 43		137.0	155.0	18.0	350.0	19.44
06S/22E-32K01	S 07 15 54		114.0	276.0	162.0	1300.0	8.02
06S/22E-32R01	S 06 11 63				66.0	650.0	9.85
06S/22E-35M01	S 06 13 53		7.0	17.0	10.0	250.0	25.00
06S/22E-35R01	S 01 30 48					425.0	
06S/22E-35R02	S 01 30 48					425.0	
06S/22E-35R02	S 10 23 62		7.2	22.2	15.0	520.0	34.67
06S/23E-07B01	S 05 18 53		8.0	15.0	7.0	250.0	35.71
06S/23E-16E01	S 06 10 66	300	6.0	8.5	2.5	155.0	62.00
06S/23E-27E01	S 11 18 53		7.0	14.0	7.0	70.0	10.00
06S/23E-29E02	S 08 20 63	300	8.0	16.0	8.0	575.0	71.88
06S/23E-29R01	S 03 07 50		10.0			600.0	
06S/23E-29R01	S 05 02 60		12.0	42.0	30.0	361.0	12.03
06S/23E-29R01	S 02 07 61				30.0	459.0	15.30
06S/23E-29R01	S 10 23 62		10.0	43.0	33.0	360.0	10.91
06S/23E-29R01	S 10 28 70		10.2	38.9	28.7	381.0	13.30
06S/23E-31J01	S 07 06 57	360	4.5	12.5	8.0	460.0	57.50
06S/23E-32C01	S 06 23 47		9.0			700.0	
06S/23E-32C01	S 10 28 70					493.0	
06S/23E-32D01	S 07 30 53		5.0	13.0	8.0	650.0	81.25
06S/23E-32D01	S 08 02 60		9.0	42.5	33.5	522.0	15.58

STATE NUMBER	DATE	TIME (MIN)	STATIC WATER LEVEL (FT)	PUMPING WATER LEVEL (FT)	DRAW- DOWN (FT)	YIELD (GAL/ MIN)	SPECIFIC CAPACITY [(GAL/ MIN)/FT]	
06S/23E-32D01	S 05 02 61		8.0	29.0	21.0	522.0	24.86	
06S/23E-32D01	S 10 23 62	120	7.0	38.1	31.0	520.0	17.00	
06S/23E-32D01	S 10 28 70		8.9	55.3	46.4	529.0	11.40	
06S/23E-32E01	S 08 03 65	2880	7.0	53.5	46.5	2000.0	43.01	
06S/23E-32E01	S 10 27 70		9.7	44.4	34.7	1178.0	34.00	
06S/23E-32F01	S	37		9.0	28.0	19.0	780.0	41.05
06S/23E-38F02	S	39		9.0	25.0	16.0	450.0	28.13
06S/23E-38F02	S 02 07 61				10.5	357.0	34.00	
06S/23E-38F02	S 10 27 70		9.7	31.4	21.7	351.0	16.18	
06S/23E-32G03	S 10 04 49		10.0	15.5	5.5	66.0	12.00	
06S/23E-32L01	S	43		6.0	19.0	13.0	690.0	53.08
06S/23E-32M01	S 08 03 48		8.0	46.0	38.0	550.0	14.47	
06S/23E-32N01	S 07 02 56	240	6.0	14.0	8.0	550.0	68.75	
06S/23E-32N01	S 10 27 70		8.7	29.2	20.5	464.0	22.60	
06S/23E-32P01	S 03 16 60	300	7.0	27.0	20.0	1216.0	60.80	
06S/23E-32P01	S 10 23 62		8.8	20.5	11.7	470.0	40.00	
06S/23E-32P01	S 10 27 70		10.0	18.1	8.1	533.0	65.80	
06S/23E-32Q01	S 04 10 58	300	8.0	33.0	25.0	650.0	26.00	
06S/23E-32Q01	S 10 28 70		10.2	32.5	22.3	338.0	15.10	
06S/23E-33B01	S 10 20 67	600	8.5	14.0	5.5	300.0	54.55	
06S/23E-33E01	S 09 02 47		9.0	10.0	1.0	550.0	550.00	
06S/23E-33E01	S 10 28 70		11.9	35.0	23.1	329.0	14.24	
06S/23E-33F01	S 05 31 66		8.0	46.0	38.0	290.0	7.63	
06S/23E-33F01	S 05 31 66		8.0	57.5	49.5	360.0	7.27	
06S/23E-33F01	S 05 31 66		8.0	64.0	56.0	410.0	7.32	
06S/23E-33F01	S 05 31 66	720	8.0	73.0	65.0	460.0	7.08	
06S/23E-33F02	S 09 30 48		6.0	14.0	8.0	40.0	5.00	
06S/23E-33G01	S 02 07 62		9.0	20.5	11.5	450.0	39.13	
06S/23E-33K01	S 02 07 62		8.0	21.0	13.0	450.0	34.62	
06S/23E-33K02	S 12 31 60	720	7.0	19.0	12.0	320.0	26.67	
06S/23E-33M01	S 02 07 62		8.0	13.0	5.0	300.0	60.00	
06S/23E-34M01	S 09 23 66		4.5	35.5	31.0	500.0	16.13	
06S/23E-34M01	S 09 23 66		4.5	59.5	55.0	960.0	17.45	
06S/23E-34M01	S 09 23 66	720	4.5	66.5	62.0	1140.0	18.39	
06S/23E-36N01	S 11 15 51		10.0	14.0	4.0	125.0	31.25	
06S/23E-36N01	S 11 15 51	180	10.0	14.0	4.0	125.0	31.25	
07S/21E-14H01	S 02 28 66	930	130.0			800.0		
07S/21E-14H01	S 03 01 66		130.0	290.0	160.0	800.0	5.00	
07S/22E-04P01	S 06 59		69.0			100.0		
07S/22E-06C01	S 07 24 69	300	136.0	148.0	12.0	210.0	17.50	

STATE NUMBER	DATE	TIME (MIN)	STATIC WATER LEVEL	PUMPING WATER LEVEL	DRAW- DOWN (FT)	YIELD (GAL/ MIN)	SPECIFIC CAPACITY [(GAL/ MIN)/FT]
			(FT)	(FT)	(FT)		
07S/22E-13J01	S 12 14 50		8.0	16.0	8.0	25.0	3.13
07S/22E-13J01	S 12 14 50	240	8.0	16.0	8.0	25.0	3.13
07S/22E-13J05	S 02 20 52		9.0	14.0	5.0	100.0	20.00
07S/22E-34H01	S 05 11 51		6.5	19.5	13.0	30.0	2.31
07S/22E-34H01	S 05 11 51	180	6.5	19.5	13.0	30.0	2.31
07S/22E-34H02	S 03 10 51		5.0	15.5	10.5	75.0	7.14
07S/22E-34H02	S 03 10 51	300	5.0	15.5	10.5	75.0	7.14
07S/23E-05D01	S 02 07 62				6.0	1500.0	250.00
07S/23E-05M01	S 05 19 67	1200	7.5	23.5	16.0	51.0	3.19
07S/23E-05N01	S 07 27 65	360	8.0	16.0	8.0	65.0	8.13
07S/23E-27N02	S 12 12 60	240	12.0	16.0	4.0	570.0	142.50
07S/23E-34P01	S 66	60			30.0	38.0	1.27
08S/21E-13A01	S 08 14 63		8.8	148.8	140.0	515.0	3.70
08S/21E-13A01	S 08 28 63	240	10.6	42.6	32.0	670.0	20.90
08S/22E-10N01	S 06 05 69	180	12.0	18.0	6.0	500.0	83.33
08S/22E-22N01	S 08 23 50		5.5	8.5	3.0	125.0	41.67
08S/22E-22N01	S 08 23 50	180	5.5	8.5	3.0	125.0	41.67
08S/23E-07B01	S 05 18 53		8.0	15.0	7.0	250.0	35.71
09S/21E-03Q01	S 02 07 62		20.0			30.0	
09S/21E-11A01	S 03 26 63	30				3.0	
09S/21E-11K01	S 03 25 63	30				4.0	

**MAPS OF THE PALO VERDE VALLEY AREA,
RIVERSIDE AND IMPERIAL COUNTIES,
CALIFORNIA**


**SHOWING RECONNAISSANCE GEOLOGY AND
LOCATION OF WELLS AND SPRING**

STATE OF CALIFORNIA
THE RESOURCES AGENCY
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

FEDERAL-STATE COOPERATIVE
GROUND-WATER INVESTIGATIONS
PREPARED BY U.S. GEOLOGICAL SURVEY


1977

This section consists of explanatory information and 14 page-size maps that show reconnaissance geology and location of wells and spring in the Palo Verde area. The area covered by each individual map is shown below. One composite map, about 33 by 42 inches, is available on request, at the requester's expense, from the district chief, U.S. Geological Survey, Water Resources Division, 855 Oak Grove Avenue, Menlo Park, California 94025.




Location of wells and spring by W. R. Moyle, Jr.,
J. D. Horne, R. L. Blazs, and L. A. Price. Geology
compiled by W. R. Moyle, Jr.

Base from U.S. Geological Survey
1:24,000 and 1:62,500 quadrangles



INDEX TO GEOLOGIC MAPPING



INDEX TO TOPOGRAPHIC MAPS

- 1 C. W. Jennings and R. B. Saul,
unpublished, 1:62,500
- 2 Warren Hamilton, unpublished, 1:24,000
- 3 James Gamble and E. A. Donehy
(Southern Pacific Land Co.), unpublished,
1:24,000
- 4 C. W. Jennings, unpublished, 1:62,500
All mapping published by the California
Division of Mines and Geology on the Salton
Sea Sheet (Jennings, 1967), scale 1:250,000.
This map was compiled from the original field
maps, scale 1:24,000 and 1:62,500

EXPLANATION

UNCONSOLIDATED ROCKS

[Qs]

Dune sand

Actively drifting sand. If saturated would yield small quantities of water to wells

[Qya]

Younger alluvium

Sand, gravel, silt, and clay, unconsolidated. Above water table in mountains and on slopes. Contains water in the flood plain of the Colorado River. Where saturated, yields water freely to wells

[Qoa]

Older alluvium

Gravel, sand, boulders, silt, and clay, moderately well sorted and indurated. Where saturated, yields water freely to wells

[QTc]

Continental and marine sedimentary rocks

Limestone, sandstone, tuffaceous siltstone, silt, sand, clay, tufa, and fanglomerate, moderately to highly indurated. Yield small to moderate quantities of water to wells where saturated

[Tf]

Fanglomerate

Fanglomerate, well-indurated, reddish-brown volcanic debris. Probably will yield little water to wells

CONSOLIDATED ROCKS

[Tv]

Volcanic rocks

Intrusive and extrusive plugs, dikes, and flows composed of andesite, rhyodacite, tuff, pyroclastic breccia, and agglomerate. Yield little or no water to wells and springs

[pTb]

Basement complex

Igneous and metamorphic rocks composed of granite, diorite, quartzite, schist, gneiss, metalimestone, and metavolcanics. Impermeable except where highly fractured

QUATERNARY

TERTIARY

PRE-TERTIARY

Holocene

Pleistocene

Pliocene(?) and
Pliocene(?)

Miocene(?) and
Pliocene(?)

UNCONSOLIDATED ROCKS

[Qs]

Dune sand

Actively drifting sand. If saturated would yield small quantities of water to wells

[Qya]

Younger alluvium

Sand, gravel, silt, and clay, unconsolidated. Above water table in mountains and on slopes. Contains water in the flood plain of the Colorado River. Where saturated, yields water freely to wells

[Qoa]

Older alluvium

Gravel, sand, boulders, silt, and clay, moderately well sorted and indurated. Where saturated, yields water freely to wells

[QTc]

Continental and marine sedimentary rocks

Limestone, sandstone, tuffaceous siltstone, silt, sand, clay, tufa, and fanglomerate, moderately to highly indurated. Yield small to moderate quantities of water to wells where saturated

[Tf]

Fanglomerate

Fanglomerate, well-indurated, reddish-brown volcanic debris. Probably will yield little water to wells

CONSOLIDATED ROCKS

[Tv]

Volcanic rocks

Intrusive and extrusive plugs, dikes, and flows composed of andesite, rhyodacite, tuff, pyroclastic breccia, and agglomerate. Yield little or no water to wells and springs

[pTb]

Basement complex

Igneous and metamorphic rocks composed of granite, diorite, quartzite, schist, gneiss, metalimestone, and metavolcanics. Impermeable except where highly fractured

MAP SYMBOLS

Approximate geologic contact



Fault

Dashed where inferred, dotted
where concealed



Surface-water divide



Well



Destroyed well



Flowing spring

WELL-NUMBERING SYSTEM

Letter after well indicates
position in section thus:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

For a complete description
of well-numbering system,
see text



APPROXIMATE MEAN
DECLINATION 1977

1 0 1 2 3 4 5 MILES

1 0 1 2 3 4 5 KILOMETERS

3000 0 3000 6000 9000 12000 15000 18000 21000 FEET


CONTOUR INTERVALS 5, 10, 20, 40, 50 AND 80 FEET
DATUM IS MEAN SEA LEVEL

MAP 1


T.3 S.
T.4 S.

T.4 S.
T.5 S.

R.20 E. | R.21 E.



MAP 2



MAP 3


T.3 S.
T.4 S.

T.4 S.
T.5 S.

R.22 E. | R.23 E.




MAP 4



R.20 E R.21 E.

MAP 5



114°45' E | R.21 E. | R.22 E.


MAP 6

$33^{\circ}45'$




R.22 E. | R.23 E.

MAP 7




MAP 8




R.20 E. | R.21 E.

114°45'

MAP 9




MAP 10



MAP 11



MAP 12



E. T.R. 21 E.

114° 45'

MAP 13



R.22 E. | R.23 E.

MAP 14



R.21 E.

114°45'

T.9 S.
T.10 S.



MA 17 82

THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

BOOKS REQUESTED BY ANOTHER BORROWER
ARE SUBJECT TO RECALL AFTER ONE WEEK.
RENEWED BOOKS ARE SUBJECT TO
IMMEDIATE RECALL

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

D4613 (12/76)



3 1175 00565 5678

